

A FLORA OF EASTBOURNE AND THE
CUCKMERE DISTRICT

**MAINLY FROM 1934-1942
WITH LATER ADDITIONS**

by

R. A. Boniface

Contents

The Flora.....	page 1
Notes on MS & transcription...	page 60
Gazetteer of sites.....	page 61
Index of genera.....	page 62

Clematis vitalba

Wilmington Holt, abundant 7.5.50. Wood on the Downs above Chalk Farm, Willingdon 3.4.46. Wannock Glen, common 21.5.36. Crumbles near Langney, locally abundant on loose shingle 28.6.42. Woods above Ratton House 22.5.44. Willingdon Hill 13.6.76. Hedge by the road near Battle 3.4.36. Hedge near Rushlake Green 28.6.36. Hedge between Hailsham & Pevensey & occasionally on the Marsh 0.7.39. Windover Hill, common 18.9.36.

Anemone nemorosa

Wartling Wood, abundant 26.3.33. Park Wood, near Carters Corner, common 28.4.36. Jevington Holt, common 8.4.34. About Glenleigh 13.7.37. Abbotts Wood, abundant 30.6.34. Kemps Wood, near Rushlake Green 30.5.36. Park Wood near Sidley Green 30.4.50. Upper Vert Wood, East Hoathly 24.5.53. Milton Hyde 9.6.62. High Wood, Bexhill 30.4.72. High Wood, Netherfield 14.5.72.

Adonis annua

Plentiful in two fields S of Friston towards Crowlink 2.7.42, 30.8.46. Two fields at Crowlink, abundant, at least 50,000 plants 13.8.78.

Myosurus minimus

Abundant in a sandy cornfield, right hand side of Comphurst Lane, Hurstmonceux 26.4.33, 27.4.34, 17.4.35, 2.7.37.

Ranunculus circinatus

Ditches on the marsh between Pevensey and Wartling, locally common 19.5.33. Ashburnham Park on the lake near the House, frequent 11.9.35. Ditches near Tut Barn, Eastbourne, locally common 17.8.37.

R. aquatilis

Ditches on Pevensey Marsh, locally common 17.4.36. Stream on Milton Hyde, plentiful 31.8.36, 9.6.62. Ditches on the marsh between Willingdon & Stone Cross 5.8.36.

R. trichophyllus

Ditches on the marsh near Pevensey, common 16.5.33. Marsh ditches between Eastbourne & Willingdon 18.5.33. Ditch by the Cuckmere between Exceat & the sea 26.4.52. Near Exceat 3.7.77.

R. baudotii

Small pond between Exceat & the sea (var. confusa) 15.5.33 & in ditches towards the sea 26.4.52. Near Exceat 3.7.77.

R. lenormandii

Marshy, muddy area by one of the ponds in Hurstmonceux Park, plentiful 26.5.36. Abundant in a shallow muddy ditch by the footpath from Willingdon to Stone Cross 5.5.36. Grounds of Glenleigh, local 13.7.37.

R. lutarius

Muddy pond off Hempstead Lane near Hailsham 7.6.34, abundant on 8.7.50. Abundant on the mud of a large pond between Hailsham & the Dicker 12.6.49, 8.7.50. Wet muddy spot on Hooe Common 27.5.73. Small pond in Wartling Wood (deep water form) 24.5.36.

R. hederaceus

Around a shallow pond on Hooe Common, plenty 22.4.33. By the Cuckmere near Berwick 25.6.37. Common in a muddy ditch by the road at Berwick Common 15.6.75.

R. sceleratus

Marsh ditches near Pevensey, common 16.5.33. Ditches in the Cuckmere Valley about Exceat & East Dean 18.7.36. R. Cuckmere near Berwick 12.10.36. Marsh ditches between Willingdon & Stone Cross 28.8.36. Bulverhythe marsh 20.8.67.

R. lingua

Large pond between Hempstead Lane & the River Cuckmere, near Hailsham 18.7.32, 6.7.35. Ditches on Pevensey Marsh between Pevensey Bay & Wartling, local, & between Pevensey Bay & Hooe, locally common 20.8.37. Friston Pond (planted?) 11.8.74, 13.8.78.

R. flammula

Upper Vert Wood & Heathley 24.5.58. Park Wood, Sidley Green 30.4.50. Marshy places by the Cuckmere, Berwick 27.5.32. Wet places about Hailsham etc, common 6.2.35. By the stream on Milton Hyde, common

31.8.36, 9.6.62. Bog on Berwick Common, plentiful 30.5.54, 23.6.74. Marshy hollows on the Crumbles, frequent 1.7.36. Hooe Common, plentiful 24.9.73. Heathy field 1 mile north of Warbleton 15.9.57. Bulverhythe Marsh, common 20.8.67. S of Heathfield Park 14.5.72.

R. auricomus

Common along the roadside between Chalvington & Berwick 12.5.33. Hempstead Lane between Hailsham & Milton Hyde, plentiful 20.4.34, 30.6.43. Park Wood, Sidley Green, frequent 30.4.50. Between Hurstmonceaux & Bodle Street 2.5.37. Diplocks Wood between Wannock & Jevington 0.7.39.

R. acris

Common about Willingdon etc 30.4.37. Diplocks Wood near Wannock 0.7.39. Boggy field, Berwick Common, abundant 30.5.54. Marsh by the Cuckmere by Sherman Bridge 16.5.75. Marlines Wood, common 9.5.64. Kemps Wood 14.5.72.

R. repens

Lower end of Wannock Glen, common 10.5.35. The Coppice, near Willingdon 24.5.42. Marshy field 1 mile N. of Warbleton 15.9.57. Milton Hyde, common 9.6.62. Bog on Berwick Common 23.6.74. About Heathfield, common 14.8.72.

R. bulbosus

Common about Pevensey Castle 23.4.36. Downs from Eastbourne to Beachy Head, common 1.6.42, 15.6.57. Fields etc by the Cuckmere near Westdean, common 10.9.37. Crumbles near Eastbourne, common 1.7.36. Towards Pevensey Bay 3.5.73. Willingdon Hill 13.6.76. Cuckmere Haven 15.6.75. Downs above Wilmington 9.5.64.

R. sardous

Damp hollows on the Crumbles E of Eastbourne, locally common 13.5.35, 28.6.42. Damp fields by the Cuckmere near Westdean, common 2.6.37.

R. parviflorus

A patch of several hundred plants on the Crumbles near the 'Lodge Inn' by the track leading to Langney Point 10.5.34. Nearly 100 plants in disturbed shingle by Langney Gate side of the Dairy 8.5.33, plenty on 31.5.46. Abundant in an arable field in the Crowlink Valley towards the cliff-edge 30.5.46.

R. arvensis

Cornfields near Alfriston 30.5.33. Cultivated fields at Willingdon towards Stone Cross 5.8.36. Chalky fields on the Downs above Eastbourne, local 21.6.41.

R. ficaria

Wannock Glen 25.3.34. Abbots Wood, common 29.5.34. Wood on the Downs above Chalk Farm, common 30.4.36. Hedgebanks & woods about Jevington 2.2.35. About Hampden Park & Willingdon, common 8.2.36. Near Battle 12.3.33. Diplocks Wood near Wannock 0.7.39. Under trees on the Downs above Eastbourne, abundant 17.3.59. Milton Hyde 9.6.62. High Wood, Bexhill 30.4.72. Marlines Wood 9.5.64.

Caltha palustris

Pond between Hempstead Lane & the Cuckmere 14.3.36. Banks of the Cuckmere 24.4.32. Ditches on the marsh between Pevensey and Wartling 19.3.33. Marshy meadow between Waldron and Horham Rd. 14.5.32. Hurstmonceaux Park, common 24.5.36. Ashburnham Park, common 16.4.34. By the Cuckmere near Berwick 17.5.33, 26.5.36.

Aquilegia vulgaris

Abundant on a bushy slope of the Downs on Bullock Down near Black Robin Farm behind Beachy Head 25.5.34. Park Wood near Carters Corner, local 28.4.36. Nate Wood near Polegate, not common 4.5.37. Bushy slope slightly W of Beachy Head, abundant 18.6.57. Hanger above Ratton House (planted?) 4.3.36. Crumbles, a small colony on bare shingle towards Pevensey Bay 22.8.70.

Berberis vulgaris

Crowlink Valley near Friston, plentiful in a thicket on the W side 30.5.46.

Nymphaea alba

Ditches on Pevensey Marsh, locally frequent 16.6.34, 23.8.70. Pevensey Marsh near Horseye & Rickney 0.7.39. Cuckmere near Berwick 25.6.37. Ponds in Ashburnham Park, common 11.9.35. Pond west of Waldron Church 26.9.70. Friston Pond 11.8.74, 13.8.78.

Nuphar lutea

Abundant in the Cuckmere near Berwick 12.5.33, 11.6.49. Near Chilver Bridge, common 3.8.62. Cuckmere near Horsebridge 9.8.33. Brickyard Pond by the Drive of Hampden Park, Eastbourne 28.5.34.

Papaver argemone

Chalky fields on Crapham Down above Eastbourne, locally plentiful 26.5.35. Chalky fields on the Down E of the Cuckmere Estuary towards Friston, local 8.7.58. Chalky fields at Alfriston 26.6.34. Edge of a field on Willingdon Hill towards Friston, a few plants 18.6.76.

P. hybridum

Cultivated fields on the Downs above Eastbourne, frequent 29.7.35. Fields of Crowlink, local 13.8.78.

P. rhoeas

Chalky fields on the Downs above Eastbourne to the Cuckmere Estuary, common 6.7.58. Windover Hill, common 18.9.66. Crumbles near Eastbourne, occasionally 31.5.85. Crowlink, common 13.8.78.

P. lecoqii

Edge of a field at Hampden Park, Eastbourne 28.6.35.

Glaucum flavum

Sparingly between Bexhill & St. Leonards 12.8.34. Sea beach from Eastbourne to Pevensey Bay, locally abundant 21.6.41. Sea beach between Pevensey Bay & Normans Bay, common 21.7.48. Cliff edges on & near Beachy Head, locally common 3.7.43. Common on bare ground near the cliff edge eastwards from Cuckmere Haven 3.7.55. Beach at the Cuckmere Estuary, common 19.7.69. Beach at Bulverhythe, common 28.8.67.

Chelidonium majalis

Riverside bank between Wannock & Jevington 1.8.32. Foot of old walls at Willingdon 5.5.36. About the ruins of Pevensey Castle 24.4.36.

Corydalis lutea

Old walls at Otham Court near Polegate, plentiful 5.3.32. Old walls in Alfriston, common 26.4.52.

C. claviculata

Plentiful among bushes on the Crumbles near Langney 6.4.36, 31.5.46.

Fumaria capreolata

Common in several gardens in Wywick and Dacre roads, Eastbourne 2.7.42. Hedge of the field below Chalk Farm, Willingdon, sparingly 2.7.42.

F. officinalis

Cultivated fields at Folkington, common 29.5.34. Fields at Hurstmonceux 4.5.35. Chalky fields on Willingdon Hill towards Friston, common 2.7.42. Fields at Crowlink, common 13.8.78.

F. micrantha

Cornfields on Crapham Down above Eastbourne, common 28.7.36, 2.7.42. Chalky fields on Willingdon Hill towards Friston, common 2.7.42.

F. boraei

Roadside between Horsebridge & Horham 1.8.34. Roadside between Pevensey & Wartling 18.8.38. Roadside bank, Park Wood near Carters Corner 28.4.36.

Matthiola incana

Chalk cliff immediately W of Eastbourne, locally common 14.6.49 (all white).

Cheiranthus cheiri

Common on old walls around Pevensey Castle 23.1.36, 16.4.35. Low chalk cliffs at Eastbourne, locally common 17.3.57.

Rorippa sylvestris

Small patch on a roadside verge at the lower end of Park Lane near Kins Drive, Eastbourne 29.6.36. Plentiful on disturbed shingle about the Crumbles Pond (now Prince's Park Lake) 15.7.32.

R. islandica

Banks of the Cuckmere near Berwick Station, scarce 24.5.37.

R. amphibia

Abundant in several ditches on the marsh just S of Hailsham 25.5.35.

Barbarea vulgaris

By a pond on Hooe Common 22.4.33. Damp places on the Crumbles E of Eastbourne 24.6.52. Near Pevensey Bay 30.5.70. Diplocks Wood near Wannock 1939. Abbots Wood 4.5.37. High Wood, Netherfield 14.5.72. Between Bexhill & Cooden Bay 21.5.78.

B. verna

A few plants on the Crumbles between Eastbourne & Pevensey Bay 14.6.69.

Arabis hirsuta

Downs about Jevington, common 5.7.35. Windover Hill near Wilmington, local 8.9.66. Downs near Friston 24.5.35. Downs E of the Cuckmere Estuary, local 18.7.64.

Cardamine amara

Banks of the stream in Ashburnham Park, W end 19.5.33. Along the stream W of Horsebridge & near Hellingly Water Mill, common 23.5.33.

Cardamine pratensis

Damp hollows on the Crumbles, E of Eastbourne, common 30.3.32, 24.4.52. Common on Cowbeech 5.4.36. Diplocks Wood, near Wannock 1939. Kemps Wood near Rushlake Green 30.5.36, 14.5.72. By the Cuckmere near Berwick 26.5.37. Bog on Berwick Common 30.5.54, 15.6.75. Milton Hyde 9.6.62. Near Heathfield Church 14.5.72. High Wood, Netherfield 14.8.72. Marlines Wood 9.5.64. Hooe Common 27.5.73.

Cardamine hirsuta

Crumbles E of Eastbourne, common 26.3.32, 12.3.35. Near Battle 12.3.33. Near Ashburnham Park 3.3.36. Waldron Church 20.9.70.

Cardamine flexuosa

High Wood, Bexhill 5.5.32, 30.4.72. Abundant in Wartling Wood 16.5.33. Kemps Wood near Rushlake Green 30.5.36. Abbots Wood 4.5.37. Hampden Park (formerly Old Decoy Wood) near Eastbourne 24.4.43. Heathfield 14.5.72. Marlines Wood, common 9.5.64.

Cardamine bulbifera

A small colony on damp ground by the stream in Park Wood near Sidley Green 30.5.50.

Lobularia maritima

On the Crumbles near Eastbourne, occasionally 6.9.41.

Erophila verna

Old walls about Pevensey Castle 24.4.36. Common on patches of dry turf on the Crumbles near Eastbourne 8.3.36, 24.4.52. Crumbles near Langney Fort, local 30.5.70.

E. spathulata

Barish places on the chalk Downs above Eastbourne, local 17.3.57.

Hesperis matronalis

In a copse by the roadside by Thornwell Tea Garden, Arlington 20.5.33. Several plants in a plantation by the Willingdon-Eastbourne road at Ratton 16.6.32, 12.7.36. Disturbed ground at the top end of Wannock Glen, several plants (white) 11.8.74.

Arabidopsis thaliana

Old walls about Pevensey Castle 18.4.33. Sandy bank by Park Wood near Carters Corner 28.4.36. Sandy banks by Wartling Church and by the road, common 2.5.36. Sandy bank near Ashburnham Park 5.4.36. Near Horam Station 14.3.72.

Sisymbrium officinale

Hedges & waste ground about Pevensey, common 6.5.37. Crumbles near Eastbourne, common 22.5.86. Willingdon Hill 13.6.76.

S. altissimum

In a rough stony field at Beach Farm near Eastbourne, very plentiful 6.7.34. One large plant by the roadside near Glenleigh 19.8.33.

S. orientale

Disturbed ground at Pevensey Castle 29.5.32. Disturbed ground on the Crumbles at Langney near Eastbourne, frequent 11.5.35.

Alliaria petiolata

Hedges etc. about Ashburnham, common 9.4.33. Hedges etc. about Polegate & Hailsham 23.4.32. Comphurst Lane, Hurstmonceux, common 18.4.36. Diplocks Wood, Wannock 0.7.39. High Wood, Netherfield 14.5.72.

Conringia orientalis

Garden weed at Eastbourne, occasionally 18.7.39.

Brassica nigra

Common by the Cuckmere near Exceat Bridge 18.5.34, 1977. Sides of ditches on Pevensey Marsh near Horseye and Rickney 0.7.1939. Sides of ditches on the marsh between Upper Willingdon and Stone Cross 28.8.36. Shingly beach E end of Eastbourne 20.7.68.

Hirschfeldia incana

Shingly ground about Langney Point, a few plants 20.7.68.

Diploxys muralis

Abundant on the Crumbles near Eastbourne 17.5.34. Downs near Cow Gap, Eastbourne 6.6.42. Bare ground near the cliff edge a little E of Cuckmere Haven 3.7.55, 18.2.65. Crowlink, abundant 11.8.74.

D. tenuifolia

Shingly ground about Langney Point near the fort, plentiful 20.7.68.

Sinapis alba

Abundant by the Cuckmere at Exceat Bridge 2.6.37.

S. arvensis

Common on the Crumbles E of Eastbourne 17.4.35, 28.6.42.

Capsella bursa-pastoris

Common about Eastbourne 17.3.57.

Coronopus squamatus

Cuckmere Estuary, common 2.6.37, 28.8.65. Between Bexhill & Cooden Bay 21.5.78.

Lepidium campestre

Disturbed ground on the Crumbles near Eastbourne, occasional 1.7.36. Fields on the Downs between Gayles Farm & the R. Cuckmere, locally common 6.7.58. Behind the beach of the Cuckmere Estuary 15.6.75.

L. ruderale

Shingly ground near the sea at Langney Point, local 14.9.36

L. heterophyllum

Common on the Crumbles E of Eastbourne & about Langney etc. 8.5.33, 26.4.52.

Cardaria draba

Crumbles E of Eastbourne, abundant 14.5.34, 1.5.37, 26.6.42.

Thlaspi arvense

Near Black Farm, Eastbourne 1.6.36, 2.9.45. Fields by the footpath from Upper Willingdon to Stone Cross, local 28.8.36. Chalky fields near Cow Gap, Eastbourne, sparingly 6.6.42. Disturbed shingle by the Aylesbury Dairy, Langney, local 2.9.45.

Crambe maritima

Very abundant along the shore from Eastbourne to Pevensey Bay 8.6.34, 17.3.57. Several places on the beach between Bexhill & St. Leonards 15.8.34, common 20.8.57. On the beach at the mouth of the Cuckmere 15.5.33,

18.8.57, 30.5.70. Chalk cliffs at Cow Gap & Beachy Head, frequent 12.6.49. Sea beach beyond Pevensey Bay, locally abundant 21.7.48. Beach between Bexhill & Cooden Bay, common 21.5.78.

Cakile maritima

Shingle beach at the mouth of the Cuckmere, E side, very sparingly 7.7.32, several plants 1964.

Raphanus maritimus

Abundant on cliff edges & chalk slopes about Cow Gap near Eastbourne 13.5.33, 12.6.49. Sea beach between Bexhill & St. Leonards 12.8.33. Shingly beach towards Langney Fort, Crumbles 19.5.35. Cliffs near Beachy Head 3.8.42. Crumbles towards Pevensey Bay 30.5.70. Low grassy cliffs between Bexhill & Cooden Bay 21.5.73.

Reseda lutea

Abundant on the Downs at Eastbourne & about Cow Gap 25.5.34, 15.6.57. Crumbles near Eastbourne 1.6.36. Bare ground near the cliff edge E of Cuckmere Haven 3.7.59. Downs E of the Cuckmere Estuary, abundant 6.7.58. Friston Forest, Westdean 3.7.77. Downs about Seaford Head 3.7.77. Willingdon Hill 13.6.76. Crowlink 11.8.74. Windover Hill 18.9.66.

R. luteola

Crumbles E of Eastbourne, common 6.6.34, 28.6.49. Crowlink Valley, common 30.5.46. Downs about Cow Gap near Eastbourne 6.6.42. Bare ground by the cliff edge E of the Cuckmere Estuary 3.7.55. Downs E of the Cuckmere, common 6.7.58. Willingdon Hill 13.6.76. Crowlink 11.8.74.

Helianthemum chamaecistus

Downs about Ratton House, common 3.8.41. Downs near Wannock, common 11.8.74. Between Friston & Crowlink, common 11.8.74.

Viola arvensis

Sandy fields near Comphurst Lane, Hurstmonceux, common 18.4.36. Crumbles near Eastbourne, occasional 1.7.36. Fields about Polegate 19.9.38. Chalky fields on the Downs between Friston & the Cuckmere, abundant 6.7.58. Fields S of Heathfield Chapel, local 15.9.57.

V. tricolor

Fields on the Downs between Gayles Farm & the Cuckmere, local 6.7.58.

V. hirta

Downs near Wannock Glen, common 21.5.36. Downs above Willingdon, common 28.4.37. Downs about Ratton House, common 22.5.44. Downs above Eastbourne, Cow Gap & Beachy Head, abundant 17.3.57. Down E side of the Cuckmere Estuary, abundant 6.7.58. Windover Hill, Wilmington, locally common 18.9.66. Seaford Head, common 18.9.66.

V. odorata

Woods about Paradise Drive, Eastbourne 1937. Bank near Wilmington Church & hedges on the Downs near 2.1.37, 25.2.50. Var. *alba* common in Willingdon Coppice 7.4.34. Wood on the Down above Chalk Farm, Willingdon, plentiful 30.4.36. Wannock Glen 21.5.36. Woods about Ratton House, common 23.5.44. Under old Ash trees & bushes on the steep slope of the Downs just above Eastbourne with patches of var. *alba*, locally common 17.3.57. Marlines Wood, rare 9.8.64.

V. lactea

Open boggy heathy slope above the stream in Kemp's Wood near Rushlake Green, sparingly 30.5.36, 6.6.54. Heathy field by the head of a stream below Chapel Cross, Heathfield, sparingly 1.9.36, 6.6.54 (now ploughed up). A few plants in a heathy field 1 mile north of Warbleton 15.9.57.

V. reichenbachiana

Small wood on the Downs above Chalk Farm, Willingdon, plentiful 30.4.36. Copses by the footpath from Wannock to Fulkington, common 20.4.35.

V. riviniana

Kemps Wood near Rushlake Green 30.5.36. Comphurst Lane, Hurstmonceux 18.4.36. Ashburnham Park, common 5.4.36. Abundant in Nate & Abbotts Woods 12.5.34. Grassy banks by the Cuckmere near Exceat Bridge, sparingly 27.4.52. Park Wood near Sidley Green 30.4.50. Crumbles near Eastbourne 26.4.52. Wartling Wood, common 27.4.34. Milton Hyde, common 27.5.73. About Heathfield 14.5.72. Windover Hill, Wilmington, local 18.9.66. Marlines Wood, common 9.5.64.

Polygala vulgaris

Downs about Cow Gap near Eastbourne, common 6.6.42. Downs at Beachy Head, common 15.6.57. Crowlink Valley near Friston 30.5.46. Downs above Wilmington, common 26.6.54. Crumbles near Eastbourne 1.7.36. Downs between Seaford & the Cuckmere 30.5.70. Willingdon Hill 13.6.76. Downs E of the Cuckmere, local 18.7.65.

P. calcarea

Chalk down between Folkington & Wilmington, locally common 29.5.33, 11.6.49. Downland slope on the E side of the Cuckmere Estuary, locally common 26.4.52. Downland slope at Beachy Head, locally abundant 15.6.57.

P. oxyptera

Sandy bank on the Battle-Ashburnham road near Ashburnham Park 24.6.34. Barish chalky down between the Cuckmere Estuary & Friston 6.7.58.

P. serpyllifolia

Heathy field side of Kemps Wood near Rushlake Green 30.5.36. Heathy field 1 mile north of Warbleton 15.9.57. Heathy ground S of Heathfield Park 14.5.72.

Frankenia laevis

Muddy W bank of the Cuckmere above & below Exceat Bridge 13.7.34, 2.6.37. Mud flat of the mouth of the Cuckmere on the E side, abundant 31.7.49, 19.8.59. Damp hollows in the shingle between Pevensy Bay & Normans Bay, locally plentiful 29.8.34, 27.7.35, 21.7.48.

Dianthus armeria

Plentiful on a chalky bank on the N side of a cornfield on Crapham Down above Eastbourne 17.7.34, 28.7.36, 5.7.41. A small patch in a rough grass field on Willingdon Hill towards Friston (near *Linaria repens*) 24.6.34.

Saponaria officinalis

Locally abundant on the Crumbles near Eastbourne 8.8.34, 2.9.45 (becoming scarce through building), 23.8.70.

Silene anglica

Shingles a short distance E of Langney Dairy, very sparingly 13.6.36. Cultivated field near Maynards Green, sparingly 3.8.57.

S. maritima

Very abundant on the Crumbles E of Eastbourne 18.4.31, 1.5.37, 28.6.42. Crumbles near Langney Point, abundant 30.5.70. Near Pevensy Bay 14.6.69.

S. cucubalus

Downs near Beachy Head, common 15.6.57. Downs near Cow Gap, Eastbourne, common 15.6.57. Downs at Seaford Head 17.7.71. Willingdon Hill, common 13.6.76. Friston Forest, Westdean 1.8.76. Crowlink 11.8.74.

S. alba

Hurstmonceux Park, common 4.5.35. Wannock Glen 21.5.36. Downs above Eastbourne, locally plentiful 20.5.48. Wartling Wood 2.5.36. Windover Hill near Wilmington 26.6.54, common 18.9.66. Willingdon Hill 13.6.76. Near Friston & Crowlink 11.8.74.

S. dioica

Wannock Glen 15.4.35. About Windmill Hill, Hurstmonceux 20.4.32. Wood on the Downs above Chalk Farm, Willingdon 28.4.37. Disturbed ground near the cliff edge E of Cuckmere Haven 3.7.55. Diplocks Wood near Wannock 1939. Wartling Wood 2.5.36. Abbots Wood, common 4.5.37. The Coppice, Willingdon 24.4.43. Park Wood near Sidley Green 4.5.39. Grounds about Glenleigh 13.7.37. Downs above Willingdon 30.4.36. High Wood, Netherfield 14.5.72. Marlines Wood, common 9.5.64. Willingdon Hill 13.6.76.

Lychnis flos-cuculi

Damp places in Hurstmonceux Park 30.5.32. Brickyard Pond by the Drive, Hampden Park 28.5.34. Marsh by the Cuckmere near Sherman Bridge, Berwick, occasionally white forms 12.6.33 & double-flowered forms 15.6.75. Bog on Berwick Common, local 30.9.54, common 15.6.75. Grounds about Glenleigh 13.7.37.

Agrostemma githago

Abundant in an oat field on the chalk just above Alfriston 26.6.34. Plentiful in a freshly ploughed cornfield on Willingdon Hill near the track to Friston 2.7.42.

Cerastium tetrandrum

Among short grass & on dry turfy places on the Crumbles E of Eastbourne, locally common 22.3.35. Near Langney Point, local 30.5.70. Old walls & dry places about Pevensey Castle ruins 6.5.37.

Cerastium semidecandrum

Dry gravelly places on the Crumbles near Eastbourne, common 26.4.52.

C. glomeratum

Fields etc. by the Cuckmere near Berwick Station, common 25.6.37.

C. vulgatum

Heathy field N of Warbleton 15.9.57. Willingdon Hill 13.6.76. Windover Hill 18.9.66.

C. arvense

Rough downland, field edges etc. on Willingdon Hill towards Friston, abundant 30.5.46. Field edges on Crapham Down towards Beachy Head 26.5.35.

Moenchia erecta

Abundant in turfy places on the Crumbles amongst short grass between Eastbourne & Langney 10.5.33, 1.5.37, 25.4.46. Damp grassy ground on Milton Hyde near Abbots Wood 31.8.36.

Myosoton aquaticum

River Cuckmere & adjacent streams near Horsebridge, frequent 9.8.34. Banks of the Cuckmere near Berwick Station, common 21.8.35, 12.10.36. Ditches by the Cuckmere at Alfriston, common 24.8.57.

Stellaria media

Crumbles E of Eastbourne & waste ground etc. about the town, common 23.1.32. Near Chalvington, common 24.8.57.

S. holostea

Park Wood, Sidley Green 30.4.50. Wartling Wood, common 27.4.34. Abbots Wood, common 4.5.37. Diplocks Wood, Wannock 0.7.39. Comphurst Lane, Hurstmonceux 12.4.36. High Wood, Bexhill 30.4.72. Marlines Wood, common 9.5.64. Milton Hyde, abundant 27.5.73. High Wood, Netherfield 14.5.72.

S. graminea

Abbots Wood & woods near, common 12.6.32. Among bushes on the Downs above Eastbourne, common 11.6.35. Heathy field 1 mile N of Warbleton, common 15.9.57. Top of the Downs on Windover Hill, local 18.9.66. Willingdon Hill 13.6.76.

S. palustris

Marshy ditch by the road between Pevensey & Wartling 23.7.39.

S. alsine

Kemps Wood near Rushlake Green 30.5.36. Swampy places in Abbots Wood 5.5.37. Boggy places in Hurstmonceux Park 24.5.36. Bog on Berwick Common, abundant 30.5.54. Bog on Hooe Common, local 24.9.72. Marsh by the Cuckmere N of Sherman Bridge, Berwick 15.6.75. Damp ground, Heathfield 14.8.72.

Moehringia trinervia

Abundant near Windmill Hill, Hurstmonceux 17.4.35. Small wood on the Downs above Chalk Farm, Willingdon 30.4.36. Wartling Wood 2.5.36. Diplocks Wood near Wannock 1939. Comphurst Lane, Hurstmonceux 18.4.36. Grounds about Glenleigh 13.7.37. High Wood, Netherfield 14.5.72.

Arenaria serpyllifolia

Cuckmere Estuary, common on the beach 3.7.77. Windover Hill, common 18.9.66.

Honkenya peploides

Several patches on the shingles between Bexhill & St Leonards 12.8.33, 20.8.67. Small patch on shingles at the mouth of the Cuckmere, E side 18.4.34, 14.7.37, 19.7.69.

Sagina maritima

Gravelly & earthy places on the Crumbles near Eastbourne 8.5.33.

S. procumbens

Hooe Common 27.5.73. Between Bexhill & Cooden Bay, common 21.5.78.

S. nodosa

Fore Down near Winchester Pond, above Litlington, locally common on bare chalky ground 18.9.66.

Spergula arvensis

Fields on the Downs above Eastbourne, locally common 15.8.42.

Spergularia marginata

Salt marshes by the Cuckmere between Exceat & the sea, frequent 8.6.35, 14.7.37, 24.8.57, 28.8.65.

S. salina

Marshy brackish ground on the Crumbles near Eastbourne, common 15.9.35. (very glandular above with a broadly winged seed, bright rose). Edges of ditches on Pevensy Marsh near Horseye & Rickney, not common 0.7.39. Salt marsh & mud by the Cuckmere from Exceat Bridge to the sea 14.7.37. Sandy cliff at Bulverhythe, local 20.8.67.

Montia verna

Damp places amongst short grass on the Crumbles near Langney 6.4.36. Damp paths in Park Wood, Sidley Green 30.4.56. Marsh between Willingdon & Stone Cross 5.8.36. On the remaining piece of Hooe Common 27.5.78.

Tamarix gallica

Several bushes on the Crumbles near Eastbourne 31.5.46. Chalk slope of the W side of the mouth of the Cuckmere, sparingly 13.7.35.

Elatine hexandra

Sparingly in the large pond opposite the house in Ashburnham Park 11.9.34.

Hypericum androsaemum

Wartling Wood 2.5.36. Woods & hedges S of Heathfield Chapel, occasionally 1.9.36. Nate Wood near Polegate, locally abundant among hazel 4.5.37.

H. hirsutum

Abundant about Jevington 1.7.34. Hedges & copses at Folkington 4.7.34. Small wood on the Down above Chalk Farm, Willingdon 23.5.44. Nate Wood near Polegate, locally abundant 4.5.37. Wannock 11.8.74.

H. humifusum

Damp sandy paths etc. in Wartling Wood, frequent 16.7.32, 12.7.41. Damp paths etc. in Park Wood, Sidley Green 14.5.39. Damp sandy ground, Hurstmonceux Park 24.5.36. Heathy field 1 mile N of Warbleton 15.9.57.

H. pulchrum

Abbotts Wood, frequent towards Caneheath 4.5.37. Upper Vert Wood near East Hoathly 24.5.53. Milton Hyde near Abbotts Wood 30.6.43. Bexhill Down, local 28.6.35, 20.8.67. Horsebridge Wood near Hailsham 21.7.43. Selwyns Wood, Waldron 20.9.70. Windover Hill, Wilmington, local 18.9.66. Downs at Seaford Head, local 8.9.66. Downs E of the Cuckmere Estuary, local 18.7.65.

H. elatum

Several plants in High Wood, Bexhill 24.9.72.

H. tetrapterum

Marsh ditches near Eastbourne, abundant 17.8.37. Marshy ground S of Cade Street, near Heathfield 1.9.34. Ditches on Pevensy Marsh about Horseye & Rickney, common 0.7.39. Grounds of Glenleigh 13.7.37. Banks of the Cuckmere near Berwick Station, common 20.10.36. Bog on Hooe Common 24.9.72. High Wood, Netherfield 14.5.72.

H. perforatum

Crumbles between Eastbourne & Pevensy Bay, locally abundant 26.6.35, 3.7.43. Downs above Eastbourne, abundant 5.7.41. Milton Hyde near Hailsham 30.6.42. Windover Hill, Wilmington 18.9.66. Railway banks near Hellingly 17.9.72. Willingdon Hill 13.6.76. Friston Forest, Westdean 1.8.76.

Althea officinalis

Brackish ditches in the Cuckmere Valley near Westdean, abundant 3.8.34, 18.8.57, 5.9.65. Pevensey marsh, locally common in ditches near Horseye & Rickney 0.7.39. Ditches near Normans Bay, not common 22.7.35. Very abundant along a stretch of ditch N of Rickney towards the edge of the marsh 23.7.70.

Althea hirsuta

Very abundant around the edge of a small chalk pit & in thin grass on the Down between Gayles Farm & the Cuckmere 6.7.58.

Lavatera arborea

A few plants on the low cliff E of Bexhill 12.8.34. Sparingly on the chalk cliff immediately W of Eastbourne 17.3.57, 20.7.68. Birling Gap, a few plants 18.8.73. Low cliff between Bexhill & Cooden Bay, local 21.5.78.

Malva moschata

Roadside bank near Waldron 3.8.57. Mill Wood near Michelham Priory, common 3.8.62. Railway banks near Hellingly 24.9.72.

M. neglecta

Disturbed shingly ground on the Crumbles near Langney Farm, common 23.7.32.

M. sylvestris

Common about the ruins of Pevensey Castle 2.6.33. Crumbles near Eastbourne 6.6.34, 31.5.46. Downs by the Cuckmere at Exceat, common 8.6.35 & grassy places near the river 14.7.37. Near Willingdon 17.6.32.

Tilia cordata

Several trees by the stream in Marlines Wood, apparently native 9.5.64.

Radiola linoides

Damp sandy paths in Park Wood near Carters Corner, locally common 15.6.35. Damp paths in Park Wood near Sidley Green, local 14.5.39.

Linum bienne

Abundant along the roadside between Boreham & Battle 24.6.34. Grassy roadside bank near Bexhill Down 8.7.35.

L. catharticum

Downs above Wannock, abundant 10.5.35. Downs about Ratton House, Willingdon, common 23.5.44. Downs from Eastbourne to Beachy Head, abundant 6.6.42, 15.6.57. Downs E of the Cuckmere Estuary, abundant 6.7.57. W of the Cuckmere, common 30.5.70. Downs about Paradise Drive, Eastbourne 1937. Willingdon Hill 13.6.76. Windover Hill, common 18.8.66.

L. usitatissimum

Fields near Birling Gap, occasional 2.7.42. On the Downs above Eastbourne, sometimes plentiful in chalky fields 15.5.42.

Geranium phaeum

A large patch on a bank by the railway near Horam Station 14.5.72.

G. pyrenaicum

Crumbles near Langney, sparingly 23.8.70. Banks by the railway track near Horam Station 14.5.72.

G. molle

Old walls about Pevensey Castle 8.4.83. Dry places on the Crumbles E of Eastbourne, common 11.4.35.

G. dissectum

Grassfields near Hailsham 7.6.34. Crapham Down above Eastbourne 26.5.35. Diplocks Wood near Wannock 1939. Chalky fields at Birling Gap, common 2.7.42. Fields near Cow Gap 6.6.42. Willingdon Hill 13.6.76.

G. colombinum

Downs S of Friston towards Crowlink, common 2.7.42.

G. robertianum

Common in Wannock Glen 12.4.35. Hedgebanks & woods about Hurstmonceaux, common 2.5.37. Wood on the Downs above Chalk Farm, Willingdon, common 30.4.36. Diplocks Wood near Wannock 1939. Wartling Wood 2.5.36. Woods about Ratton House, Willingdon 23.8.44. Above Paradise Drive, Eastbourne 1937. The Coppice, near Willingdon 24.5.42. Crumbles near Eastbourne 1.7.36. Marlines Wood, common 9.5.64. Var. *maritima* – sea beach between Pevensey Bay & Normans Bay 21.7.48. High Wood, Netherfield 14.5.72.

G. lucidum

About 36 plants on a chalky bank above the road at the top end of Wannock Glen 22.5.33, 22.4.34, 10.5.35 (overgrown with bramble bushes 1945).

G. endressii

A well established patch by the road near Hellingly Water-mill 24.9.72.

Erodium cicutarium

Earthy places on the Crumbles E of Eastbourne, common 25.4.36. Cuckmere Estuary 15.6.75.

Oxalis acetosella

Ashburnham Park 9.4.33. Woods near Carters Corner 5.4.36. Hurstmonceaux Park 24.5.36. Upper Vert Wood near East Hoathly 24.5.53. Abbots Wood, common 4.5.37. Park Wood near Sidley Green 30.4.50. High Wood, Bexhill 30.4.72. Kemps Wood near Rushlake Green 15.5.72. Marlines Wood, common 9.8.64.

O. stricta

Waste ground by the road near Hailsham, local 23.8.53.

Impatiens glandulifera

Roadside between Hailsham & Horsebridge 1.8.35. Very abundant about Hellingly 24.9.72. Cuckmere Valley near Westdean 28.8.65.

Ilex aquifolium

Abbots Wood, common 20.5.33. Kemps Wood near Rushlake Green 26.5.35. Wartling Wood 2.8.36. Diplocks Wood, Wannock 1939. Park Wood near Sidley Green 14.5.39. Woods about Paradise Drive, Eastbourne, occasional 1937. Woods about Ratton House, Willingdon 12.7.36. Downs above Eastbourne, local 17.3.57. High Wood, Bexhill 30.4.72. S of Heathfield Park 14.5.72. Marlines Wood, common 9.5.64.

Euonymus europaeus

Abbots Wood towards Polegate 29.5.34. Wilmington Holt, common 2.5.50. Crowlink Valley near Friston 30.5.46.

Rhamnus catharticus

Small wood on the Down above Chalk Farm, Willingdon 23.5.44. Windover Hill near Wilmington, rare 18.9.66.

Frangula alnus

Milton Hyde near Abbots Wood 31.8.36, 30.6.42. Selwyns Wood, Waldron 20.9.70. High Wood, Bexhill, local 24.9.72. Heathy ground S of Heathfield Park 27.5.73.

Acer pseudoplatanus

Wannock Glen 21.5.36. Plantations about Ratton & Willingdon, common 12.7.36. The Coppice near Willingdon 24.5.42. Plantations about Paradise Drive, Eastbourne, common 1937. Slope of the Downs just above Eastbourne 17.3.57. Willingdon Hill 13.6.76. Windover Hill 13.9.66.

Acer campestre

Wood on the Down above Chalk Farm, Willingdon 30.4.36. Milton Hyde near Abbots Wood 23.5.36, 9.6.62. Plantations about Ratton House, common 12.7.36. Diplocks Wood near Wannock, common 1939. The Coppice, Willingdon 24.5.42. Park Wood near Sidley Green 14.5.39. Grounds about Glenleigh 13.7.37. Marlines Wood, not common 9.5.64.

Lupinus arboreus

Downs near Chyngton Barn, Seaford Head, a few plants 18.9.66.

Genista anglica

Milton Hyde near Abbots Wood, common 27.4.33, 30.6.42, 27.4.73. Boggy heathy slope in Kemps Wood above the stream, frequent 26.5.35. Heathy field below Chapel Cross near Heathfield 1.9.36 (ploughed up about 1942). Damp heathy place in a field E of St Dunstons Wood towards Warbleton, local 15.9.57.

G. tinctoria

Cooden Bay near Bexhill 28.6.35. Downs behind Beachy Head, locally common 29.6.42, 3.7.43, 15.6.54. Field between Hempstead Lane & Hailsham 31.8.36. Cuckmere Valley near Westdean 10.9.37. Crumbles towards Pevensey Bay over a small area of grassy shingle 23.8.70.

Ulex europaeus

Wartling Wood 2.5.36. Downs near Beachy Head, locally abundant 5.6.42. Abbots Wood & Milton Hyde, abundant 4.5.37. Downs above Eastbourne, common 13.7.41. Downs above Wilmington, common 26.6.54. Crumbles near Eastbourne, abundant 1.7.36. Heathy field 1 mile N of Warbleton 15.9.36. Bexhill Down, abundant 20.8.67. Hooe Common, frequent 24.9.72. Willington Hill 13.6.76. Crowlink, abundant 11.8.74. Berwick Common 23.6.74. S of Heathfield Park 14.5.72. Bulverhythe, local 20.8.67. Windover Hill 18.9.66. Seaford Head, common 18.9.66.

U. minor

Heathy boggy slope above the stream in Kemps Wood, locally common 6.6.34, 14.5.72. Milton Hyde near Abbots Wood, abundant 31.8.36, 9.6.62. Heathy field S of Cade Street, Heathfield, abundant 1.9.36. Hooe Common, local 24.9.72. Heathy field 1 mile N of Warbleton, local 18.9.51. Bexhill Down, locally common 20.8.67. High Wood, Bexhill 30.4.72. Heathy ground at Heathfield 14.5.72.

Sarothamnus scoparius

Hurstmonceux Park, common 24.5.36. Kemps Wood near Rushlake Green 30.5.36. Park Wood, Sidley Green 14.5.39. Marlines Wood, local 9.5.64. Abbots Wood, common 27.5.73. High Wood, Netherfield 14.5.72.

Ononis repens

Downs about Beachy Head, common 7.7.35, 15.6.57. Downs about Alfriston, common 26.6.34. Grassy places by the Cuckmere between Exceat Bridge & the sea 14.7.37. Downs above Eastbourne Old Town, locally abundant 3.7.43. Downs about Paradise Drive, Eastbourne 1937. Downs E of the Cuckmere Estuary, common 6.7.58. Crumbles near Eastbourne, occasionally 1.7.36. By the railway along Bulverhythe beach, abundant 20.8.67. Windover Hill, Wilmington, local 18.9.66. Seaford Head, common 17.7.71. Friston Forest above Westdean 1.8.76. Crowlink Valley, Friston 11.8.74.

Trigonella ornithopodioides

Among short grass on the Crumbles from Eastbourne to Langney, abundant 7.5.33.

Medicago sativa

Downs above Eastbourne, along field edges, disturbed ground etc., common 13.7.41. Hailsham station yard 28.8.53.

M. falcata

Large clump on the Crumbles between Eastbourne & Pevensey Bay, where shingle has been dug for ballast 29.7.34, 13.6.36, over a small area 23.8.70. A few plants by the gate of Beach Farm, Eastbourne 25.6.34. Hailsham Station yard & hybrids with *sativa* (x *sylvestris*) 23.8.53.

M. lupulina

Roadsides etc. about Ratton & Willingdon, common 30.4.36. Field edges etc. about Bexhill 27.4.35. Grassy places by the Cuckmere between Exceat Bridge & the sea 14.7.37. Willingdon Hill 13.6.76. Friston Forest, Westdean 1.8.76. Windover Hill above Wilmington, local 18.9.66.

M. arabica

Common on the Crumbles about Eastbourne & Langney 4.5.33, 1.5.37. Common about Pevensey Castle 23.4.36. Grassy places by the Cuckmere between Exceat Bridge & the sea, common 2.6.37. Abundant in Westdean churchyard 3.7.77. High Wood, Netherfield 14.5.72.

M. polymorpha

Shingle banks on the Crumbles between Eastbourne & Langney, locally common 17.5.32. Grassy bank by the Cuckmere near Exceat Bridge 2.7.36.

Melilotus altissima

Grassy places at the base of the Downs near Eastbourne Old Town, common 3.7.43. Railway banks, Hellingly 24.9.72.

M. officinalis

Common on the Crumbles near Eastbourne 6.6.34. Downs above Eastbourne Old Town, locally common 3.7.43.

M. alba

Common on the Crumbles near the ballast pools E of Eastbourne 25.6.34, 28.6.42. Foot of the Downs near Paradise Drive, Eastbourne 11.7.34.

Trifolium subterraneum

Common on barish ground in Crowlink Valley towards the cliff edge 30.5.46. Common in grassy places on the Crumbles near Langney 6.5.33, 31.5.46.

T. pratense

Common on the Crumbles from Eastbourne to Pevensey Bay 10.5.34. Fields about Willingdon, abundant 5.5.36. Downs at Beachy Head, common 15.6.57. Downs about Paradise Drive, Eastbourne 1937. Fields S of Heathfield 15.9.57. Willingdon Hill 13.6.76. Windover Hill, Wilmington 18.9.66. Down E of the Cuckmere, common 18.7.64. Downs near Wannock 11.8.74.

T. medium

Common along a grassy strip between the edge of High Wood, Netherfield & the road 14.5.72.

T. arvense

Locally abundant on the Crumbles from Eastbourne to Pevensey Bay 1.7.36, 2.9.45. Downs near Cow Gap, Eastbourne, local 6.6.42.

T. squamosum

Pevensey Bay, damp shingly ground near the sea, locally plentiful 21.7.48. Cuckmere Estuary, grassy bank W side of the river, plentiful 2.7.77.

T. striatum

Common on the Crumbles from Eastbourne to Langney 1.6.36, 31.5.46.

T. scabrum

Barish ground near Beachy Head 14.6.32, 29.6.42. Pevensey Bay, common 21.7.48. Crowlink Valley towards the cliff edge 30.5.46. Plentiful on the Crumbles from Eastbourne to Langney 6.6.34, 29.5.36, 2.9.45. Beach at Bulverhythe, common 20.8.67. Seaford Head, common 17.7.71.

T. suffocatum

Plentiful on a patch of turfy shingle a little W of Langney Dairy, & also here & there by the path E of the Dairy leading to Langney Point 8.5.33, 1.5.37.

T. hybridum

Fields on Willingdon Hill near Friston 2.7.42.

T. fragiferum

Damp places on the Crumbles near Eastbourne, common 29.6.33, 25.6.34, 28.6.42. Damp ground at Pevensey Bay 21.7.48. Damp fields on Pevensey Marsh near Horseye & Rickney 0.7.39. Damp fields by the Cuckmere near Westdean, common 10.9.37, 24.8.57. Fields on the marsh between Upper Willingdon & Stone Cross 28.8.36. Bulverhythe marsh, local 20.8.67.

T. incarnatum

Field near Barnhorn 25.7.39.

T. repens

Crumbles near Eastbourne, abundant 28.6.42. Downs at Willingdon Hill, common 2.7.42.

T. campestre

Grassy places on the Crumbles between Eastbourne & Langney, common 13.6.32, 28.6.42. Downs at Cow Gap near Eastbourne 6.6.42.

T. dubium

Common on the Crumbles between Eastbourne & Pevensey Bay 7.5.33. Fields between Willingdon & Stone Cross 5.8.36. Downs at Windover Hill 26.6.54. Westdean 15.6.75.

T. micranthum

Turfy places on the Crumbles about 1 mile E of Eastbourne, locally plentiful 8.5.33. In a brickfield near Berwick 12.5.33.

Anthyllis vulneraria

Downs above Eastbourne Old Town 5.7.41, 8.7.43 & Downs from Eastbourne to Beachy Head, abundant 6.6.42, 25.5.34. Crumbles near Eastbourne 31.5.46, 20.7.68. Downs above Wilmington, plentiful 21.6.54. Slopes of the Downs at the mouth of the Cuckmere, common 2.6.37, 6.7.58, 15.4.75. Crowlink Valley, local 11.8.74. Willingdon Hill 13.6.76. Friston Forest, Westdean 1.8.76. Seaford Head, common 18.9.66. Crumbles near Pevensey Bay 14.6.69. Between Bexhill & Cooden Bay, local 21.5.78.

Lotus corniculatus

Downs above Eastbourne, abundant 1937. Crumbles near Eastbourne 28.6.42. Downs above Eastbourne Old Town, abundant 8.7.43. Wartling, Hurstmonceux etc., common 24.5.36. Marsh between Willingdon & Stone Cross 28.8.36. Downs about Beachy Head, common 15.6.57. Downs above Wilmington, plentiful 26.6.54. Windover Hill, common 18.9.66. Seaford Head, common 18.9.66. Bexhill Down, common 20.8.67. Milton Hyde 27.5.73. Willingdon Hill 13.6.76. Crowlink, common 11.8.74. Bulverhythe 20.8.67.

L. tenuis

Low damp ground on the Crumbles immediately E of Eastbourne, locally plentiful 23.8.70. Flat damp grassy ground at the mouth of the Cuckmere (E side), locally common 28.8.65.

L. uliginosus

Marsh ditches near Eastbourne 15.9.35 (occasionally completely glabrous forms). Ponds near Hempstead Lane, Hailsham 6.6.35. Pond in Wartling Wood 2.5.36. Milton Hyde near Abbots Wood 31.8.36. Ditches between Willingdon & Stone Cross 28.8.36. Marshy ground by the stream S of Heathfield Chapel 1.9.36. Grounds about Glenleigh 13.7.37. Near Chalvington, common 24.8.57. Marshy field 1 mile N of Warbleton 15.9.57. Bulverhythe Marsh 20.8.67.

Hippocrepis comosa

Abundant on downland slopes from Eastbourne to Beachy Head 25.5.34, 3.5.37. Downs near Cow Gap, Eastbourne, very abundant 6.6.42, 15.6.57. Downs near Wannock Glen 21.5.36. Downs near Ratton House, Willingdon, locally abundant 23.5.44. Downs above Wilmington 26.6.54. Windover Hill, common 18.9.66. Willingdon Hill 13.6.76. Downs E of the Cuckmere Estuary 28.8.65. Downs at Wilmington, common 9.5.64.

Onobrychis viciifolia

Crumbles between Eastbourne & Pevensey Bay 8.6.34. Field edges etc. on Crapham Down above Eastbourne 26.5.35, 5.7.41. Downs between Eastbourne & Beachy Head, common 18.6.49. Above Westdean 3.7.77.

Vicia hirsuta

Crumbles near Eastbourne, common 28.6.42.

V. tetrasperma

Abundant on the Crumbles between Eastbourne & Langney 1.7.36, 26.4.35, 28.6.42. Fields on the Marsh between Upper Willingdon & Stone Cross 28.8.36. Disturbed ground in Mill Wood near Michelham Priory 3.8.62.

V. cracca

Among bushes & along ditch sides on the marsh near Willingdon 28.8.36. Grassy banks by the Cuckmere between Exeat Bridge & the sea 14.7.37. Crumbles near Eastbourne, frequent 28.6.41. Downs above Eastbourne Old Town, locally abundant 3.7.49. Near Chalvington, common 24.8.57. Mill Wood near Michelham Priory, common 3.8.62. Windover Hill above Wilmington, occasional 18.9.66. Bulverhythe, common 20.8.67. Berwick Common 23.6.74. Friston Forest, Westdean 3.7.77.

V. lathyroides

Among short grass on the Crumbles near Langney near the path leading to Langney Point, plentiful 10.5.34, 25.4.36.

V. lutea

Westdean, very abundant along the edges of tracks & rides of Friston Forest just above the village 15.6.75, 3.7.77.

V. sepium

Abbotts Wood, frequent 5.5.37. Marlines Wood, common 9.5.64. High Wood, Netherfield 14.5.72.

V. sativa

Downs above Eastbourne, common 3.7.43. Between Bexhill & Cooden Bay, common 21.5.78.

V. angustifolia

Common on the Crumbles E of Eastbourne 26.4.35. Fields near Willingdon, common 5.5.36. Grassy places by the Cuckmere between Exceat Bridge & the sea 2.6.37. Friston Forest, Westdean 3.7.77.

Lathyrus aphaca

Two patches in grassy ground at the base of the Downs near Osborne Rd, Eastbourne Old Town 3.7.43. Westdean, along the edges of tracks & rides in Friston Forest, locally common (with *V. lutea*) 15.6.75.

Lathyrus nissolia

Common along the roadside between Boreham Street & Ninfield 3.6.33. Grassy places on the Crumbles near Langney Dairy, abundant 25.6.34. Downs at Cow Gap, near Eastbourne 12.6.49. Abundant on a new roadside bank at Upper Willingdon 11.6.49. Grassy places among bushes near Willingdon 18.6.35. Roadside bank near Ratton 31.5.44. Bank on the N side of the road near Sherman Bridge, Berwick, abundant 25.6.37. Grassy roadside near Camelot Hall, Lower Dicker, abundant 3.8.62. Fields in the Cuckmere Valley near Litlington, common 28.5.65. Downs towards Seaford Head, plentiful 3.7.77.

L. montanus

Milton Hyde near Abbotts Wood 31.8.36. Hempstead Lane near Hailsham 31.8.36. Ashburnham Park 1.5.32. Hedgebanks etc. near Catsfield 3.5.36. Between Bodle Street & Rushlake Green 2.5.37. Horsebridge Wood near Hailsham 21.7.48. Upper Vert Wood near East Hoathly 24.5.53. Milton Hyde 27.5.73. High Wood, Netherfield 14.8.72. Heathy ground S of Heathfield Park 14.5.72.

L. pratensis

Crumbles between Eastbourne & Pevensey Bay, common 8.6.34. Grassy places by the Cuckmere between Exceat Bridge & the sea 2.6.37. Near Chalvington, Common 24.8.57. Willingdon Hill 13.6.76. High Wood, Netherfield 14.5.72.

L. tuberosus

A single plant among bushes on the Crumbles near Eastbourne 1932. Two patches in the hedge of the field near the entrance to Wotton Farm opposite Folkington by the road to Polegate 11.8.74.

Prunus spinosa

Hedges & woods about Polegate & Hailsham, common 23.4.32. Crumbles near Eastbourne, common 17.3.57. Downs above Eastbourne, common 17.3.57. Friston Forest 1.8.76. Willingdon Hill 13.6.76. Milton Hyde, common 27.8.73. High Wood, Netherfield 14.5.72.

P. domestica

One large tree by the corner of the Folkington-Lewes road 23.2.35.

P. avium

Several large trees in Warren Coombe, Eastbourne 26.4.31. Park Wood between Hellingly & Carters Corner, common 28.4.36. High Wood, Netherfield 14.5.72.

P. cerasus

Several trees in a spinney by the road opposite Wannock Glen 13.4.33. Several trees in the lane between Wartling & Boreham Street 26.4.33, 2.5.37.

Spiraea salicifolia

Several plants in a roadside hedge at Marklye 8.7.73.

Filipendula ulmaria

Marsh between Pevensey & Wartling, common 24.6.34. Ponds & wet places between Hempstead Lane & the Cuckmere 6.6.35. Wet places on Milton Hyde near Michelham Priory, common 31.8.36, 30.6.42. Marshes by

the Cuckmere near Berwick, common 20.10.36. Pevensey Marsh near Horseye & Rickney, common 0.7.39. Ashburnham Park, common 11.9.38. Cuckmere near Chilver Bridge, common 3.8.62. Berwick Common 23.6.74. Hellingly 24.9.72.

Rubus idaeus

Top of the Downs above Willingdon, common 21.5.33. Windover Hill above Wilmington, common 18.9.66.

Geum rivale

Marshy edge of the Brickyard Pond by the Drove at Hampden Park, Eastbourne 28.5.34 (introduced by Dr Arnold of Eastbourne College from North Hampshire).

G. urbanum

Jevington Holt, common 27.5.35. Diplocks Wood, Wannock 1939. Downs behind Beachy Head 29.6.42. Grounds about Glenleigh 13.7.37. Woods about Paradise Drive, Eastbourne, 1937. Woods about Ratton House 19.7.36. The Coppice, Willingdon, common 24.5.42. Marlines Wood, common 9.5.64.

Fragaria vesca

Hedgebanks etc. about Polegate, common 23.3.32. Downs above Willingdon, abundant 13.4.36. Kemps Wood, near Rushlake Green 30.5.36. Abbots Wood, abundant 4.5.37. Park Wood near Sidley Green 14.5.39. Upper Vert Wood near East Hoathly 24.5.52. High Wood, Netherfield 14.5.72. Marlines Wood 9.5.64.

Potentilla sterilis

Ashburnham Park 1.2.36. Grassy banks by Park Wood near Carters Cross, common 28.4.36. In & about Abbots Wood, common 4.5.37. Park Wood near Sidley Green 14.5.39. Upper Vert Wood near East Hoathly 24.5.52. High Wood, Netherfield 14.5.72. Marline Wood 9.5.64.

P. anserina

Abundant in damp places on the Crumbles E of Eastbourne 14.5.34, 28.6.42. Damp places in Hurstmonceux park 24.5.36. On the marsh S of Hailsham, common 25.5.35. Marsh between Willingdon & Stone Cross 28.8.36. Marshes near Eastbourne, common 3.9.39. Milton Hyde, common 9.6.62. Hooe Common 24.9.72. Berwick Common 23.6.74. Willingdon Hill 13.6.76. Wannock, common 11.8.74. Crowlink, common 11.8.74. Windover Hill 18.9.66.

P. erecta

Kemps Wood near Rushlake Green 30.5.36. Hurstmonceux Park, common 24.5.36. Heathy ground S of Chapel Cross near Heathfield 1.9.36. Milton Hyde & Abbots Wood, common 30.6.43, 9.6.62. Wartling Wood 2.5.36. Heathy ground 1 mile N of Warbleton 15.9.57. High Wood, Bexhill 30.4.72. Hooe Common 24.9.72. Berwick Common 20.8.47. About Heathfield, common 14.5.72.

P. reptans

Fields near Willingdon & Eastbourne, abundant 28.8.36. Crumbles near Eastbourne, common 1.7.36. Downs above Eastbourne, common 17.3.57. Fields near the river, Alfriston, common 24.8.57. Westdean 1.8.76. Windover Hill 18.9.66. Seaford Head, common 17.7.71. Hellingly 24.9.72.

P. palustris

Plentiful in a swampy pool, corner of the field by the foot-path from Hempstead Lane to Grovelands, Hailsham 7.6.34, 12.6.49. Plentiful in a swampy pool in the Upper Vert Wood near East Hoathly with Menyanthes 24.5.53. Locally abundant in the bog on the small remaining piece of Hooe Common 24.9.72.

Aphanes arvensis

Dry gravelly ground on the Crumbles near Eastbourne, common 1.7.36. Open sandy ground in Park Wood near Sidley Green 30.4.50.

Agrimonia eupatoria

Downs above Eastbourne Old Town, locally abundant 3.7.34. Downs above Paradise Drive, Eastbourne 1937. By the Cuckmere near Exceat 2.6.37. Crumbles near Eastbourne, common 1.7.36. Downs at Beachy Head, common 29.6.42, 20.5.45. Friston Forest, Westdean 1.8.76. Downs at Wannock 11.8.74. Seaford Head, common 18.9.66. Windover Hill 18.9.66. Hellingly 24.9.72. Bexhill Down, common 20.8.67.

A. odorata

Banks by the disused railway N of Hellingly 17.9.72.

Poterium sanguisorba

Downs above Willingdon, plentiful 17.4.33. Downs above Paradise Drive, Eastbourne 1937. Downs from Eastbourne to Beachy Head, abundant 3.5.37. Downs near Ratton House, abundant 23.5.55. Crumbles between Eastbourne & Pevensey Bay, abundant in one spot 1.7.36. Chalk downs in the Crowlink Valley 30.5.46. Downs between Seaford & the Cuckmere, common 30.8.70. Downs behind Beachy Head, abundant 29.6.42. Downs above Wilmington & Windover Hill, very abundant 26.6.54. Downs E of the Cuckmere Estuary, common 18.7.64. About Westdean 3.7.77. Willingdon Hill 13.6.76. Wannock, common 11.8.74. Crowlink, local 11.8.74.

Rosa arvensis

Hedges about Wannock 9.5.36. Willingdon Hill 13.6.76.

R. canina

Downs & hedges about Willingdon 28.5.33. Among bushes on the Crumbles near Eastbourne, common 28.6.42. Friston Forest, Westdean 3.7.77.

R. spinosissima

Abundant on the chalk slopes about Cow Gap near Eastbourne 12.6.49.

R. stylosa

Hedges of a lane about 1/2 mile S of Little London, common 6.7.58.

Sorbus aucuparia

Kemps Wood near Rushlake Green 26.5.35. Selwyns Wood, Waldron 20.9.70. High Wood, Bexhill 30.4.72. High Wood, Netherfield 14.5.72. S of Heathfield Park 14.5.72.

S. torminalis

Milton Hyde, at the edge of Abbots Wood, sparingly 31.8.36.

Malus sylvestris

Milton Hyde & Abbots Wood 28.4.37. Woods about Polegate, common 3.5.36. Wartling Wood 2.5.36. Hedges etc. about Hampden Park near Eastbourne 24.4.43. Crumbles near Eastbourne, small bushy trees, occasionally 31.5.46.

Mespilus germanica

A few trees at the edge of High Wood, Netherfield 14.5.72, 23.5.76.

Crataegus monogyna

Roadside hedges at East Dean 15.5.33. Common about Folkington 17.5.33. Wilmington Holt, common 7.5.50. Hampden Park (formerly Old Decoy Wood) near Eastbourne, common 24.4.43. Downs above Eastbourne in many places, abundant 20.5.48. Near Chalvington, common 24.8.57. Willingdon Hill 13.6.76. Crowlink, common 11.8.74. Downs near Seaford, common 30.5.70. Milton Hyde, common 27.5.73. Bexhill Down 20.8.67.

C. oxycanthoides

Marlines Wood near Hollington, common 9.5.64.

Saxifraga tridactylites

Walls of Hurstmonceux Church 29.4.33. Old walls about Pevensey Castle & Westham Church 5.5.37.

Chrysosplenium oppositifolium

Swampy hollow on Windmill Hill, near Hurstmonceux 17.3.35. By the stream in Sprays Wood, Ashburnham 8.5.32. Creep Wood, Ashburnham 5.4.36. Common in Ashburnham Park 9.4.33. By the stream in Park Wood, Sidley Green 30.4.50. Heathfield park, by the stream, common 13.8.49. Small pond W of Waldron Church 20.9.70. Marlines Wood, local 9.5.64.

Ribes sylvestre

Abundant in the Coppice near Willingdon 8.4.35, 24.4.43. W end of Ashburnham Park 14.4.35. Wood in Hampden Park, Eastbourne (formerly Old Decoy Wood). Park Wood near Carters Corner 28.4.36. Wannock Glen 21.5.36. Wartling Wood 25.5.36. Grounds about Glenleigh 13.7.37. Park Wood near Sidley Green 30.4.50. Hurstmonceux Park, near the pond 23.8.53. Upper Vert Wood near East Hoathly 24.5.53. S of Heathfield Park 14.5.72.

R. nigrum

Swampy place by the stream in Park Wood near Carters Corner 15.6.36. Swampy ground in the lower part of Beechdown Wood, near Battle 8.6.54.

R. uva-crispa

Abbotts Wood, frequent 5.5.37. Among bushes near Beachy Head 29.6.42.

Sedum telephium

Plentiful on the banks of Comphurst Lane near The Horseshoe Inn, Hurstmonceux 16.6.34. On the banks of the stream running W from Ashburnham Park 9.4.33. Lane near Wartling Wood 2.5.36. Milton Hyde by the stream at the edge of the wood, sparingly 31.8.36. Wood in Hurstmonceux Park 24.5.36.

S. album

Sparingly on the low sand cliff between Bexhill & St Leonards 15.8.34. Side of a track across the shingle near Pevensey Bay 14.6.69. Low cliff between Bexhill & Cooden Bay, local 21.5.78.

S. acre

Crumbles near Eastbourne 1.7.36, 3.7.43. Shingles at Pevensey Bay, common 8.6.33. Bare ground at Beachy Head, common 29.6.42, 7.7.35. Bare ground by the cliff edge from Cuckmere Haven eastwards, abundant 3.7.55. Fore Down near Winchesters Pond above Litlington, local 18.9.66. Beach at Bulverhythe, common 20.8.67.

S. reflexum

Plentiful on a shingle bank by the railway line on the Crumbles near Langney 25.6.34, 4.7.42. On the beach at Pevensey Bay, scattered over a small area 14.5.33, 14.6.69.

S. spurium

Bank of a track across the shingle from the Pevensey Bay road to the sea, established near the road 14.6.69.

Hippuris vulgaris

Ditches on the marsh below Rodmel Farm (?) between Eastbourne & Willingdon, local 11.6.34.

Myriophyllum alternifolium

Ashburnham Park, plentiful in the lake by the house 11.9.35.

M. spicatum

Common in marshy pools on the Crumbles near Eastbourne 1.7.36. Lake near the house in Ashburnham Park 11.9.34. Ditches near Tut Barn, Eastbourne 17.8.37.

Peplis portula

Damp places in Wartling Wood, common 2.5.36.

Lythrum salicaria

Banks of the Cuckmere near Horsebridge 9.8.33. Marshy hollows on the Crumbles, occasionally 15.7.32. Ponds in Ashburnham Park, common 5.4.36. Banks of the Cuckmere near Berwick 12.10.36. Ditches on the marsh near Eastbourne, common 3.9.36. Ditches in the Cuckmere Valley near Alfriston, locally abundant 24.8.57. Near Hellingly 17.9.72.

Chamaenerion angustifolium

Crumbles near Eastbourne, common 1.7.36. Grounds about Glenleigh, Eastbourne 13.7.37. Milton Hyde near Hailsham, common 30.6.42. Willingdon Hill 13.6.76. Abbots Wood 27.5.73. About Hellingly 17.9.72. Bexhill Down 20.8.67. High Wood, Netherfield 14.5.72.

Epilobium adenocaulon

Factory Lane, Hailsham, frequent 23.8.53.

E. hirsutum

Ponds near Hempstead Farm, Hailsham, common 6.6.35. Ditches on the levels near Eastbourne, abundant 3.9.36. Wannock Glen 21.5.36. Pevensey Marsh near Horseye & Rickney, common 0.7.39. The Coppice near Willingdon 24.5.42. Ashburnham Park, common 11.9.35. Crumbles near Eastbourne, common 1.7.36. By the Cuckmere near Berwick Station, common 12.10.36. Hooe Common, plentiful 24.9.72. Berwick Common 23.6.74. Friston Pond 11.8.74. Kemps Wood near Rushlake Green 14.5.72.

E. adnatum

Abundant by Charleston Pond & ditch-sides in the Cuckmere Valley towards Westdean 3.8.35, 10.9.37. Grounds about Glenleigh 13.7.37. Milton Hyde near Hailsham, common 30.4.42.

E. parviflorum

Milton Hyde near Hailsham 8.8.34. Comphurst Lane & Hurstmonceux Park 24.5.36. Sides of ditches etc. on the levels near Eastbourne, common 3.9.36. By the stream below Chapel Cross, near Heathfield 1.9.36. Grounds about Glenleigh 13.7.37. Pevensey Marsh near Horseye & Rickney 0.7.39.

E. montanum

Wood in Hampden Park, Eastbourne (formerly Old Decoy Wood), common 20.7.32. Grounds about Glenleigh 13.7.37. The Coppice near Willingdon, common 24.5.42.

E. palustre

Marshy hollows on the Crumbles near Eastbourne, local 1.7.36., common 23.8.70. Ashburnham Park, local 11.9.35. Pevensey Marsh near Horseye & Rickney 0.7.39. Bulverhythe marsh, locally common 20.8.67. Pond W of Waldron Church 20.9.70. Bog on Hooe Common, frequent 24.9.72.

Epilobium obscurum

Sides of ditches in the Cuckmere valley near Litlington 28.8.65.

Oenothera biennis

Crumbles near Eastbourne, common 1.7.36.

Circaea lutetiana

Common in Abbots Wood 19.6.33. Grounds about Glenleigh 13.7.37. Woods about Ratton House, common 3.8.41. The Coppice near Willingdon, common 24.5.42. Downs at Beachy Head 29.6.42. Ashburnham Park, common 11.9.53. Marlines Wood, common 9.5.64.

Bryonia dioica

Hedges etc. between Eastbourne & Hampden Park, common 11.6.34. Downs by the Cuckmere, common 8.6.35. Bushy places on the Downs about Beachy Head, common 29.6.42. Bushes & disturbed ground on the Downs above Eastbourne, common. Crowlink Valley S of Friston 3.5.46. Wilmington Holt 7.5.50. Windover Hill near Wilmington, common 26.6.54. Berwick Common 23.6.74.

Hydrocotyle vulgaris

Damp hollows on the Crumbles near Eastbourne 1936. Wartling Wood 2.5.36. Bulverhythe Marsh 20.8.67. Bog on Hooe Common, abundant 20.8.67. Bog on Berwick Common 23.6.74. Marsh by the Cuckmere N of Sherman Bridge near Berwick 15.6.75. Berwick Common 23.6.74.

Sanicula europaea

Woods about Ratton House, Willingdon 19.5.34, 25.5.44. Wannock Glen, common 11.4.36. Copse on the Downs above Chalk Farm, Willingdon 30.4.36. Beech woods about Paradise Drive, Eastbourne 1937. Diplocks Wood between Wannock & Polegate 1939. Grounds about Glenleigh 13.7.37. Upper Vert Wood near East Hoathly 24.5.58. Marlines Wood, local 9.5.64. High Wood, Bexhill 24.9.72.

Conium maculatum

Crumbles near Langney, Eastbourne 13.6.36. Sides of ditches on the marsh between Willingdon & Stone Cross 5.5.36. Downland slope behind Beachy Head, very abundant 29.6.42, 3.7.43. Fields on Windover Hill, near Wilmington, local 18.9.66.

Smyrniolus atrum

Hedges & roadsides from Eastbourne to Willingdon, common 23.3.35, 21.6.41. Plantations about Ratton House, 6ft tall in places 16.6.32, 20.5.44. The Coppice near Willingdon, very abundant 21.3.36. Pevensey Castle grounds 8.4.33. Crumbles near Eastbourne 24.4.52. Hampden Park Wood, Eastbourne 29.3.36. Hedges etc. about Friston, common 30.5.46. Among bushes near Cow Gap 6.6.42. Downs above Eastbourne, locally common 17.3.37.

Bupleurum opacum

Beachy Head, a few plants on the cliff edge above the lighthouse (in seed) 3.8.42. Small patch near the edge of the cliff W of Beachy Head near Belle Tout lighthouse 3.7.43.

B. tenuissimum

Abundant by the Crumbles Pond (now Princes Park Lake) & among short grass here & there on the shingles to Langney 7.8.34, 12.7.41. Grassy banks at the mouth of the Cuckmere 18.8.33, 14.7.37. Grassy shingly ground beyond Pevensey Bay, locally common 21.7.48.

Apium graveolens

Marshy pond on the Crumbles near Eastbourne, common 6.7.35, 1.7.36. Ditches on Pevensey Marsh between Rickney & Hailsham, sparingly 0.7.39.

A. nodiflorum

By the Cuckmere near Berwick Station, common 11.7.35, 25.6.37. Crumbles near Eastbourne, common 1.7.36. Ditches on the Levels near Eastbourne, common 3.9.36. Ditches on Pevensey Marsh about Horseye & Rickney, not common 0.7.39. Bog on Berwick Common 23.6.74.

Petroselinum segetum

Grassy shingly banks on the Crumbles near Eastbourne, local 27.7.32, 2.9.45. Field banks between Willingdon & Stone Cross, local 28.8.36. Grassy bank by the Cuckmere near Berwick Station, local 12.10.37. Scattered along the base of a wall near Exceat bridge, Cuckmere Valley 28.8.65.

Sison amomum

Fields on the marsh between Willingdon & Stone Cross 28.8.36. Pevensey Marsh near Horseye & Rickney 0.7.39. About Hailsham, locally common 23.8.53. Chalky roadsides near Cherry Garden, above Eastbourne 21.7.47. Alfriston, ditchsides near the Cuckmere, common 24.8.57. Grassy lane at Lower Dicker, common 3.8.62.

Berula erecta

Ditches near Tut Barn, Eastbourne, locally abundant 3.9.36.

Aegopodium podagraria

About Willingdon, common 17.6.32. Near Wannock Glen, common 22.5.33. Near Kemps Wood, Rushlake Green 30.5.36. Downs above Eastbourne 17.3.57.

Pimpinella saxifraga

Downs above Willingdon, abundant 19.5.34. Downs between Eastbourne & Beachy Head, abundant 6.6.42. Fields on the marsh between Willingdon & Stone Cross 28.8.36. Downs above Paradise Drive, Eastbourne 1937. Bexhill Down, common 28.8.67. Downs E of the Cuckmere Estuary, common 18.7.64. Westdean, common 1.8.76. Wannock 11.8.74. Seaford Head 13.9.66. Windover Hill, common 18.9.66. Hellingly 17.9.72.

Pimpinella major

In & about several small copses between Wannock & Folkington 3.7.35. Still near Wannock 23.8.70, 11.8.74.

Conopodium majus

Near the stream, Ashburnham Park 19.5.33. Abbots Wood, Nate Wood etc, common 29.5.34. Hurstmonceux Park, common 24.5.36. Kemps Wood near Rushlake Green 30.5.36. Marlines Wood, common 9.5.64. High Wood, Netherfield 14.5.72. Near Heathfield Church 14.5.72.

Chaerophyllum temulum

Hedges & banks about Willingdon, common 9.6.34. Hempstead Lane near Hailsham 6.7.35. Crumbles near Eastbourne 28.6.42. Among bushes on the Downs between Eastbourne & Beachy Head 6.6.42, 3.7.43.

Scandix pecten-veneris

Chalky fields near East Dean 15.6.33. Fields on the Downs above Eastbourne, common 3.5.37, 5.7.41. Cultivated fields at Willingdon towards Stone Cross 5.5.36. Disturbed ground on the Crumbles near Langney, Eastbourne 11.5.35.

Anthriscus sylvestris

Hedges & copses about Polegate & Hailsham, abundant 23.4.32. Hedgebanks about Marl Green 12.4.36. Diplocks Wood near Wannock, common 1939. Common about Eastbourne 17.3.57. Milton Hyde, common 9.6.62. Crumbles between Eastbourne & Pevensey Bay 30.3.70. High Wood, Bexhill 30.4.72. Willingdon Hill 13.6.76. Marlines Wood, common 9.5.64. High Wood, Netherfield 14.5.72. About Heathfield, common 14.5.72. Wilmington, common 9.5.64.

Seseli libanotis

In an old chalk pit & on a bushy slope of down nearby, just above Eastbourne Old Town, abundant 5.7.34, 13.7.41, 15.8.42, 23.8.53. Abundant over a large area of downland between the Cuckmere & Seaford Head 1.8.49, 18.9.66.

Foeniculum vulgare

Roadside near Glenleigh 19.8.33. Pevensey Marsh near Horseye & Rickney, occasionally 0.7.39. Eastbourne & Beachy Head, common 6.6.42, 20.7.68. Chalky ground near Beachy Head, common 3.7.48. Crumbles near Eastbourne, frequent 26.4.52, 19.7.47. Downs between Seaford & the Cuckmere, local 31.8.75, 18.9.66. Crumbles near Pevensey Bay 14.6.69.

Crithmum maritimum

Patch on the shingle between Bexhill & St Leonards 12.8.34, 15.8.35, several patches 20.8.67. Large patch near the Sluice Bridge, Princes Park, Eastbourne 2.9.45. Small clump on the bank of the Cuckmere, W side near the sea, & plentiful on chalk cliffs on the E side 1.8.49, 24.8.57, 15.6.75.

Oenanthe fistulosa

Ditch sides on Pevensey Marsh near Eastbourne, common 25.6.32. Marshy ground on Milton Hyde 28.6.35. Ditches on Pevensey Marsh near Horseye & Rickney, common 0.7.39. Pond near Chalvington, common 24.8.57. Bog on Berwick Common 23.6.74.

O. lachenalii

Salt marsh beyond Pevensey Bay, local 21.7.40. Salt marshes by the Cuckmere near Exceat & Westdean 10.9.37, 28.8.65.

O. crocata

The Coppice, Willingdon, abundant in swampy ground 24.4.43. Milton Hyde, common 27.5.73. Bog on Berwick Common 15.6.75.

O. aquatica

Pevensey Castle moat 3.8.33. Ponds near Hempstead Lane, Hailsham 6.7.35. Sides of ponds in Hurstmonceux Park, common 7.7.35. Ditches on Pevensey Marsh near Horseye & Rickney, common 0.7.39.

Aethusa cynapium

Fields at Crowlink, common 13.8.78.

Silaum silaus

Fields on the marsh near Eastbourne & Willingdon, abundant 28.8.36, 23.8.53. Crumbles near Eastbourne, local 1.7.36. Grassy lane at Lower Dicker, common 3.8.62.

Angelica sylvestris

Swampy places by the ponds in Hurstmonceux Park, common 18.8.35, 23.8.53. Marsh by the Cuckmere near Berwick Station 12.10.36. Boggy ground by the stream below Chapel Cross, Heathfield 1.9.36. Park Wood near Sidley Green 14.5.39. Ashburnham Park, W end 1939. Marshy field one mile N of Warbleton 15.9.57. Milton Hyde, common 9.6.62. Bog on Berwick Common 23.6.74. High Wood, Netherfield 14.5.72. Marshy ground, Heathfield 14.5.72. Hellingly 17.9.72.

Peucedanum palustre

Marshy places by the pond below the wood in Hurstmonceux Park, also occasionally by the edges of other ponds in the Park 15.8.35, 31.7.49, 23.8.53.

Pastinaca sativa

Downs above Eastbourne Old Town, locally common 3.7.43. Locally common on the Crumbles between Eastbourne & Pevensey Bay 29.7.34, 23.8.70. Grassy tracks in Friston Forest, Westdean 1.8.76. Downs E of the Cuckmere Estuary, local 18.7.64.

Heracleum sphondylium

About Heathfield, common 1.9.36. Pevensey Marsh near Horseye & Rickney 0.7.39. Coppice near Willingdon 24.5.42. Near Chalvington, common 24.8.57. High Wood, Bexhill 30.4.72. Willingdon Hill 13.6.76. Beach at Bulverhythe 20.8.67. Downs by the Cuckmere, common 18.7.64. Berwick Common 23.6.74. Windover Hill 18.9.66. Seaford Head 17.7.71. Milton Hyde, common 27.5.73.

Daucus carota

Downs from Eastbourne to Beachy Head, abundant 11.6.35, 13.7.41, 3.7.43. Downs above Paradise Drive, Eastbourne, abundant 1937. Crumbles near Eastbourne, abundant 1.7.36. Fields on the marsh between Willingdon & Stone Cross, abundant 28.8.36. Downs E of the Cuckmere, local 14.7.37. Beach at Bulverhythe, common 20.8.67. Bexhill Down, common 20.8.47. Crumbles towards Pevensey Bay 23.8.70. Hooe Common, frequent 24.9.72. Willingdon Hill 13.6.76. Windover Hill, Wilmington, common 18.9.66. Westdean 1.8.76. Crowlink, common 11.8.74. Seaford Head, common 17.7.71. Hooe Common 24.9.72. Hellingly 17.9.72.

Sium latifolium

Sides of ditches on the marsh E of Pevensey towards Hooe, rather rare 1936.

Torilis nodosa

Dry ground about Pevensey Castle ruins, common 2.6.34. Crumbles near Eastbourne, common 28.6.42.

T. japonica

Marsh near Eastbourne, common 3.9.36. Downs about Paradise Drive, Eastbourne 1937. Crumbles near Eastbourne, common 1.7.36. By the Cuckmere, Exceat Bridge 14.7.37. Hedges between Upper & Lower Dicker, common 1.8.62. About Holywell, Eastbourne 20.9.68. Friston Forest, Westdean 1.8.76. Crowlink, common 11.8.74. Windover Hill 18.9.66. Seaford Head, common 17.7.71.

Hedera helix

Woods about Willingdon, abundant 24.4.43. Woods S of Heathfield, common 15.9.57. High Wood, Bexhill 30.4.72. High Wood, Netherfield 14.8.72. Marlines Wood, common 9.5.64. Bexhill Down 20.8.67. Between Bexhill & Cooden Bay, common 21.5.78.

Cornus sanguinea

Abbotts Wood 20.6.34. Old Decoy Wood (Hampden Park now) 12.7.38. Diplocks Wood near Wannock 1939. Small wood on the Down above Chalk Farm, Willingdon 23.5.44. Coppice near Willingdon, common 24.4.43. Bushy places on the Downs above Eastbourne, frequent 17.3.57.

Adoxa moschatellina

Common in woods & hedges about Jevington 19.3.32. Two small patches in Hampden Park Wood (Old Decoy Wood) near Eastbourne 1.4.34, 24.4.43. Several patches along Hempstead Lane near Hailsham & sparingly near the stream on Milton Hyde 20.4.34, 31.8.36. Wannock Glen 22.4.34. Wilmington Holt, common 7.5.50. Park Wood, near Carters Corner 28.4.36. Lower end of Comphurst Lane, Hurstmonceux 18.4.36. Roadside banks between Wartling Wood & Windmill Hill, Hurstmonceux, common 2.5.36. Common in lanes towards Ashburnham 5.4.36. Marlines Wood, local 9.5.64.

Phyteuma temerum

Downland slopes above Eastbourne Old Town, abundant 29.7.33, 3.7.43. Downs above Ratton House & Willingdon, abundant 3.8.41. Downs above Paradise Drive, Eastbourne 1937. Abundant on the Downs from Willingdon to Jevington 3.8.41. Downs about Beachy Head, abundant 19.7.47. Top of Windover Hill above Wilmington 26.6.54, common 18.9.66. Chalk Downs E of the Cuckmere Estuary, locally common 6.7.58. Downs at Seaford Head, common 18.9.66. Downs at Wannock, abundant 11.8.74.

P. spicatum

Abbotts Wood in several places towards Arlington 20.6.34, 17.6.36. Small wood immediately S of Maynards Green, in two places, sparingly 3.8.57. Stretch of hedgebank in lane opposite Tanners Hatch S of Hadlow Down, over 100 plants 26.6.77.

Campanula glomerata

Downland slopes just above Eastbourne, abundant 29.7.34, 15.8.42, 6.7.58. Abundant on chalk slopes of Beachy Head, very dwarf near the cliff edge 31.7.34. Downs E of the Cuckmere Estuary, locally abundant 18.7.36, 24.8.57, 18.7.64. Down near Westdean, common 29.7.39. Downs about Seaford Head, common 18.9.66.

Campanula rapunculoides

Birling Gap near Beachy Head, abundant in two lucerne fields W of the road to East Dean 2.7.42.

C. rotundifolia

Top of the Downs above Willingdon, very sparingly 26.8.35, 3.8.41. Sparingly on a sandy roadside bank by Ashburnham Park on the Battle road 26.7.36. Downland slope E side of the Cuckmere Estuary, abundant over a small area of chalk turf 19.7.69.

Specularia hybrida

Chalky fields about Jevington 31.7.33. Cornfield on the Downs W side of the Cuckmere Estuary 15.6.34. Cornfields about Friston, common 21.6.35. Chalky fields between the Cuckmere Estuary & Friston, common 6.7.58. Sparingly in a cornfield by the Cuckmere at Alfriston 1.8.76. Cornfields on the Downs E of the Cuckmere Estuary 28.8.65.

Erica tetralix

Heathy fields by the stream below Chapel Cross, Heathfield, abundant 1.9.36. Bexhill Down, rather rare 28.6.35, 20.8.67. Damp heathy field E side of St Dunstons Wood near Warbleton 18.9.57. Boggy slope in Beechdown Wood near Ashburnham, sparingly 6.6.54. Locally plentiful in a boggy part of Kemps Wood near Rushlake Green 6.6.54. High Wood, Bexhill, common 30.4.72. Damp heathy ground S of Heathfield Park 14.5.72.

E. cinerea

Heathy field above the stream below Chapel Cross, near Heathfield, abundant 1.9.36. Bexhill Down, local 28.6.35, 20.8.67. Sparingly about Park Wood, Sidley Green 30.4.50. Heathy field E side of St Dunstons Wood near Warbleton 15.9.57. Top of Windover Hill above Wilmington, common 18.9.66. High Wood, Bexhill 24.9.72.

Calluna vulgaris

Milton Hyde near Abbots Wood, local 31.8.36, 9.6.62. Hurstmonceux Park, local 24.5.36. Ashburnham Park, local 11.9.35. Abbots Wood, occasionally 4.5.37. Heathy field below Chapel Cross near Heathfield, abundant 1.9.36. Sparingly about Park Wood, Sidley Green 30.4.50. Upper Vert Wood near East Hoathly 24.5.53. Heathy field E of St Dunstons Wood towards Warbleton, local 15.9.57. Bexhill Down, locally common 20.8.67. Selwyns Wood, Waldron 20.9.70. Hooe Common, scarce 24.9.72. High Wood, Bexhill 20.8.67, 30.4.72. Heathy ground S of Heathfield Park 14.8.72. High Wood, Netherfield 14.8.72. Top of Windover Hill above Wilmington, common 18.9.66.

Rhododendron ponticum

High Wood, Netherfield 14.5.72.

Monotropa hypophegia

Under beech trees by the road at Paradise Drive, Eastbourne, a few plants occasionally 1936. Under several large beech trees in the steep wood behind Ratton House near Willingdon 12.7.86, 3.8.41.

Limonium vulgare

Salt marshes E of Pevensey Bay 3.7.34, 21.7.43, 23.8.70. Salt marshes by the Cuckmere between Exceat & the sea, local 18.7.36, 19.8.59.

L. binervosum

Muddy shingly ground between Pevensey Bay & Bexhill, a small patch 27.7.35. Cuckmere Estuary, plentiful on chalk cliffs & slopes on the E side & on a dry shingly mud flat 14.7.37, 24.8.57, still here but less common 19.7.69. Chalk cliff from Eastbourne towards Beachy Head, local 3.7.43.

Armeria maritima

Banks of the Cuckmere near Exceat Bridge 18.5.34, 2.6.37. Muddy shingle between Pevensey Bay & Normans Bay 29.8.34, 21.7.48, 23.8.70. Near the cliff edge between Seaford & Seaford Head, common 17.7.71. Between Bexhill & Cooden Bay, common 21.5.78.

Hottonia palustris

Ditches on the marsh near Pevensey, common 16.5.33. Ditches on the marsh below Rodmill Farm between Eastbourne & Willingdon 11.6.34. Pond below the wood in Hurstmonceux Park, abundant 1.6.34, 28.8.53.

Primula vulgaris

Locally abundant in Abbots Wood 11.3.33. Copses between Wannock & Folkington 17.1.32. Common in Ashburnham Park etc. 11.2.36. Park Wood near Hellingly, locally abundant 28.4.36. Wartling Wood, abundant 2.5.36. Glenleigh grounds 13.2.37. Park Wood, Sidley Green 30.4.50. Diplocks Wood, Wannock 1939. Wilmington Holt, lower edge 7.5.50. Upper Vert Wood near East Hoathly 24.5.53. Wannock Glen, sparingly 21.5.36. The Coppice, Willingdon, scarce 24.4.43. Woods at the base of the Downs, Eastbourne 17.3.57. High Wood, Bexhill 30.4.72. High Wood, Netherfield 14.5.72. Marlines Wood, local 9.5.64.

P. veris

Downs about Paradise Drive, Eastbourne 1937. Downs above Eastbourne, common 18.7.41. Downs above Willingdon, common 28.4.37, 13.6.76. Downs about Cow Gap, common 3.5.37, 6.6.42. Between Wannock &

Folkington 20.4.35. Ashburnham Park, W end 9.3.33. Downs, Crowlink Valley 30.5.46. Downs & fields about Alfriston 26.4.52. Downs near Ratton House 28.5.44. Fields by the Cuckmere near Berwick, not common 25.6.37. Windover Hill & Downs about the 'Long Man', Wilmington, common 26.6.54, 18.9.66, 23.6.74. Downs between Seaford & the Cuckmere Estuary, local 30.5.70. Common near Seaford Head 18.9.66.

Lysimachia nemorum

Abbotts Wood, near Milton Hyde 4.8.37. Hurstmonceaux Park 24.5.36. Ashburnham Park, W end 14.4.35. Kemps Wood near Rushlake Green 30.5.36. Wartling Wood, abundant 2.5.36. Park Wood near Sidley Green 14.5.39. Woods S of Heathfield, common 18.9.57. High Wood, Bexhill 30.4.72.

L. nummularia

Edge of a pond near Hempstead Farm, Hailsham, common 18.7.32, 6.7.35. Sides of ditches on Pevensey Marsh near Horseye & Rickney, common 0.7.39. Milton Hyde near Abbotts Wood 31.8.36. Banks of the Cuckmere near Berwick Station, common 12.10.36. Ditchsides on the marshes near Eastbourne, locally abundant 8.9.36. Ditches in the Cuckmere Valley near Alfriston, frequent 24.8.54.

L. vulgaris

Banks of the Cuckmere at Horsebridge 9.8.33. By the pond in Hurstmonceaux Park, plentiful 31.7.49, 23.8.53. Ashburnham Park by the lakes, common 5.4.36. By the Cuckmere near Berwick 12.10.36. Ditches near Tut Barn, Eastbourne, locally common 17.8.37. Cuckmere near Chilver Bridge, common 3.8.62.

Glaux maritima

Salt marsh & damp hollows in the shingle from Pevensey Bay to Normans Bay, very common 2.7.34. Damp hollows in the shingle on the Crumbles near Eastbourne, locally common 13.6.32, 2.9.42, 23.8.70. Salt marshes by the Cuckmere from Exceat Bridge to the sea 14.7.37, W side, common 18.9.66.

Centunculus minimus

Damp sandy track in the wood above the pond in Hurstmonceaux Park 31.7.49.

Anagallis arvensis

Fields by the Cuckmere near Exceat, abundant 15.6.38. Chalky fields behind Beachy Head, abundant 29.6.42. Fields on the Downs above Willingdon, common 2.8.41. On the Crumbles near Eastbourne, common 1.7.36.

A. foemina

Cleared ground in Abbotts Wood, a few plants 20.7.34.

A. tenella

Common over a small area of boggy ground on the remnant of Hooe Common 24.9.72, 27.5.73.

Samolus valerandi

Abundant by brackish pools on the Crumbles, E of Eastbourne 25.6.34, 28.6.42. Frequent by the sides of ditches on the marsh between Eastbourne & Willingdon 3.9.36. Ditch sides on Pevensey Marsh about Horseye & Rickney 1939. Ditches near Tut Barn, Eastbourne 23.8.53. Marshy ditches in the Cuckmere Valley near Westdean 24.8.57.

Cyclamen hederifolium

Naturalised in a wood in private ground off Carlisle (?) Road, Eastbourne, plentiful over a small area 31.8.75.

Fraxinus excelsior

Woods & copses around the base of the chalk Downs, Eastbourne, abundant 26.4.31, 17.3.57. Wood on the Down above Chalk Farm, Willingdon (principal tree) 30.4.36. Wannock Glen, abundant 21.5.36. Woods at Paradise Drive, Eastbourne 1937. About Ratton House 4.8.36. Wilmington Holt, dominant tree 7.5.50. Diplocks Wood, Wannock 1939. Hampden Park (formerly Old Decoy Wood), common 24.4.43. High Wood, Netherfield 14.5.72. Marlines Wood, common 9.5.64. Windover Hill, local 18.9.66.

Ligustrum vulgare

Abbotts Wood, occasionally 27.6.35. Wood on the Downs above Chalk Farm, Willingdon 30.4.36. Diplocks Wood near Wannock 1939. Among bushes near Beachy Head 29.6.42. Downs & woods about Ratton House, Willingdon, common 3.8.41. The Coppice, Willingdon 24.5.42. Willingdon Hill 13.6.76. Crowlink Valley near Friston 30.5.46. Down above Eastbourne, locally abundant 3.7.43, 11.3.57. Grounds about Glenleigh 13.7.37. Windover Hill above Wilmington, common 18.9.66. Downs about Seaford Head, common 18.9.66.

Vinca major

Banks of a lane near Wartling Wood, abundant 2.5.36.

V. minor

Roadside bank & copse at Windmill Hill near Hurstmonceux, plentiful 8.3.36. Small wood by the road at Little London 19.6.65.

Menyanthes trifoliata

Abundant in a pond between Hempstead Lane & the Cuckmere, Hailsham 13.4.35. A large patch along the edge of the middle pond in Ashburnham Park & another patch in the stream by the bridge 19.5.33. Small patch in a marsh just off the Cuckmere near Berwick 26.5.36. Abundant in a swampy pond in the Upper Vert Wood near East Hoathly 24.5.53. Large patch in the bog on Berwick Common 15.6.75.

Cynoglossum officinale

Crapham Down above Eastbourne, common 26.5.35. Crumbles near Eastbourne, occasionally 26.5.32. Chalk Downs near the Cuckmere Estuary, common 18.5.34, 6.7.58. Downs near Beachy Head, common 29.6.42, 3.7.48. Crowlink Valley near Friston 30.5.46, 11.8.74. Windover Hill & Downs about Wilmington, common 26.6.56, 18.9.66. Small wood on the down above Chalk Farm, Willingdon 23.5.45. Downs near Seaford Head, local 30.5.70.

Symphytum officinale

By the Cuckmere at Hellingly 23.5.33. Crumbles near Eastbourne 1.7.36. Marsh ditches about Eastbourne, abundant 23.8.53. Factory Lane, Hailsham 23.8.53.

S. tuberosum

Large patch on the bank of the disused railway near Horam Station 14.5.72.

Borago officinalis

Crumbles beyond Langney, several plants on the shingle 17.7.47. Between Bexhill & Cooden Bay, 1 large plant 21.5.78.

Pentaglottis sempervirens

Base of a wall by the road at Folkington 20.4.35. Bank by the road at Friston, a large patch 2.7.42.

Lycopsis arvensis

Cultivated field on the Down just above Wannock Glen, not common 13.8.35.

Myosotis arvensis

Fields near Folkington 12.5.34. Near Ratton House, near Willingdon 4.3.36. Fields on the marsh between Willingdon & Stone Cross 28.8.36. In & about Abbots Wood, common 5.5.37. Diplocks Wood near Wannock 1979. Down near Cow Gap, Eastbourne. Disturbed ground near the cliff edge E of Cuckmere Estuary 3.7.58. Downs above Wilmington, common 26.6.54.

M. caespitosa

Milton Hyde end of Hempstead Lane 23.4.35. Marsh ditches between Willingdon & Stone Cross 28.8.36. Swampy places in Buckdown Wood near Battle 6.6.54. Ditches in the Cuckmere Valley near Alfriston, common 24.8.37. Marsh by the Cuckmere N of Sherman Bridge 15.6.75.

M. palustris

By the stream in Kemps Wood near Rushlake Green, plenty with var. alba 30.5.36. Ditches on the marshes near Eastbourne, locally abundant 3.9.36.

M. discolor

Dry grassy places on the Crumbles from Eastbourne to Langney, common 10.5.34. Common on Milton Hyde between Michelham Priory & Abbots Wood 4.5.37. Kemps Wood near Rushlake Green 30.5.36.

M. hispida

Old walls about Pevensey Castle 8.4.33. Dry places on the Crumbles E of Eastbourne, common 11.3.36, 1.5.37, 26.4.52. Crumbles towards Pevensey Bay 30.5.70. Molehills on the Downs near Folkington, common 7.5.50. Grassy slope W side of the Cuckmere towards Seaford Head 3.7.77.

M. sylvatica

Scattered about in Wannock Glen (escape from the gardens?) 21.5.36.

Lithospermum arvense

Cornfields on Crapham Down towards Beachy Head 17.7.34, 26.5.35. Plentiful in a cornfield by Folkington Church 13.6.76.

L. officinale

Downs about Ratton House, Willingdon 23.5.44. Crowlink Valley near Friston, local 30.5.46, 11.8.74. Downs near Beachy Head, local 15.8.48. Bushy downland slope near Wannock 11.8.74. Crowlink, local 13.8.78.

Echium vulgare

Downs, Crowlink Valley S of Friston, abundant 30.5.46, 11.8.74. Abundant on the Crumbles from Eastbourne to Pevensey Bay, 21.6.41, 19.7.48, 23.8.70. Beach beyond Pevensey Bay, common 21.7.48. Common on bare chalk by the cliff edge E from Cuckmere Estuary 3.7.55. Windover Hill & Downs above Wilmington, common 26.6.54, 18.9.66. Cow Gap & Beachy Head, common 12.6.49. Downs above Eastbourne Old Town 5.7.41. Friston Forest above Westdean, common 3.7.77. Beach of the Cuckmere Estuary, W side 15.6.75. Beach at Bulverhythe, local 20.8.67.

Calystegia sepium

Crumbles near Eastbourne, common 19.7.47. Edge of fields etc on the marsh between Willingdon & Stone Cross 5.5.36. Selwyns Wood, Waldron 20.9.70.

C. soldanella

Seven plants on a strip of sandy shingle of the Cuckmere Estuary, not flowering, E side 7.7.32. Small patch on the beach at Galley Hill, Bulverhythe 20.8.67.

C. sylvestris

Eastbourne, in many places among bushes around Prince's Park & on some bushes near the Downs towards Holywell 19.7.47. Hedge of a lane near Camelot Hall, Lower Dicker, common 8.8.62.

Convolvulus arvensis

Crumbles near Eastbourne, common 19.7.47. Beach at Bulverhythe, common 28.8.67. Friston Forest above Westdean 1.8.76. About Seaford Head, common 17.7.71.

Cuscuta epithymum

Downs above Wannock Glen towards Windover Hill 13.8.35. Damp heathy field below Chapel Cross near Heathfield, common 1.9.36.

Solanum dulcamara

Woods & hedges about Ratton House, Willingdon, common 21.5.33. Bushy places on the Downs near Friston 21.6.35, 30.5.46. Crumbles near Eastbourne, abundant 28.6.42. Downs about Cow Gap 6.6.42. The Coppice near Willingdon 24.5.42. Beach at Bulverhythe, common 20.8.67. Willingdon Hill 13.6.76. Down E of the Cuckmere 18.7.64.

S. nigrum

Fields on the marsh near Willingdon 28.8.36.

Lycium chinense

Between Bexhill & Bulverhythe 12.8.34, 28.8.67.

Atropa belladonna

Twelve plants among bushes on the slope below Belle Tout Lighthouse near Beachy Head 29.6.42, 3.7.43.

Datura stramonium

Small patch of plants where a piece of woodland was cleared near Ratton House, Willingdon 3.8.41. Large plant on waste ground by the bridge, Pevensey 27.8.35.

Hyoscyamus niger

Disturbed shingly ground near Langney Farm, Eastbourne, sparingly 22.7.32. One large plant near Holywell, Eastbourne 7.8.33. Many plants along a field edge near Rodmel (?) Farm, between Eastbourne & Hampden Park & sporadically in gardens in Eastbourne 0.8.37. Bare chalk of the edge of the cliff at Crowlink 11.8.74. Edge of the cliff, Seaford Head, 1 large plant 5.9.78.

Blackstonia perfoliata

Downs above Eastbourne in many places, locally abundant 1977. Downs above Wilmington & Windover Hill, common 26.6.54, 18.9.66. Downs between Wannock & Folkington 3.7.35, 11.8.74. Common on the Downs between Friston & Willingdon 22.6.34. Willingdon Hill 13.6.76. Downs near Beachy Head 15.6.57, 18.8.73. Downs near Cow Gap, Eastbourne 6.6.42.

Centaurium capitatum

Downs E of the Cuckmere Estuary, in barish places among grass, local 6.7.58, locally common 18.7.64.

C. minus

Milton Hyde near Hailsham, common 30.6.42. Grounds about Glenleigh near Eastbourne 13.7.37. Beach at Bulverhythe, local 2.8.67. Chalk slope W side of the Cuckmere towards Seaford Head 3.7.77. Several plants on sandy ground in Possingworth Park 3.8.57. Beachy Head, common on bare chalk by the cliff edge, var. *capitata*, 19.7.47. Downs E of the Cuckmere Estuary 18.7.64. Windover Hill, common 18.9.66. About Seaford Head, local 17.7.71.

C. pulchellum

Mill Wood near Michelham Priory, Arlington, paths & open places, abundant 1.8.62. Springly among grass on the flat behind the beach, Cuckmere Estuary 19.7.69. Crowlink Valley 11.8.74.

Gentiana pneumonanthe

Abundant in a heathy field sloping down to the head of the stream below Chapel Cross, Heathfield 1.9.36.

Gentianella amarella

Common on the Downs above Paradise Drive & around the golf course, Eastbourne 22.9.35. Downs above Old Town, Eastbourne, common 15.8.42. About Beachy Head, common 15.6.57. Windover Hill above Wilmington, plentiful 25.9.54. Downs near Seaford Head, common 18.9.66. Downs near Wannock 11.8.74. Downs E of the Cuckmere Estuary, common 13.7.64.

G. anglica

Among short grass by the track on top of Willingdon Hill, going to Folkington, very sparingly 30.4.36.

G. baltica

Steep slope above Willingdon near the top of the Down, sparingly 0.9.38. Downland slope at Friston by the track from Willingdon Hill, abundant 5.9.39. On the W slope of Windover Hill above Wilmington, in abundance, locally 25.9.54, 18.9.66.

Verbascum blattaria

A few plants in a cleared space in the woods near Ratton House, Willingdon 8.4.43.

V. nigrum

Several plants on disturbed ground in Factory Lane, Hailsham 23.8.53.

V. thapsus

Woods & downs about Ratton House, Willingdon 11.8.36. Crumbles near Eastbourne, occasionally 1.7.36. Grounds of Pevensey Castle, 24.4.36, 11.7.66. Chalk Downs in Crowlink Valley, common 30.5.46, 11.8.74. Downs near Beachy Head, common 3.7.43. Downs above Wilmington, common 18.9.66. Horam Station 24.9.72.

V. virgatum

Disturbed shingle on the Crumbles between Eastbourne & Pevensey Bay 4.8.35, 4.7.42.

Cymbalaria muralis

Old walls about Pevensey Castle 24.4.36. Crumbles near Langney, Eastbourne, locally common on the shingle 1.7.36.

Kickxia elatine

Chalky cornfields on Crapham Down above Eastbourne, common 29.7.31 (1 plant with a regular bell-shaped corolla), 29.7.33. Chalky fields above Eastbourne Old Town, common 25.8.42.

K. spuria

Chalky cornfields on Crapham Down above Eastbourne, common 28.7.36, 6.7.58. Disturbed ground on the Crumbles near Eastbourne 27.7.32. Near Hailsham, occasionally 3.8.34. Chalky fields on Willingdon Hill

towards Friston, common 2.7.42. Chalky fields E of the Cuckmere Estuary, common 6.8.58, 28.8.65. Fields at Crowlink, abundant 13.8.78.

Linaria purpuria

Crumbles near Eastbourne, occasionally 11.7.36. Hurstmonceux Park, several plants by the path in the wood above the pond 23.8.53. Waste ground near Eastbourne 19.7.47.

L. repens

Abundant in a rough grass field right-hand of the track from Willingdon Hill to Friston 22.6.34, 2.7.42. Several plants on a wall in South Fields Road, Eastbourne 13.7.41.

L. vulgaris

Crumbles near Eastbourne 25.6.34, 18.8.73. Downs above Eastbourne 1937. Downs about Ratton & Willingdon, common 30.8.41. Banks of the Cuckmere below Alfriston 24.8.57. Railway banks, Hellingly 24.9.72. Crowlink 11.8.74. Windover Hill, occasional 18.9.66. Bulverhythe beach 20.8.67.

Chaenorhinum minus

Disturbed shingle, Crumbles near Eastbourne, common 29.6.33. Fields on the Downs above Eastbourne, common 5.7.41. Chalky fields on the Downs above Willingdon, common 3.8.41. Fields about Folkington 4.7.34. Disused railway near Horam Station 24.9.72.

Scrophularia aquatica

Banks of the Cuckmere near Berwick 13.6.34. Ponds in Ashburnham Park 11.9.35. Pond off Hempstead Lane, near Hempstead Farm, Hailsham 6.7.35. Ponds in the Coppice near Willingdon 24.5.42. By streams S of Chapel Cross, Heathfield 1.9.36. Cuckmere near Chilvers Bridge, common 3.8.62. Marsh off the Cuckmere near Berwick 15.6.75.

S. nodosa

Abbotts Wood, common 20.6.34. Ashburnham Park, W end 19.5.33. Upper Vert Woods, Laughton 10.6.32. Hurstmonceux Park 24.5.36. Grounds about Glenleigh 13.7.37. Woods about Ratton House, Willingdon 12.7.36. Park Wood near Sidley Green 30.4.50. Heathy field S of Cade Street, Heathfield 1.9.36. High Wood, Netherfield 11.5.72.

S. alata

By the stream running from Wannock Glen, several plants among bramble and willows 23.8.70, 11.8.74.

Sibthorpia europaea

Hedgebank in Comphurst Lane, Windmill Hill, near Hurstmonceux 12.5.35. Banks of a pond in Hurstmonceux Park 7.7.35. Abundant by the track & in damp places in the wood above the pond in Hurstmonceux Park 31.7.49, 23.8.53. Abundant on steep banks of the streams in Heathfield Park 13.8.49. Damp hedgebank of a lane near the Cuckmere at Hellingly 23.5.33, 24.9.72.

Digitalis purpurea

Wartling Wood, abundant 1.6.33. Woods about Hailsham, common 7.6.34. Crumbles near Eastbourne, occasionally 10.8.84. Park Wood near Carters Corner 15.6.35. Grounds about Glenleigh 13.7.37. Woods S of Heathfield, common 18.9.57. High Wood, Netherfield 14.5.72. Kemps Wood 14.5.72.

Veronica agrestis

Old walls around Pevensey Castle 8.4.33. Disturbed earthy ground on the Crumbles between Eastbourne & Langney, local 1.5.37, 11.4.35.

V. arvensis

Near Wannock Glen, frequent 10.5.35. Dry ground & old walls at Pevensey Castle, common 6.5.37. Fields between Upper Willingdon & Stone Cross 28.8.36. Chalky ground near Cow Gap 6.6.42. Downs above Wilmington 26.6.54. Beach at Cuckmere Estuary (W side) 30.5.70. Willingdon Hill 13.6.76. Milton Hyde, common 27.5.73.

V. beccabunga

By the Cuckmere near Berwick 13.6.34, 24.5.37. Marsh between Upper Willingdon & Stone Cross 5.5.36. Near the stream S of Cade Street, Heathfield, common 1.9.36. Beechdown Wood near Battle 6.6.54. Disused railway track near Hellingly 24.9.72.

V. chamaedrys

Common about Abbots Wood & Arlington 20.5.33, 4.5.37. Woods & hedges about Hurstmonceux, very common 2.5.37. Common about Wartling 2.5.36. Diplocks Wood near Wannock 0.7.1939. By the Cuckmere near Berwick 25.6.37. Kemps Wood near Rushlake Green 30.5.36. Woods & downs about Ratton House, Willingdon, common 23.5.44. Park Wood near Sidley Green 30.4.50. Milton Hyde, common 9.6.62, 27.5.73. High Wood, Netherfield 14.5.72. Near Heathfield Church 14.5.72. Willingdon Hill 13.6.76. Hooe Common 27.5.73.

V. filiformis

Several patches on the village green near Alfriston Church 24.4.52, 28.8.65. Wilmington 9.5.64.

V. hederifolia

Hedgebanks etc about Ratton & Willingdon, common 17.4.33. Upper end of Wannock Glen, abundant 25.3.34. Hedgebanks etc about Hurstmonceux 17.3.35.

V. montana

Abundant in the Coppice near Willingdon 7.4.34, 24.4.43. Wartling Wood 2.5.36. Diplocks Wood near Wannock 0.7.39. Park Wood near Sidley Green 14.5.39. Kemps Wood near Rushlake Green 30.5.36, 16.5.72. Marlines Wood, common 9.5.64.

V. officinalis

Crumbles between Eastbourne & Pevensey Bay, sparingly 10.8.34, 26.4.52. Milton Hyde near Abbots Wood, frequent 30.6.43, 27.5.73. Open places in Abbots Wood 20.5.33. Kemps Wood near Rushlake Green 6.6.54, 16.5.72. Downs near Friston 30.5.46.

V. persica

Fields about Birling Gap, common 2.7.42.

V. scutellata

Marshy ditches in the Cuckmere Valley near Alfriston 30.5.33. Marshy places in Milton Hyde 31.8.36. By the stream S of Cade Street, Heathfield 1.9.36.

V. catenanta

Marsh by the Cuckmere N of Sherman Bridge, Berwick 15.6.75.

V. serpyllifolia

Common on Milton Hyde near Hailsham 27.4.33. Damp tracks in Park Wood near Carters Corner 27.4.36. Wartling Wood 2.5.36. Abbots Wood, damp paths etc 4.5.37. Diplocks Wood near Wannock 0.7.39. Park Wood near Sidley Green 30.4.50. Heathy field 1 mile N of Warbleton 15.9.57.

Euphrasia anglica

Damp heathy field below Chapel Cross near Heathfield, sparingly 16.9.34.

E. nemorosa

Downs E of the Cuckmere Estuary, common 29.8.64. Windover Hill above Wilmington, abundant 18.9.66. Friston Forest above Westdean 3.7.77. Crowlink Valley near Friston, common 11.8.74. Seaford Head, common 18.9.66. Abbots Wood, local 27.5.73.

E. occidentalis

Near the cliff edge of Beachy Head, plentiful 24.7.55.

Parentucellia viscosa

Park Wood near Sidley Green, Bexhill, damp sandy paths & open places near the edge of the wood, very local 14.5.39.

Odontites verna

Cuckmere Valley near Exceat Bridge, common 18.8.33. Down near Folkington, common 4.7.35. Crumbles near Eastbourne, common 1.7.36. Fields near the Cuckmere, Alfriston, common 24.8.57. Crowlink Valley near Friston, common 11.3.74. Cuckmere Estuary 28.8.65, 3.7.77.

Pedicularis sylvatica

Damp spots on Milton Hyde, common 22.5.32, 9.6.62 & common in open spots in Abbots Wood 27.5.73. Heathy field S of Chapel Cross, Heathfield, common 1.9.36. Kemps Wood near Rushlake Green 30.5.36. Park

Wood near Sidley Green 14.5.39. Heathy field by St Dunstons Wood, Warbleton 15.9.57. Beechdown Wood, near Battle 6.6.59. Boggy ground on Berwick Common 30.5.54. High Wood, Netherfield 14.5.72. Bog on Hooe Common, frequent 24.9.72.

Rhinanthus minor

Downs between Eastbourne & Beachy Head, common 3.5.37, 20.5.45, 15.6.57. Downs & fields in the Cuckmere Valley from Exceat to the sea 2.6.37. Downs about Paradise Drive & Downs above Eastbourne Old Town, abundant 13.7.41. Downs above Wilmington, common 26.6.54. Crumbles near Eastbourne, among short grass 31.5.46. Windover Hill above Wilmington, common 18.9.66. Downs about Wannock, common 11.8.74. Marsh by the Cuckmere near Berwick, local 15.6.75.

R. calcareus

Slopes by the chalk-pit on the Down above Eastbourne Old Town, common 23.8.53. Downs about the chalk-pit by the Long Man above Wilmington, common 23.6.74. Windover Hill 29.8.65.

Melampyrum pratense

Abbotts Wood, locally frequent 12.6.32. Kemps Wood near Rushlake Green 30.5.36, 6.6.54. Milton Hyde near Hailsham 30.6.42. High Wood, Bexhill 30.4.72

Orobanche rapum-genistae

Horsebridge Wood near Hailsham, very abundant on Broom 6.7.35, scarce 21.7.48.

O. minor

Crumbles between Eastbourne & Pevensey Bay, plentiful on *Trifolium pratense* 29.6.33, 26.6.38. Downs near Wannock on *Carduus crispus* 13.8.35. Downs near Cow Gap, Eastbourne, local 23.5.48.

Acanthus mollis

Well-established clump on waste ground at the E end of the sea-front, Bexhill 20.8.67.

Utricularia vulgaris

Ditches on Pevensey Marsh near Horseye & Rickney, locally abundant 0.7.39. Ditches on the marsh near Tut Barn, Eastbourne, plentiful 23.8.53.

Verbena officinalis

Grassy banks etc near Jevington Church, abundant 1.8.32. Downs about Alfriston 26.6.34. Roadside near Willingdon Village 28.8.36. Downs about Paradise Drive, Eastbourne 1937. Field edges & roadsides near Ratton House 21.6.41. Between Pevensey Castle & Church 11.7.66.

Mentha aquatica

Sides of ditches on Pevensey Marsh near Horseye & Rickney, common 0.7.39. Ashburnham Park, common 11.9.35. Milton Hyde near Abbotts Wood 21.8.36. Hurstmonceaux Park 24.5.36. By the Cuckmere near Berwick 12.10.36. Marsh ditches about Eastbourne, abundant 23.8.53. Berwick Common 23.6.74.

M. arvensis

Milton Hyde near Hailsham 8.8.34. Cultivated fields near Wannock 13.8.35. Hurstmonceaux Park 24.5.36. Damp ground S of Heathfield Chapel 1.9.36. Marshy field 1 mile N of Warbleton 15.9.57.

M. x gentilis

Eastbourne, small patch by a ditch near the track at Tut Barn 23.8.53.

M. longifolia

Several patches on the Crumbles between Eastbourne & Pevensey Bay 8.8.35, 4.7.42. Beach at Pevensey Bay, occasionally 21.7.48.

M. x niliaca

By a lane running from Alfriston to the Cuckmere 28.8.65, 18.9.66. Large clump on the low grassy cliff between Bexhill & Cooden Bay 21.5.78.

Lycopus europaeus

Ditches on the marsh near Willingdon 5.5.36. Ditches towards Stone Cross 5.5.36. Milton Hyde, common in marshy places 31.8.36, 9.6.62. Ashburnham Park, common 11.9.36. Pond near Chalvington, common 24.8.57. Pond near Netherfield 14.5.72.

Origanum vulgare

Downs near Folkington, common 4.7.35. Downs about Ratton House & Willingdon, locally abundant 3.8.41. Small patch on the railway bank at Bulverhythe 20.8.67. Downs near Wannock, abundant 11.8.74. By the disused railway near Horam Station 24.9.72.

Thymus pulegioides

Windover Hill above Wilmington, locally abundant 18.9.66. Downs about Seaford Head, common 17.7.71. Downs E of Wilmington, common 9.8.64.

T. drucei

Windover Hill above Wilmington, common 18.9.66. Crumbles between Eastbourne & Pevensey Bay, locally common 23.8.70. Downs E side of the Cuckmere Estuary, locally common 19.7.69. Downs about the 'Long Man' Wilmington, common 28.6.74. Willingdon Hill 13.6.76. Friston Forest above Westdean 3.7.77. Crowlink Valley, common 11.8.74.

Calamintha ascendens

Scattered along a chalky bank by the drive leading from the road to Charlston Manor, near Litlington 19.8.72, 3.7.77.

Clinopodium vulgare

Downs above Eastbourne, abundant 15.8.42. Windover Hill above Wilmington, local 18.9.66. By the disused railway near Horam Station 24.9.72. Crowlink Valley near Friston, common 11.8.74.

Melissa officinalis

Waste ground at Hampden Park near Eastbourne, occasionally 11.9.36. Several plants by the side of a ditch near the track of Tut Barn, Eastbourne 23.8.53. Edge of a field between Alfriston & the Cuckmere, several plants 28.8.65, 18.9.66.

Salvia horminoides

Shingly ground by the roadside at Pevensey Bay 8.6.33. Downs between Willingdon & Jevington 30.6.36. Downs about Cow Gap, near Eastbourne 6.6.42. Flat ground at the base of the Downs at Seaford 19.7.69. Downs E of the Cuckmere Estuary, local 18.7.64.

Nepeta cataria

Several plants in an old chicken run near Holywell Waterworks, Eastbourne 7.8.33. Six large plants on shingly ground near the gate of Beach Farm, Eastbourne 8.8.33, 2.9.45. Shingly ground near the road at Langney, Eastbourne 0.7.37. Large clump in the hedge by the track between Friston & Crowlink 11.8.74, 13.8.78. A few plants by bushes at top end of a field at Birling Gap 13.8.78.

Glechoma hederacea

Pevensey Castle grounds 8.4.33. Hedgebanks etc about Jevington, common 30.3.35. Wannock Glen, common 21.5.36. Creep Wood, Ashburnham 5.4.36. Abbots Wood, common 4.5.37. Grounds at Glenleigh, Eastbourne 13.7.37. Diplocks Wood near Wannock 1939. Downs near Beachy Head 29.6.42. The Coppice, Willingdon, common 24.4.43. Fields on Windover Hill above Wilmington, common 18.9.66. Willingdon Hill 13.6.76.

Scutellaria galericulata

Milton Hyde near Abbots Wood. Ponds near Hempstead Farm, Hailsham, common 18.7.32. Crumbles near Eastbourne 1.7.36. Grounds about Glenleigh, Eastbourne 13.7.37. Banks of the Cuckmere near Berwick 12.10.36. Ditches on Pevensey Marsh near Horseye & Rickney 0.7.38. Ditches near Wartling 12.7.41. Hurstmonceux Park, common 31.7.49, 23.8.53.

S. minor

Damp places in Hurstmonceux Pk 24.5.36. Damp heathy field S of Cade Street, Heathfield 1.9.36. Park Wood near Sidley Green 11.5.39. Damp places in Beechdown Wood near Battle, common 6.6.54. Mill Wood near Michelham Priory 3.8.62. Bog on Hooe Common, local 24.9.72. High Wood, Bexhill, peaty ground, local 24.9.72.

Galeopsis angustifolia

Shingly bank at Pevensey Bay, common 3.7.34, 21.7.40. Beach beyond Pevensey Bay, common 21.7.48. Locally abundant on open shingly ground on the Crumbles from Eastbourne to Pevensey Bay 19.7.47, 20.7.68, 23.8.70.

Galeopsis tetrahit

Among bushes on Willingdon Hill towards Friston, common 11.7.32, 2.7.42. Downs about Ratton House, Willingdon, locally common 3.8.41. Bushy places on Windover Hill above Wilmington, common 25.9.54. Mill Wood near Michelham Priory, common 3.8.62. Milton Hyde 9.6.62. About Waldron 20.9.70. Milton Hyde 27.5.73. Railway banks near Hellingly 24.9.72.

Prunella vulgaris

Grounds about Ratton House, Willingdon 4.8.36. Downs about Paradise Drive, Eastbourne 1937. Downs above Eastbourne 3.7.43. Willingdon Hill towards Friston 2.7.42. Common in Hurstmonceux Park 31.7.49. Downs E of the Cuckmere Estuary, common 6.7.58. Heathy field 1 mile N of Warbleton 19.9.52. Windover Hill above Wilmington 18.9.66. Beach at Bulverhythe, occasionally 20.8.67. High Wood, Bexhill 24.9.72. High Wood, Netherfield 14.5.72. Seaford Head 17.7.71.

Marrubium vulgare

Plentiful about Belle Tout lighthouse near Beachy Head 28.7.34, 3.7.43. Grassy places by the Bay road & by the old railway line on the Crumbles at Langney 25.6.34, 6.7.42. Plenty in a stony chicken-run by the Pevensy Bay road just past Langney 29.8.34. Rough chalky ground at Birling Gap, locally common 2.7.42. One large plant by bushes at the top end of a field at Birling Gap 13.8.78.

Stachys arvensis

Sandy field N of Bexhill 27.4.35.

Stachys officinalis

Hempstead Lane near Hailsham, common 6.7.35. Ashburnham Park, common 11.9.35. Heathy field E of St Dunstons Wod, towards Warbleton 15.9.57. Windover Hill above Wilmington, occasionally 18.9.66. High Wood, Bexhill 20.8.67. Selwyns Wood, Waldron 20.9.70. Downs about Seaford Head, common 17.7.71. Hooe Common, frequent 24.9.72. Heathy ground near Heathfield 14.5.72. Downs E of the Cuckmere Estuary, local 18.7.64. Crowlink, common 11.8.74. Milton Hyde 27.5.73.

S. palustris

Banks of the Cuckmere near Horsebridge 9.8.33. Ditches between Pevensy & Wartling, locally common 24.6.34. By the Cuckmere near Berwick 25.6.37. Ditches in the Cuckmere Valley near Alfriston, locally abundant 24.8.57. Cuckmere at Chilver Bridge, plentiful 1.8.62.

S. sylvatica

Hedgebanks near Wartling, common 1.6.33. Hampden Park & Willingdon, common 18.6.35. Woods about Ratton House 12.7.36. Milton Hyde near Abbots Wood 30.6.43. Between Willingdon & Stone Cross 28.8.36. Downs about Paradise Drive, Eastbourne 1937. About Waldron, common 20.9.70. High Wood, Netherfield 14.5.72. Crowlink 11.8.74.

Lamium album

Hedgebanks etc about Wartling, common 25.3.33.

L. amplexicaule

Disturbed ground on the Crumbles near Eastbourne 15.7.33. Cultivated fields on the Downs above Eastbourne 5.7.41., 3.7.43. Cultivated fields on Crapham Down 26.5.35.

L. hybridum

Abundant over a small area of the Crumbles near Langney where gorse bushes were burnt down 19.4.35, 25.4.36.

L. maculatum

Waste ground about Hampden Park near Eastbourne, frequent 18.6.35.

L. purpureum

About Eastbourne, common 17.3.57.

Galeobdolon luteum

Wannock Glen, plentiful 11.4.36. Abbots Wood towards Polegate 29.5.34, 5.5.37. Kemps Wood near Rushlake Green 30.5.36. Park Wood near Sidley Green 30.4.50. Marlines Wood near Hollington, local 9.5.64. High Wood, Netherfield 14.5.72. Abbots Wood near Arlington 27.5.73.

Teucrium scorodonia

Hempstead Lane & about Hailsham, common 6.7.35. Abbots Wood, common 2.7.34. Milton Hyde, abundant 31.8.36. Hurstmonceaux Park, common 24.5.36. Crumbles E of Eastbourne, abundant 1.7.36, 28.6.42. Among bushes etc on the Downs near Beachy Head 29.6.42. Park Wood near Sidley Green, common 30.4.50. S of Cade Street, Heathfield, abundant 1.9.36. N of Warbleton 15.9.57. Downs E of the Cuckmere, common 29.8.64. Crumbles towards Pevensey Bay, common 23.8.70. High Wood, Netherfield 14.5.72. High Wood, Bexhill 24.9.72. Bexhill Down, local 20.8.67. Willingdon Hill 13.6.76. Bushy places on the Downs above Eastbourne, abundant 17.3.57.

T. chamaedrys

Locally plentiful over an area of chalk grassland on the slope E of the Cuckmere Estuary towards the sea 29.8.64, 28.8.65.

Ballota nigra

Crumbles near Eastbourne, common 26.6.35. Crowlink Valley near Friston, common 11.8.74. Birling Gap 13.8.78.

Ajuga reptans

Abbots Wood, locally abundant 29.5.34. Wood in Hampden Park, Eastbourne, plenty 24.4.34. Hempstead Lane near Milton Hyde 23.4.35. Park Wood near Carters Corner 28.4.36. Wartling Wood, common 2.5.36. Wannock Glen 21.5.36. Kemps Wood near Rushlake Green 30.5.36. By the Cuckmere near Berwick Station 25.6.37. Park Wood near Sidley Green 30.4.50. Upper Vert Wood near East Hoathly 24.5.53. Diplocks Wood near Wannock 1939. Berwick Common, abundant 30.5.54. Milton Hyde, common 9.6.62. Near Heathfield Church 14.5.72.

Plantago coronopus

Crumbles E of Eastbourne, common 7.5.33, 28.6.42. Cliff edges near Beachy Head, locally common 29.6.42. Beach at Bulverhythe, common 28.8.67. Seaford Head, common 18.9.66. Between Bexhill & Cooden Bay, common 21.5.78.

P. lanceolata

Crumbles near Eastbourne, common 1.7.36. Roadsides etc near Park Wood, Carters Corner, common 27.4.36. Diplocks Wood near Wannock 1939. Downs about Paradise Drive, Eastbourne 1937. Downs near Beachy Head, common 15.6.57. Bulverhythe, common 20.8.67. Windover Hill, common 18.9.66.

P. major

Windover Hill above Wilmington, common 18.9.66.

P. maritima

Salt marshes between Exceat Bridge & the Cuckmere Estuary 2.6.37. Salt marsh beyond Pevensey Bay, locally abundant 21.7.48. Cuckmere Estuary 28.8.65.

P. media

Downs near Lullington, common 24.4.35. Downs about Beachy Head, abundant 26.6.54. Chalk Down, Crowlink Valley, common 30.5.46. Downs above Wilmington, abundant 26.6.54. Downs near the cliff edge E of the Cuckmere Estuary, common 3.7.55. Seaford Head, common 18.9.66. Downs about Wannock, common 11.8.74.

Scleranthus annuus

Cultivated fields on the Downs near Friston, very local 30.5.46. In a field on the Downs near Ringwood just above Eastbourne, abundant 15.8.43.

Chenopodium album

Fields near Willingdon, common 28.8.36. Crumbles near Eastbourne, abundant 1.7.36.

C. bonus-henricus

In the grounds of Pevensey Castle, plentiful 2.6.33, 24.4.36. Plentiful on a rough piece of grassy ground between Alfriston Church & the Cuckmere 17.5.34, 26.4.52.

C. ficifolium

Cultivated fields on the clay near Polegate, locally common 19.9.38.

C. murale

Roadside near Glenleigh 18.8.33. Several plants near the fort at Langney Point near Eastbourne 14.9.35. Roadside near Exceat bridge 10.9.37. Waste ground towards Pevensey 12.7.41. Waste ground etc in Eastbourne, occasional 2.7.42. Common on bare chalky ground near the cliff edge E of the Cuckmere Estuary 3.7.55.

C. glaucum

Plentiful on a gravelly path near Glenleigh House 13.7.37.

C. polyspermum

Roadside near Glenleigh 18.8.33. Fields on the marsh between Willingdon & Stone Cross, common 28.8.36.

C. rubrum

Waste ground in & about Hampden Park, Eastbourne, common 11.9.36. Crumbles near Eastbourne 1.7.36. Fields on the marsh between Willingdon & Stone Cross, common 28.8.36.

C. vulvaria

Along the base of the wall of Beach Farm, Eastbourne 8.8.33. By the track leading across the Crumbles to Langney Point, sparingly 27.7.32, 5.9.33. About 36 plants along the foot of the wall & drive of the Red House, Ocklynge, Eastbourne 14.8.33. Plentiful along a path on the Crumbles by the side of Princes Park, Eastbourne 28.8.33. Waste ground in Seaside Road, Eastbourne, several plants 2.7.42. Shingly ground E of Eastbourne 19.7.47.

Beta maritima

Mouth of the Cuckmere, E & W sides, abundant 15.6.34, 15.6.75. Crumbles near Eastbourne, common 28.6.42. Muddy banks of the Cuckmere below Alfriston, common 24.8.57. Cliff E of Bexhill 11.7.66. Beach at Bulverhythe, abundant 20.8.67. Seaford Head, common 17.7.71. Between Bexhill & Cooden Bay 21.5.78.

Atriplex glabriuscula

Shingle beach between Bexhill & St Leonards, locally plentiful 27.7.33, 15.8.34. Damp places on the Crumbles near Eastbourne, locally plentiful 28.8.34, 12.7.41. Salt marsh & mud at the mouth of the Cuckmere, common 14.7.37.

A. littoralis

Sea beach at the mouth of the Cuckmere, common 10.9.37, 18.7.64.

A. sabulosa

Mouth of the Cuckmere, a few plants on sandy shingle near the sea 14.7.37, two plants 19.8.59.

Halimione portulacoides

Salt marshes by the Cuckmere from Exceat to the sea, abundant 13.7.34, 18.8.57. Salt marsh beyond Pevensey Bay, common 21.7.48. Muddy banks of the Cuckmere from Exceat to Litlington 18.8.57, and up to Alfriston 24.8.57.

Salicornia dolichostachya

Wet saline mud along the R. Cuckmere from Exceat Bridge to the sea, locally abundant 14.7.37, 24.8.57.

S. ramosissima

By a marshy brackish pond on the Crumbles near Eastbourne, sparingly 7.8.34. Salt marshes & mud along the Cuckmere from Exceat Bridge to the sea, locally abundant 14.7.37, 24.8.57. Muddy bank of the Cuckmere below Alfriston, abundant 24.8.57.

S. stricta

Saline mud by the Cuckmere from Exceat Bridge to the sea, common 14.7.37, 24.8.57. Salt marsh beyond Pevensey Bay 21.7.48.

S. prostrata

Muddy ground near Exceat Bridge 28.8.65.

Suaeda maritima

Saline mud & salt marsh of the Cuckmere Estuary, abundant 18.8.33, 14.7.37, 19.8.59. Salt marshes between Pevensey Bay & Normans Bay 3.7.34. Muddy bank of the Cuckmere below Alfriston, common 24.8.57.

Polygonum amphibium

Cuckmere near Berwick, common 12.10.36. Marsh ditches near Willingdon 28.8.36. Ditches on the marsh near Eastbourne, common 17.8.37. Cuckmere at Chilver Bridge, common 3.8.62.

P. bistorta

A small patch in damp ground by the stream about 1/2 mile S of Little London & sparingly in a roadside ditch near the same stream another 1/2 mile S 6.7.58.

P. convolvulus

Fields near Willingdon, common 28.8.36. Fields on the Downs above Eastbourne, common 3.7.43. Fields on Windover Hill above Wilmington, common 18.9.66. Crumbles near Eastbourne, common 6.9.41.

P. hydropiper

Marshes near Willingdon & Eastbourne, abundant 28.8.36. Milton Hyde near Abbots Wood, common 31.8.36. By the Cuckmere near Berwick 12.10.36. Marshy places in Hurstmonceux Park 24.5.36. Marshy places S of Heathfield, common 15.9.37.

P. lapathifolium

Fields on the marsh near Willingdon 28.8.36.

P. persicaria

Fields near Eastbourne & Willingdon, common 28.8.36. Marshy places S of Heathfield, common 15.9.57.

Rumex acetosella

Dry places on the Crumbles near Eastbourne 8.5.33. Kemps Wood near Rushlake Green 30.5.36. Willingdon Hill 13.6.76. Crumbles near Pevensey Bay 14.6.69.

R. acetosa

Crumbles near Eastbourne, common 28.6.42. Downs above Eastbourne Old Town 3.7.43. Downs above Willingdon, common 26.6.54. Milton Hyde near Abbots Wood, common 30.6.42, 9.6.62. Heathy field 1 mile N of Warbleton 15.9.57. Windover Hill above Wilmington, common 18.9.66. Berwick Common 23.6.74. Near Heathfield Church 14.5.72. Marlines Wood 9.5.64.

R. crispus

Barish ground near the cliff edge E of the Cuckmere Estuary, common 3.7.55. Fields near Warbleton, common 15.9.57. Beach at Bulverhythe, common 20.8.67.

R. conglomeratus

Fields near Willingdon, common 28.8.36.

R. hydrolapathum

Ditches on the marsh near Eastbourne, locally plentiful 3.9.36. Cuckmere near Berwick 12.10.36. Pevensey Marsh near Horseye & Rickney 0.7.39. Ditches in the Cuckmere valley near Alfriston, common 24.8.57.

R. palustris

Edge of Charlston Pond near Westdean, abundant 1.8.34, 10.9.37. (Now enclosed in the grounds of Charlston Manor).

R. maritimus

Edge of Charlston Pond with *R. palustris* & ditches between here & the Cuckmere, common 10.9.37. Ditches on Pevensey Marsh near Rickney, sparingly 0.7.39. Muddy track in a field by the Cuckmere near Westdean 24.8.57. Plentiful on dry mud by the pond in Westdean village 1.8.76.

R. pulcher

Chalky fields by the Cuckmere at Exceat 18.7.64, 3.7.77. Abundant in a field by the Cuckmere at Alfriston 18.9.66. Between the Church & Castle, Pevensey, frequent 0.7.66. Shingly ground near Prince's Park, Eastbourne 10.7.68.

Daphne laureola

Scattered about the beech wood around Ratton House near Willingdon 6.1.35, 23.5.44. About a dozen large plants in the roadside copse in Church Rd, Hurstmonceux 29.4.33, 21.1.36. A few small plants in a hedge in East Dean village 28.7.34. Two small plants on the bank by Wilmington church & a few plants on a bank on the opposite side of the road 26.1.36. Sparingly along the edge of Diplocks Wood between Wannock & Polegate

1939. Small clump by the track between Folkington & Jevington 25.2.50. Frequent in a roadside copse opposite the 'May Garland' Inn, Horam 24.9.72.

Viscum album

On several apple trees in an orchard behind the 'Horse & Groom' at Polegate crossroads 26.1.36. Orchard at Brownbread Street, a few plants 1937.

Thesium humifusum

Locally abundant in short grass near the cliff edge about Beachy Head & Westdean 7.7.35, 3.7.43. Chalk Down E side of the Cuckmere Estuary towards Gayle's Farm, locally abundant 6.7.58.

Euphorbia helioscopia

Garden weed at Eastbourne & in cultivated fields on the Downs, abundant 3.7.43.

E. amygdaloides

Woods about Ashburnham 9.4.33. Abbots Wood, plentiful 29.5.34. Common in Wartling Wood 26.4.34. Kemps Wood near Rushlake Green 30.5.36. Park Wood near Carters Corner 27.4.36. Woods & hedges about Hempstead Lane, Hailsham, common 31.8.36. Park Wood near Sidley Green 30.4.50. Upper Vert Wood near East Hoathly 24.5.53. Mill Wood near Michelham Priory 3.8.42. High Wood, Netherfield 14.5.72. Marlines Wood, not common 9.5.64.

E. paralias

Cuckmere Estuary, one tuft on the shingle near the river, not far from the sea (W side) 24.8.57.

E. exigua

Common on the Crumbles E of Eastbourne 11.6.33, 28.6.42. Fields on the Downs above Eastbourne, locally abundant in many places 3.7.43. Chalky fields on the Downs E of the Cuckmere Estuary 6.7.58, 28.8.65.

E. platyphyllos

One large plant in a field between Hampden Park & Willingdon 18.6.35.

E. virgata

Large patch in a strip of rough grassy ground between the Golf Course & the allotments near Paradise Drive, Eastbourne 11.7.35.

Buxus sempervirens

Beech hanger above Ratton House & plantations about (introduced?) 23.5.44.

Mercurialis annua

Waste & cultivated ground about Eastbourne, very common 11.1.35. Cultivated & waste ground about Ratton & Willingdon, common 3.8.41. Disturbed ground by the cliff edge a short distance E of the Cuckmere Estuary 3.7.55. Cultivated field on Windover Hill above Wilmington, common 18.9.66.

M. perennis

Copses about Wannock & Folkington & in Wannock Glen 17.1.32. Wood in Hampden Park (Old Decoy Wood), locally common 13.1.35, Diplocks Wood near Wannock 1939. Woods about Ratton House 12.7.36. Abbots Wood, common 4.5.37, 27.5.73. The Coppice, Willingdon 24.4.43. Wilmington Holt, common 7.8.50. Park Wood, Sidley Green 30.4.50. High Wood, Netherfield 14.5.72. Marlines Wood, common 9.8.44.

Ulmus procera

Common about Hampden Park, Eastbourne (formerly Old Decoy Wood) 29.3.36. Base of the chalk Downs near Willingdon, common 30.4.36. Wannock Glen 21.5.36. Diplocks Wood near Wannock 0.7.39. Ashburnham Park 1.2.36.

Humulus lupulus

Bushes & ditch sides on the marsh between Willingdon & Stone Cross 28.8.36.

Urtica dioica

Downs above Eastbourne 17.3.57. Windover Hill above Wilmington, common 18.9.66. Willingdon Hill, common 13.6.76. Marlines Wood, common 9.5.64. Downs by the Cuckmere 18.7.64.

U. urens

Cultivated fields on Crapham Down above Eastbourne, local 26.5.35. Fields between Willingdon & Stone Cross 28.8.36.

Parietaria diffusa

Common on walls at Pevensey Castle 29.5.32, 11.7.66. About Westdean Church, common 3.7.77.

Myrica gale

A very large & dense thicket of tall bushes by the stream below Chapel Cross, Heathfield 2.5.37 (ploughed up about 1948). Abundant in a boggy area above the stream in Kemps Wood near Rushlake Green 30.5.36, 6.6.54, 8.7.73.

Betula pendula

Abbotts Wood, abundant 4.5.36. Park Wood near Hellingly 28.6.36. Wartling Wood 2.5.36. Top edge of the woods above Ratton House near Willingdon, very local 4.8.36. Grounds about Glenleigh 13.7.37. Park Wood near Sidley Green 30.4.50. High Wood, Bexhill 30.4.72. High Wood, Netherfield 14.5.72. S of Heathfield Park 14.5.72. Marlines Wood, rare 9.5.64.

B. pubescens

Kemps Wood near Rushlake Green 30.5.36.

Alnus glutinosa

Hampden Park near Eastbourne 10.2.34. Very large trees in the Coppice near Willingdon 24.4.43. Grounds about Glenleigh 13.7.37. Damp places in & about Abbots Wood 4.5.37. Swampy places in Ashburnham Park etc. 1939. Common in Hurstmonceux Park 24.5.36, 23.8.53. Kemps Wood near Rushlake Green 14.5.72.

Carpinus betulus

Abundant in the damp parts of Abbots Wood 4.5.36. Ashburnham Park 24.4.35. Kemps Wood near Rushlake Green 30.5.36. Park Wood, Sidley Green 30.4.50. Upper Vert Wood near East Hoathly 24.5.53. High Wood, Netherfield 14.5.72. Marlines Wood, common 9.5.64.

Corylus avellana

Abbotts Wood, abundant 4.5.37. Jevington Plantation 6.1.35. Hampden Park Wood, Eastbourne 8.2.34. Park Wood between Carters Corner & Hellingly 28.6.36. Wannock Glen 21.5.36. Wartling Wood 2.5.36. Diplocks Wood near Wannock 1939. Park Wood, Sidley Green 30.4.50. Woods S of Heathfield, abundant 15.9.57. High Wood, Netherfield 14.5.72. Marlines Wood, common 9.5.64.

Quercus robur

Abbotts Wood, dominant tree 6.5.36. Park Wood near Hellingly, common 28.4.36. Hurstmonceux Park 24.5.36. Grounds about Glenleigh 13.7.37. Park Wood near Sidley Green 14.5.39. Hampden Park, Eastbourne 24.4.43. Coppice near Willingdon 24.5.42. Milton Hyde, common 9.6.62. Kemps Wood near Rushlake Green 25.5.72. High Wood, Bexhill 30.4.72. High Wood, Netherfield 14.5.72. Marlines Wood, common 9.5.64.

Q. petraea

Kemps Wood near Rushlake Green 26.5.35.

Q. ilex

Eastbourne, slope of the Downs immediately above the town, many trees scattered about 17.3.57.

Castanea sativa

Hurstmonceux Park 24.5.36. Kemps Wood near Rushlake Green 30.5.36. Park Wood near Carters Corner, common 28.4.36. Abbots Wood, locally abundant 4.5.37. Wartling Wood, abundant 14.5.37. Park Wood near Sidley Green 14.5.39. Woods S of Heathfield, common 15.9.57.

Fagus sylvatica

Woods on the Downs above Chalk Farm, Willingdon 30.4.36. Kemps Wood, large trees 30.5.36. Abbots Wood, occasionally 4.5.37. Woods & plantations about Paradise Drive, Eastbourne 1937. Diplocks Wood, Wannock 1939. Hanger on the slope above Ratton House, large trees & plantations near 23.5.44. Hurstmonceux Park, large trees 24.5.56. Woods S of Heathfield, locally common 15.9.57. High Wood, Bexhill 30.4.72. High Wood, Netherfield 14.5.72. Marlines Wood, common 9.5.64.

Salix fragilis

The Coppice, Willingdon, many large trees on gault clay 24.4.43.

S. alba

Marshes near Eastbourne, many large trees 28.8.36. Near Chalvington, common 24.8.57. Berwick Common 23.6.74.

S. viminalis

By Friston Pond 13.8.1978.

S. caprea

Hedges near Polegate etc, common 5.3.32. Wartling Wood 2.5.36. Wannock Glen 21.5.36. Abbots Wood, frequent 14.3.36. Diplocks Wood near Wannock 0.7.39. Park Wood near Sidley Green 30.4.50.

S. atrocineria

Heathy field 1 mile N of Warbleton 15.9.57. Bexhill Down, common 20.8.67.

S. aurita

Heathy field ride of Kemps Wood, Heathfield 30.5.36.

S. repens

Several patches on Milton Hyde near the edge of Abbots Wood 23.4.32, 31.8.36. Heathy field S of Cade Street above the stream, common 20.8.36. Very abundant in a boggy area above the stream in Kemps Wood near Rushlake Green (& var. *argentea*) 3.5.36, 6.6.54, 14.5.72. Heathy field between Chapel Cross & Warbleton, sparingly 15.9.57. Bexhill Down, not common 20.8.67. High Wood, Bexhill 30.4.72.

Populus alba

The Coppice near Willingdon, common 24.5.42.

P. canescens

Large trees scattered about Hurstmonceaux Park 18.4.36.

P. tremula

Abbots Wood, locally plentiful 4.5.37. The Coppice near Willingdon 24.5.42. High Wood, Bexhill 24.9.72.

P. serotina

The Coppice near Willingdon, common 24.5.42.

Ceratophyllum submersum

Ditches on Pevensey Marsh N of Pevensey Castle 20.8.37.

Elodea canadensis

Ditches on the marsh near Eastbourne, very abundant 3.9.36.

Hydrocharis morsus-ranae

Ditches on Pevensey Marsh near Horseye & Rickney, locally abundant 0.7.1939. Pond near Hempstead Park, Hailsham 6.7.35. Cuckmere near Berwick 12.10.36. Ditches on the marsh between Eastbourne & Willingdon, common 28.8.53. Ditches by the Cuckmere near Alfriston, common 18.8.57. Ditches on Bulverhythe Marsh 20.8.67.

Neottia nidus-avis

Two plants by a path in the wood of Hampden Park near Eastbourne 7.5.33. 10 plants under the large beeches above Ratton House near Willingdon 17.6.32, 12.7.36. A few plants by the fir plantation in Abbots Wood 12.6.32. Two plants on a roadside bank between Horsebridge & Horam 2.7.32.

Listera ovata

Abundant in the Old Decoy Wood (Hampden Park), Eastbourne 7.5.33. Wannock Glen 10.5.36. Common in parts of Abbots Wood 21.5.32. Common in woods etc about Ratton House, Willingdon 19.5.34, 23.5.44. Wood on the Down above Chalk Farm, Willingdon, common 30.4.36. The Coppice, Willingdon 24.4.43. Diplocks Wood, Wannock 1939. S of Heathfield Park 14.5.72. Marlines Wood, locally common 9.5.64.

Spiranthes spiralis

Downland above Eastbourne, locally common 11.9.32, 22.9.35. Downs above Paradise Drive, Eastbourne, locally abundant 1937. Slopes of Windover Hill near Wilmington 25.9.54, 18.9.66. Ashburnham Park, grassy banks at W end, occasional 11.9.37. Downs at Seaford Head 18.9.66. Downs E of the Cuckmere Estuary 28.8.65.

Cephalanthera damasonium

Many plants in a wood near Folkington Church, one specimen with 21 florets 29.5.33, 13.6.76. In a small beech hanger near Filching Manor, Wannock 28.5.33. Plentiful in a plantation at Ratton near the Willingdon road, 1 plant with 32 flowers & another 2' 2" high, also in the beech hanger above the House 9.6.34, 23.5.44. Locally abundant under beeches bordering Paradise Drive, Eastbourne 1937.

Epipactis helleborine

Ashburnham Park, occasionally 20.8.33. Abbots Wood by the stream running on to Milton Hyde, sparingly 4.5.37.

Anacamptis pyramidalis

Downs between Willingdon & Jevington 30.6.36. Downs about Ratton House & the Golf Course, Willingdon, locally common 12.7.36. Downs S of Friston, locally common 13.7.41. Above Victoria Drive 8.7.43. Downs on the E side of the Cuckmere Estuary, common in several places 6.7.58. Downs near Wannock 11.8.74.

Orchis fuchsii

Abbots Wood, locally plentiful towards Hailsham 4.5.37. Grounds about Glenleigh near Eastbourne 13.7.32. Downs near Wilmington Holt 11.6.49. Downs E of the Cuckmere Estuary, common 6.7.58. By the railway near Horam Station 24.9.72. Windover Hill, occasional 18.9.66. Kemps Wood 14.5.72. Downs by the Long Man, Wilmington 23.6.74. Downs near Wannock, common 11.8.74.

O. ericetorum

Sandy bank near Hempstead Lane, Hailsham 12.6.49.

O. morio

Very abundant in fields at Folkington both sides of the Lewes-Polegate road with white & pink flowers 12.5.34 (fields now ploughed). Downland slopes, Crowlink Valley 28.4.33, 21.4.46. Chalk slopes on Bullock Down towards Beachy Head 25.5.34. Fields about Ashburnham Park, common 19.5.34. Field near Catsfield 3.5.36. Fields near Upper Willingdon towards Stone Cross 5.5.36. Field near Kemps Wood near Heathfield 30.5.36. Milton Hyde near Michelham, occasionally 31.8.36. Fields by the Cuckmere near Berwick 25.6.36. Field between Hurstmonceux & Bodle Street Green, plentiful 2.5.37. About 25 plants on Hooe Common, 60 or more in an adjacent meadow and 15 in another field 27.5.73. Low grassy cliff at Cooden Bay (6 plants) 21.5.78.

O. mascula

Abbots Wood & hedges, common 22.4.34. Coppice near Willingdon, sparingly 26.4.31. Abundant among bushes on the Downs above the chalkpit, Willingdon, towards Coombe Hill 19.5.34. Diplocks Wood between Wannock & Polegate 1939. Hempstead Lane near Hailsham, common 28.4.34. Bushy Down, Crowlink Valley 30.5.46. Park Wood near Sidley Green 14.5.39, 30.4.50. Marlines Wood near Hollington, locally common 9.5.64. Downs between Seaford & the Cuckmere, local 30.5.70. Windover Hill, local 18.9.66.

O. ustulata

Downs above Willingdon 23.6.32. Grassy slopes about Cow Gap, local 13.6.33, 12.6.49. Downs above Old Town, Eastbourne, local 3.7.43. Chalk Downs E of the Cuckmere Estuary towards Gayles Farm, locally plentiful 6.7.58.

O. pardalina

Marsh by the Cuckmere N of Sherman Bridge by the railway, Berwick, sparingly 15.6.75.

O. praetermissa

Common in a marsh by the Cuckmere between Sherman Bridge & the railway, Berwick 11.6.49, 18.6.75. Bog on Berwick Common, locally frequent 15.6.78. Small marsh on Monkyn Pyn green N of Wilmington, sparingly 23.6.74.

Aceras anthropophorum

Crumbles towards Pevensey Bay, 8 or 9 plants in a damp grassy shingly hollow just off the road near Pevensey bay 14.6.69, 30.5.70.

Ophrys apifera

Frequent on the Downs at & near Beachy Head 22.6.33, 29.6.42. By the path on Willingdon Hill to Friston 22.6.34. Downs above Eastbourne Old Town 5.7.41. Downs at Cow Gap, Eastbourne 12.6.49. Downs near Wilmington Holt 11.6.49. Downs E of the Cuckmere Estuary in several places 6.7.58. Windover Hill above Wilmington 5.9.64 & chalkpit near the Long Man 23.6.74, Cuckmere Estuary, slopes towards Seaford Head 3.7.77.

O. sphegodes

Slopes of the Downs about Cow Gap near Eastbourne, sparingly, var. *fucifera*, 13.5.33, 3.5.87, 6.6.42.

O. insectifera

Sparingly under beeches in a small copse on the Downs above Chalk Farm, Willingdon 19.5.34, 30 plants 28.5.33, 23.5.44.

Gymnadenia conopsea

Slopes of the Downs above Willingdon, common 23.6.32. Abundant on a new roadside bank at Upper Willingdon 11.6.49. Downs S of Friston 2.7.42. Downs between Wilmington & Folkington 11.6.49. Windover Hill above Wilmington 18.9.66.

Coeloglossum viride

Downland slopes above Paradise Drive, Eastbourne 1937. Downs near Beachy Head, locally common 13.6.32, 29.6.42. Downs at Cow Gap near Eastbourne, locally common some years, 6.6.42. Downs near Ratton House, Willingdon 3.8.41. Downs above Eastbourne Old Town near the chalkpit, locally frequent 13.7.41.

Platanthera chlorantha

Wood in the grounds of Glenleigh, near Eastbourne, rare 13.7.37.

Sambucus nigra

Crumbles near Eastbourne 31.5.35. Woods on the Downs above Chalk Farm, Willingdon 30.4.36. Woods about Ratton 12.7.36. Downs near Beachy Head, common 29.6.42. Wilmington Holt, abundant 7.5.50. Wannock Glen, common 21.5.36. The Coppice near Willingdon 24.5.42. Downs above Eastbourne, common 17.3.57. Windover Hill near Wilmington 26.6.54. Grounds about Glenleigh 13.7.37. Downs E of the Cuckmere, common 18.7.64. Berwick Common 23.6.74. Willingdon Hill 13.6.76. Milton Hyde, common 27.5.73.

Viburnum opulus

Near Alfriston 30.5.33. Abbots Wood towards Polegate 29.5.35. Hempstead Lane near Hailsham 31.8.36. Park Wood near Carters Corner 15.6.35. Kemps Wood near Rushlake Green 26.5.35. Selwyns Wood, Waldron 20.9.70. Railway banks, Hellingly 17.9.72. Horam 24.9.72.

V. lanata

Woods on the chalk about Ratton House & Willingdon 17.4.33, 28.4.37, 23.5.44. Wood on the Down above Chalk Farm, Willingdon 30.4.36. Wannock Glen, common 21.5.36. Diplocks Wood near Wannock 0.7.39. Among bushes Crowlink Valley near Friston 30.5.46. Wilmington Holt, common 7.5.50. Bushy places on the Downs near Beachy Head, common 29.6.42. Downs at Windover Hill near Wilmington 26.6.54. Milton Hyde, in a hedge towards Arlington, local 9.6.62. Willingdon Hill 13.6.76.

Lonicera periclymenum

Abbots Wood, abundant 4.5.37. Park Wood near Carters Corner 15.6.35. Park Wood, Sidley Green 14.5.39. High Wood, Bexhill 30.4.72. High Wood, Netherfield 14.5.72. Marlines Wood 9.5.64. Crowlink, common 11.8.74. Windover Hill 18.9.66. Milton Hyde, common 27.5.73. Bexhill Down 20.8.67.

L. xylosteum

Several bushes among Ash & Elder in Wilmington Holt 11.6.49, 7.5.50.

Galium cruciata

By the Cuckmere near Berwick 27.8.32, 12.10.36. Wannock Glen 21.5.36. Near Friston, common 30.5.46. Willingdon Hill towards Friston, common 2.7.42, 13.6.76.

G. verum

Chalk downland above Eastbourne & about Beachy Head, abundant 1937, 8.7.43, 15.6.57. Downs above Willingdon & towards Friston, abundant 2.7.42. Windover Hill & Wilmington, common 26.6.54, 18.9.66. Friston Forest above West Dean 1.8.76. Willingdon Hill 13.6.76. Crowlink Valley, common 11.8.74. About Wannock, common 11.8.74. Downs E of the Cuckmere Estuary, common 18.7.64. Seaford Head, common 17.7.71.

G. mollugo

Downs above Eastbourne, abundant 3.7.43. Mill Wood near Michelham Priory 1.8.62. Friston Forest, Westdean 1.8.76. Windover Hill, local 18.9.66.

G. hercynicum

Milton Hyde, locally common 9.6.62, 27.5.73. Heathy ground S of Heathfield Park 14.5.72.

G. palustre

Ditches in the marsh levels near Eastbourne (with var. *witheringii*), abundant 3.9.36. Near the stream in Park Wood near Carters Corner 15.6.35. Bog on Berwick Common 23.6.74.

G. uliginosum

Marshy ground on the Crumbles near Eastbourne, local 28.6.42. Bog on the remnant of Hooe Common, local 24.9.74. Bog on Berwick Common 15.6.75. Common in a marsh by the Cuckmere N of Sherman Bridge 15.6.75.

G. tricornis

Cornfields on Crapham Down & near Beachy Head, locally common 11.6.35. Cornfield on the Downs W side of the Cuckmere between Exceat & the mouth 15.7.34. Cornfield on the chalk just above Alfriston on the W side 26.6.34.

G. aparine

Common about Willingdon 30.4.37. Ashburnham Park 1.5.32. About Hurstmonceux, common 29.4.33. Wood on the down above Chalk Farm, Willingdon 30.4.36. Diplocks Wood near Wannock & in Wannock Glen 21.5.36. Abbots Wood 4.5.37. About Eastbourne, common 17.3.57. Marlines Wood 9.5.64.

Asperula odorata

Roadside copse between Bodle Street & Rushlake Green 2.5.37. Kemps Wood near Rushlake Green 26.5.35. Abbots Wood 4.5.37.

A. cynanchica

Downs above Compton Place Golf Course, Eastbourne 1937. Downs above Eastbourne 13.7.41, 3.7.43. Abundant on the downs above Willingdon 2.7.42. Between Willingdon & Friston 2.7.42, 22.6.34. Downs E of the Cuckmere Estuary, locally abundant 6.7.58. Downs about Beachy Head, abundant 29.6.42. Windover Hill near Wilmington, common 18.9.66. Crowlink Valley, abundant 11.8.74. Wannock, common 11.8.74. About Seaford Head, common 17.7.71.

Sherardia arvensis

Downs above Eastbourne, common 5.7.41. Chalky fields about Wannock 10.5.35. Willingdon Hill, towards Friston 2.7.42. Chalky fields about Friston 2.7.42. Downs E of the Cuckmere Estuary, common 6.7.58. About Westdean 1.8.76.

Valeriana officinalis

About a dozen plants in a bushy place right of the path on Willingdon Hill going to Jevington 27.6.34, 2.7.42.

Valerianella olitoria

Large patch on a sandy hedgebank right hand side of Comphurst Lane, near Hurstmonceux 29.4.33, 4.5.35. Large patch on the beach a short distance E of Eastbourne 4.5.33. Small patch on the beach at Pevensy Bay 14.5.33.

V. dentata

Chalky fields above Eastbourne Old Town, common 5.7.41. Fields about Alfriston, common 26.6.34. Chalky fields between the Cuckmere estuary & Friston, common 6.7.58.

Centranthus ruber

Locally abundant on the Crumbles between Eastbourne & Pevensy Bay 13.6.32, 26.4.52. Chalk cliffs from Eastbourne to Beachy Head, locally abundant 3.7.43, 17.3.57. Beach at Pevensy Bay, abundant 21.7.40, 14.6.69.

Dipsacus fullonum ssp. sylvestris

By the Cuckmere near Berwick, common 12.10.36. By the Cuckmere near Exceat 14.7.37. Pevensy Marsh near Horseye & Rickney 0.7.39. Crumbles near Eastbourne, common 28.6.42. Fields by the Cuckmere near Alfriston 24.8.57. Friston Forest near Westdean 3.7.77. Downs E of the Cuckmere Estuary, local 18.7.64. Seaford Head, common 18.9.66.

Succisa pratensis

Abundant on the Downs about Paradise Drive, Eastbourne 22.9.35. Roadside near Ashburnham 20.8.33. Milton Hyde near Abbots Wood, common 31.8.36. Fields by the Cuckmere near Berwick, common 12.10.36. Heathy field S of Cade Street, Heathfield, abundant 1.9.36. Heathy field 1 mile N of Warbleton 15.9.57. Banks by High

Wood, Bexhill 20.8.67. Hooe Common, frequent 24.9.72. Windover Hill near Wilmington, abundant 18.9.66. Downs at Seaford Head, common 18.9.66. Near Hellingly 17.9.72.

Scabiosa columbaria

Downs above Eastbourne, common 3.7.43. Windover Hill near Wilmington, abundant 18.9.6. Downs about Seaford Head, common 18.9.66. Willingdon Hill 13.6.76. Crowlink Valley near Friston, common 11.8.74. Downs about Wannock, abundant 11.8.74. Downs E of the Cuckmere Estuary, common 18.7.64.

Knautia arvensis

Fields on the Downs above Eastbourne in many places, common 1937. Chalky fields at Birling Gap, common 2.7.42. Chalky fields on the Downs above Alfriston, common 26.6.34. Fields on the Downs E of the Cuckmere Estuary, common 6.7.57. Friston Forest, Westdean, common 1.8.76. Railways bank, Hellingly 17.9.72.

Eupatorium cannabinum

Marshy ground by the stream below Chapel Cross, near Heathfield 1.9.36. The Coppice near Willingdon 24.5.42. Bushy places on the Downs above Eastbourne Old Town, common 3.7.43, 15.8.42. Crowlink Valley near Friston, common 30.5.46. Marshy field N of Warbleton 15.9.57. Crumbles near Eastbourne 23.8.70. Windover Hill near Wilmington, local 18.9.66. Berwick Common 23.6.74. Railway banks near Hellingly 24.9.72. High Wood, Netherfield 14.5.72. Wannock 11.8.74. Hellingly 17.9.72. Bexhill Down, common 20.8.67. Bulverhythe, common 20.8.67.

Solidago virgaurea

Crumbles near Pevensey Bay, casual 30.7.34. Hurstmonceux Park, common 24.5.36. Heathy ground S of Cade Street, Heathfield, common 1.9.36. Top of the Downs near Windover Hill above Lullington, local 18.9.66. Bexhill Down, local 20.8.67. High Wood, Bexhill 20.8.67. Woods about Waldron, common 20.9.70.

Bellis perennis

Grassy places about Eastbourne & on the Downs above, abundant 17.3.57. Downs about Cow Gap near Eastbourne 6.6.42. Crumbles near Eastbourne, common 1.7.36. Chalk Downs above Wilmington 26.6.54. Fields etc by the Cuckmere near Exceat Bridge 2.6.37. Willingdon Hill 13.6.76. About Heathfield 14.5.72. About Netherfield 14.5.72.

Aster tripolium

Salt marshes & ditches at Pevensey Bay & Normans Bay, common 3.7.34, 21.7.48, 23.8.70. Brackish ditches & salt marsh between Exceat Bridge & Cuckmere Estuary, common 18.8.33, 14.7.37. Brackish pools on the Crumbles near Eastbourne, common 31.8.35. Muddy banks of the Cuckmere below Alfriston 24.8.57.

Erigeron acer

Crumbles between Eastbourne & Pevensey Bay 11.7.36. By the chalkpit above Eastbourne Old Town, plentiful 16.8.35, 15.8.42. Top of Fore Down near Winchesters Pond above Litlington, local 18.9.66. Beach at Bulverhythe, local 20.8.67. Friston Forest, Westdean, chalky banks of rides, abundant 1.8.76.

Filago germanica

Downs between Willingdon & Friston 16.7.36.

Gnaphalium uliginosum

Damp places about Hurstmonceux, abundant 9.8.32. Milton Hyde near Hailsham 30.6.42. Muddy places on the marsh between Willingdon & Stone Cross 28.8.36. Damp field N of Warbleton 15.9.57. Hooe Common 24.9.72.

G. sylvaticum

Horsebridge Wood near Hailsham, sparingly 22.7.32. Woods below Cade Street, Heathfield, sparingly 1.9.36, 15.9.57.

Inula conyza

Common about Jevington 25.8.36. Downs about Ratton House, Willingdon 3.8.41. Downs near Beachy Head, common 29.6.42. Downs above Eastbourne Old Town, common 3.7.43. Downs near Cow Gap, Eastbourne 6.6.42, 15.6.57. Windover Hill near Wilmington, local 18.9.66. Willingdon Hill 13.6.76. Friston Forest above Westdean 1.8.76.

I. helenium

Factory Lane, Hailsham, several plants on a bank by a field hedge 23.8.53.

Bidens tripartita

Banks of the Cuckmere from Sherman Bridge to the railway 16.8.33-36. Ditches on the marsh between Willingdon & Stone Cross 28.8.36.

B. cernua

Ditches at Normans Bay, common 29.8.34. Crumbles near Eastbourne, by the stream 1.7.36. Banks of the River Cuckmere near Berwick Station, sparingly 4.5.37. Pevensey Marsh near Horseye & Rickney 0.7.39. Ditches in the Cuckmere valley near Alfriston, locally common 24.8.57.

Pulicaria dysenterica

Damp places by the road near Horam (a completely glabrous variety) 1.8.34. Marshes near Eastbourne, abundant 3.9.36. Marshy ground S of Chapel Cross, Heathfield 1.9.36. Pevensey Marsh near Horseye & Rickney 0.7.39. Marshy field 1 mile N of Warbleton 15.9.57. Heathy ground W of Heathfield Park 15.9.57. Friston Forest, Westdean 1.8.76. Cuckmere Estuary, W side, local 18.9.66. About Hellingly 17.9.72. Bulverhythe, common 20.8.67. Bexhill Down 20.8.67.

Achillea ptarmica

By the Cuckmere (E side) between Sherman Bridge & the railway, Berwick 11.7.36. Grassy places by the footpath from Upper Willingdon to Stone Cross 28.8.36. Damp heathy field S of Chapel Cross near Heathfield, common 1.9.36. Milton Hyde near Abbots Wood 31.8.36. Heathy ground W side of Heathfield Park, common 15.9.57. Heathy field between Chapel Cross & Warbleton, sparingly 15.9.57.

A. millefolium

Field edges etc. between Willingdon & Stone Cross, common 28.8.36. Fields & roadsides by the Cuckmere near Westdean, common 14.7.37, 24.8.57. Windover Hill, common 18.9.66. Bulverhythe, common 28.8.67. Friston Forest, Westdean 1.8.76. Downs by the Cuckmere, common 29.8.64. Crowlink 11.8.74. Seaford Head, common 17.7.71.

Anthemis tinctoria

A few plants on the Crumbles between Eastbourne & Pevensey Bay where shingle had been dug for ballast 30.7.34.

A. arvensis

Several plants on the Crumbles between Eastbourne & Pevensey Bay 11.7.36.

A. cotula

Crumbles near Eastbourne, local 1.7.36, 26.6.55. Chalky fields S of Friston 2.7.42. Cultivated fields on the Downs above Eastbourne, locally abundant 3.7.43.

Chrysanthemum leucanthemum

Downs above Eastbourne, common 3.7.43. Downs near Cow Gap, common 6.6.42. Hurstmonceux Park, common 24.5.36. Near Hellingly, common 23.5.33. Ashburnham Park, common 1939. About Compton Place Golf Course, Eastbourne 1937. Heathfield 14.5.72. Willingdon Hill 13.7.76. About Netherfield 14.5.32. Between Bexhill & Cooden Bay 21.5.78.

C. parthenium

Several plants on an old wall at Folkington 4.7.34. About the ruins of Pevensey Castle 24.4.36.

Matricaria chamomilla

Fields near Willingdon & Eastbourne, common 28.8.36.

M. maritima

Crumbles near Eastbourne, common 1.7.36.

M. matricarioides

Crumbles near Eastbourne, common 25.6.34. Berwick Common 3.7.77.

Tanacetum vulgare

In several places on the banks of the Cuckmere & adjacent streams near Horsebridge Mill 9.8.33. Plentiful on a roadside bank near Horam 26.8.33. Heathfield 14.5.72.

Artemisia vulgaris

Crumbles near Eastbourne, abundant 27.7.32. Near Chalvington, common 24.8.57. Crowlink near Friston 11.8.74.

A. maritima

Salt marshes between Pevensey Bay & Normans Bay, locally common 21.7.43, 23.8.70. Salt marshes & mud banks by the Cuckmere from Exceat Bridge to the sea, locally abundant 2.6.37, 19.8.59, 18.7.64. Muddy banks of the Cuckmere below Alfriston, locally common 24.8.57.

Tussilago farfara

Crumbles near Eastbourne, common 23.1.32. Windover Hill 18.9.66. Between Bexhill & Cooden Bay 21.5.78.

Petasites fragrans

Naturalised in Hampden Park, Eastbourne 2.1.32. Several places on the Crumbles near Eastbourne 24.6.52. Railway banks, Bulverhythe, abundant 20.8.67.

P. albus

A large patch in swampy ground by the lake of the W end of Ashburnham Park 19.1.35.

Senecio vulgaris

Common about Eastbourne 17.3.57. Fields about Alfriston, common 24.8.57.

S. sylvaticus

Bushy place on Willingdon Hill, right of the track to Jevington 27.6.34. Abundant among bushes etc on the Crumbles near Eastbourne 25.6.34, 11.5.36. Sandy ground at Cooden Bay near Bexhill 28.6.35. Milton Hyde among bushes etc, common 31.8.36. Bushy places on the Downs near Beachy Head 3.7.43. Bushy slope near the Cuckmere by Chilver Bridge 3.8.62. Bexhill Down, common 20.8.67.

S. viscosus

Common on the Crumbles near Eastbourne 4.7.42, 5.8.52. Shingle beach between Bexhill & St Leonards, common 15.8.34, 20.8.67. Crumbles towards Pevensey Bay 23.8.70.

S. squalidus

Bomb sites & waste ground about Eastbourne, locally plentiful 9.7.47.

S. erucifolius

Grass fields etc. Cuckmere Valley below Exceat Bridge, common 18.8.36. Milton Hyde near Abbots Wood 31.8.36. S of Cade Street, Heathfield, common 1.9.36. Grounds about Glenleigh, Eastbourne 13.7.37. Fields about Alfriston, common 24.8.57. Bexhill Down, local 20.8.67. Friston Forest above Westdean 1.8.76. Crowlink Valley near Friston 11.8.74.

S. jacobaea

Fields in the Cuckmere Valley near Alfriston, abundant 24.8.57. Fields between Heathfield & Warbleton 15.9.57. Beach at Bulverhythe, common 20.8.67. Windover Hill near Wilmington, common 18.9.66. Friston Forest above Westdean 1.8.76. Downs E of the Cuckmere, common 18.7.64.

S. aquaticus

Pevensey Marsh near Horseye & Rickney 0.7.39.

S. integrifolius

Slopes above the chalkpit on Coombe Hill, Willingdon 19.5.34. Chalk downs at Birling Gap 25.5.34. Downs between East Dean & Beachy Head 25.5.34. Grassy down above Paradise Drive, Eastbourne, locally plentiful 1937. Downland slopes, Crowlink Valley 30.5.46.

Carlina vulgaris

Common on the Downs above Eastbourne 29.7.32. Downs about Beachy Head, common 3.7.43, 15.6.57. Downs at Birling Gap 2.7.42. Downs at Friston & Crowlink, common 30.4.46, 11.8.74. Grassy shingly ground on the Crumbles E of Eastbourne 24.4.52. Near Pevensey Bay, local 23.8.70. Downs E of the Cuckmere Estuary, common 18.7.64. Downs at Seaford Head, common 18.9.66. Windover Hill near Wilmington, common 18.9.66. Friston Forest above Westdean 1.8.76. Willingdon Hill 13.6.76.

Arctium minus

Downs above Wilmington, occasional 26.6.54. Friston to Crowlink, local 11.8.74. Downs at Willingdon Hill 11.6.76.

Carduus crispus

Milton Hyde near Abbots Wood 31.8.36. Field below Chapel Cross, Heathfield 1.9.36. Hurstmonceux Park 24.5.36. Downs above Eastbourne Old Town, local 3.7.43. Crumbles near Eastbourne 19.7.47. By Waldron Church 20.9.70. Crowlink, local 11.8.74.

C. nutans

Downs above Eastbourne, locally common 29.7.32, 3.7.43. Crumbles near Eastbourne, local 1.7.36. Willingdon Hill towards Friston, locally common 2.7.42. Downs near Beachy Head, common 29.6.42. Downs E side of the Cuckmere Estuary, locally abundant 6.7.58. Windover Hill above Wilmington, local 18.9.66. Crowlink 11.8.74.

C. tenuiflorus

Crumbles near Eastbourne, common 3.6.34. Chalky ground at Birling Gap, common 2.7.42. Downs near Beachy Head, common 29.6.42, 20.5.45. Downs above Eastbourne, common 5.7.41. Windover Hill above Wilmington, common on disturbed ground 26.6.54. Crowlink Valley near Friston 30.5.46. Chalk slopes Cuckmere Valley near Exceat, common 23.6.74.

Cirsium acaule

Downs above Paradise Drive, Eastbourne, common 1937. Downs about Beachy Head, abundant 3.7.43. Small grassy field by Beechdown Wood near Battle, sparingly 6.6.54. Chalk Downs E of the Cuckmere Estuary, locally abundant 6.7.58. Downs above Wilmington & Windover Hill, abundant 26.6.54, 18.9.66. Downs at Seaford Head, common 18.9.66. Friston Forest above Westdean 1.8.76. Willingdon Hill 13.6.76. Crowlink Valley, common 11.8.74. Downs about Wannock, common 11.8.74.

C. arvense

Grassy places at the foot of the Downs, Eastbourne, abundant 1937. Disturbed ground near the cliff edge E of Cuckmere Haven 3.7.55. Fields S of Heathfield, common 15.9.57. Seaford Head 17.7.71.

C. dissectum

Boggy, heathy field by the stream below Chapel Cross near Heathfield, abundant 1.9.36. Kemps Wood near Rushlake Green, on a boggy slope above the stream with Myrica, sparingly 30.5.6, 6.6.54, 8.7.73.

C. palustre

Hurstmonceux Park, common 24.5.36. Boggy ground below Chapel Cross, Heathfield, abundant 1.9.36. Ashburnham Park, common 1.2.36. Grounds about Glenleigh 13.7.37. Marshy field N of Warbleton 15.9.57. Windover Hill above Wilmington, occasionally 18.9.66. Hooe Common, plentiful 24.9.72. Milton Hyde, common 27.5.73. Kemps Wood 14.5.72. Berwick Common 23.6.74. High Wood, Netherfield 14.5.72. Marlines Wood 9.5.64.

C. vulgare

Downs above Eastbourne, abundant 1937. Milton Hyde near Abbots Wood 31.8.36. Willingdon Hill 13.6.76.

Onopordum acanthium

Rough disturbed ground near the cliff edge a little E of the Cuckmere Estuary, many plants 3.7.55. Downs E of the Cuckmere Estuary, local 6.7.58.

Silybum marianum

Disturbed shingle near Eastbourne, occasional 1.6.36.

Serratula tinctoria

Common on Milton Hyde near Abbots Wood 26.6.35, 31.8.37, 27.5.73. Heathy ground S of Cade Street, Heathfield, common 1.9.36. Heathy & boggy places above the stream in Kemps Wood, frequent 26.9.54. Lanes about Hailsham, common, with var. alba, locally common 23.8.53.

Centaurea nigra

Downs above Eastbourne, abundant 1937. Crumbles near Eastbourne, common 1.7.36. Heathy field below Chapel Cross, Heathfield, common 1.9.36. Fields & hedges near Willingdon, common 28.8.36. Milton Hyde near Abbots Wood 31.8.36. Fields by the river, Alfriston, plenty 24.8.57. Downs E of the Cuckmere, locally common 18.7.64. Hooe Common 24.9.72. Willingdon Hill 13.7.76. Wannock, common 11.8.74. Hooe Common 24.9.72. Bexhill Down 20.8.67. Bulverhythe 20.8.67.

C. scabiosa

Downs above Eastbourne, common 13.7.41. Downs about Beachy Head, common 29.6.42. Downs S of Friston, locally abundant 2.7.42. Crowlink 11.8.74. Downs above Willingdon, common 24.6.34, 13.6.76. Chalk downs near Exceat & Cuckmere Estuary, very common 15.6.34, 6.7.58, 18.7.64. Downs near the Long Man, Wilmington, common 26.6.54. Windover Hill above Wilmington, local 18.9.66. Downs about Seaford Head, common 17.7.71. Friston Forest above Westdean, common 3.7.77.

C. cyanus

In several cornfields at the back of Beachy Head & towards East Dean, sparingly 2.7.42.

C. calcitrapa

Birling Gap, chalky roadside towards East Dean, locally common 28.7.34. Gravelly roadside by the Crumbles between Eastbourne & Pevensey Bay 11.7.36, very scarce 4.7.42. Downs & field edges E of the Cuckmere Estuary, locally common 6.7.58. Foot of the chalk downs from Exceat Bridge to the sea, very abundant 24.7.47, 18.7.64, 3.7.77.

Cichorium intybus

Roadside between Boreham & Battle 4.9.32. Roadside near Ashburnham 20.8.33. Base of the Downs near Eastbourne Old Town, locally common 3.7.43. Shingles near the road towards Pevensey Bay, several plants 23.8.70.

Lapsana communis

Comphurst Lane, Hurstmonceux 13.4.36. Roadsides about Waldron 20.9.70. Fields on Windover Hill above Wilmington 18.9.66.

Picris hieracioides

Top of the Downs near Windover Hill above Wilmington, local 18.9.66.

P. echioides

Downs above Eastbourne, common 3.7.43, 17.3.57. Downs near Beachy Head, common 15.6.57. Crowlink Valley near Friston, common 30.5.46. Sandpit near Chalvington, common 24.8.57. About Seaford Head, common 18.9.66. Downs E of the Cuckmere Estuary 28.8.65. Beach at Bulverhythe, local 20.8.67. Between Bexhill & Cooden Bay, local 21.5.78.

Crepis foetida

Shingle beach at Pevensey Bay, locally plentiful 11.7.36. Grassy shingle by the track to Normans Bay, very sparingly 21.7.48.

C. capillaris

Roadsides & fields on the levels near Eastbourne, abundant 3.9.36. Downs above Eastbourne, common 1937. About Waldron, common 26.9.70. Friston Forest 1.8.76. Windover Hill, Wilmington 18.9.66. Bexhill Down, common 20.8.67. Downs E of the Cuckmere Estuary, common 18.7.64. Crowlink, common 11.8.74. Seaford Head 17.7.71.

C. taraxacifolia

Cuckmere Estuary 30.5.70. Berwick Common 23.6.74. Between Bexhill & Cooden Bay, common 21.5.78.

Hieracium maculatum

Several patches on disturbed shingle about half-way between Eastbourne & Pevensey Bay 8.6.34, still here & common 30.5.70. Bank by the railway, Horam Station 14.5.72.

H. pilosella

Downs above Eastbourne, common 1937. Downs near Beachy Head, common 29.6.42. Dry ground on the Crumbles, E of Eastbourne, locally abundant 26.4.52. Downs above Wilmington & Windover Hill, abundant 26.6.54. Friston Forest above Westdean 1.8.76. Willingdon Hill 13.6.76. Milton Hyde, common 27.5.73. Beach at Bulverhythe, common 20.8.67. Crowlink 11.8.74. Downs E of the Cuckmere Estuary, common 18.7.64.

H. tridentatum

Heathy ground S of Cade Street near Heathfield, locally common 1.9.36. Common near Cross-in-hand 10.8.35.

Hypochaeris radicata

Fields about Willingdon, common 28.8.36. Shingles beyond Pevensey Bay, abundant 21.7.40. Downs about Friston, abundant 2.7.42. Heathy field N of Warbleton 15.9.57. High Wood, Bexhill 30.4.72. Hooe Common 24.9.72. High Wood, Netherfield 14.5.72. Bexhill Down, common 20.8.67. Berwick Common 23.6.74.

Leontodon autumnalis

Downs above Eastbourne, common 22.9.35. Fields on the marsh between Willingdon & Stone Cross 28.8.36. Fields about Eastbourne, common 3.9.36. Crumbles near Eastbourne, common 1.7.36. Beach beyond Pevensey Bay, common 21.7.48. Hurstmonceux Park, common 24.5.36. Windover Hill, local 18.9.66.

L. hispidus

Abundant on the Downs above Paradise Drive, Eastbourne 22.9.35. Downs above Eastbourne Old Town, locally abundant 3.7.43, 15.6.57. Downs above Wilmington & Windover Hill, abundant 26.6.54. Downs E of the Cuckmere Estuary, abundant 6.7.58. Downs about Wannock, abundant 11.8.74. Friston Forest above Westdean 1.8.76. Willingdon Hill 13.6.76. Downs near Seaford Head, common 17.7.71. Railway bank near Hellingly 17.9.72.

L. leysseri

Fields etc by the footpath from Upper Willingdon to Stone Cross 28.8.36. Fields by the Cuckmere near Berwick Station, common 12.10.36. Grassy places on the Crumbles 28.6.42. Grassy places in Hurstmonceux Park 24.5.36.

Taraxacum officinale

Downs, fields etc above Eastbourne, common 17.3.57.

T. laevigatum

Downs at Wilmington 9.5.64.

Lactuca serriola

Edge of a field at Rodmell Farm between Eastbourne & Hampden Park 8.8.36, 6.9.35, plentiful. Disturbed shingle on the Crumbles near Eastbourne 2.9.45. Abundant on shingle by the road from Eastbourne to Pevensey Bay 29.8.64.

L. saligna

Shingly banks on the Crumbles near Eastbourne, locally abundant 28.8.34. By the Crumbles Pond (now Princes Park Lake), abundant 27.7.32, 9.8.34. Bank of a stream by the Pevensey Bay road near Langney, Eastbourne, plentiful 23.7.47.

Mycelis muralis

Shady banks & roadsides at Paradise Drive, Eastbourne, plentiful 11.7.34. Abundant on the roadside banks between Wannock & Jevington 1.7.34. Woods about Ratton House, common 4.8.36.

Sonchus arvensis

Chalky fields on the Downs above Eastbourne Old Town, abundant 29.6.42. Plentiful in fields near Beachy Head 3.7.43. Marshes by the Cuckmere near Alfriston, common 24.8.57. Beach at Bulverhythe, common 20.8.67. About the Cuckmere Estuary 19.7.69. Railway banks near Hellingly 24.9.72.

S. asper

Fields on the Downs above Eastbourne, common 3.7.43. Downs near Beachy Head, common 15.6.57. Disturbed ground near the cliff edge E of the Cuckmere Estuary 3.7.55. About Hellingly 17.9.72.

S. oleraceus

Downs about Beachy Head 15.6.57. Near Kemps Wood, Rushlake Green 30.5.36. Near Chalvington, common 24.8.57.

Tragopogon pratensis

Crapham Down above Eastbourne, common 26.5.35. Downs about Paradise Drive, Eastbourne 1937. Downs about Beachy Head, common 15.6.57. Windover Hill, above Wilmington, local 18.9.66. Willingdon Hill 13.6.76. Downs E of the Cuckmere Estuary 18.7.64.

T. porrifolius

A few plants by the roadside at Kings Drive, Eastbourne 11.6.49. On the W cliff at the mouth of the Cuckmere, a few plants 8.6.35. Grassy slope by the chalk pit right hand of the road from Eastbourne to Willingdon, sparingly 21.6.41.

Iris foetidissima

Very large patches at the top of the hanging wood above Ratton House, Willingdon 17.4.33, 23.5.44. Diplocks Wood near Wannock 1939. Hampden Park (formerly Old Decoy Wood) near Eastbourne, locally abundant 24.4.43. Several clumps in Ash copse on the steep slope of the Downs just above Eastbourne 17.3.57.

I. pseudacorus

Ditches on the marsh between Eastbourne & Willingdon, common 11.6.34. By the Cuckmere at Horsebridge 9.8.33. Ashburnham Park by the lake 19.5.33. Streamside near Wannock 19.5.35. Grounds about Glenleigh 13.7.37. Hurstmonceux Park, common 31.7.49, 23.8.53. Ponds on the Crumbles near Eastbourne 26.4.52. Bog on Berwick Common, local 30.5.54, 23.6.74. Marsh by the Cuckmere, Berwick, common 15.6.75. Bulverhythe Marsh 20.8.67.

Narcissus pseudonarcissus

In a field between Ninfield & Ashburnham Park 29.4.33. A few plants in a field near Kemps Farm near Rushlake Green 30.5.36. Field off Comphurst Lane, Hurstmonceux, sparingly 17.3.35. High Woods, Bexhill 0.4.1940.

N. x biflorus

Well-established in the Coppice near Willingdon 11.5.34, 24.4.43.

Galanthus nivalis

Very abundant about the Priory ruins & banks near the church, Wilmington 12.2.33, 26.1.36, 25.2.50. A few plants by the pales of the SW corner of Ashburnham Park 19.1.35.

Tamus communis

Wannock Glen, common 22.5.33. Abbots Wood 4.5.37. S of Cade Street, Heathfield, common 1.9.36. Diplocks Wood near Wannock 0.7.39. Downs about Paradise Drive, Eastbourne 1937. The Coppice, Willingdon 24.5.42. Among bushes, Crowlink Valley, common 30.5.46. Woods about Ratton House 23.5.44. High Wood, Netherfield 14.5.72. Bexhill Down 20.8.67. Marlines Wood, local 9.5.64.

Ruscus aculeatus

Hampden Park, near Eastbourne 21.1.35. Crumbles near Eastbourne in bushy places 1.7.36. Ashburnham Park near the lake, sparingly 19.1.36. Bushy places on the Downs near Beachy Head, occasional 29.6.42. Abbots Wood, rare 4.5.37, local 27.5.73. Park Wood near Sidley Green 30.4.50. Wilmington Holt 7.5.50. Woods about Ratton House, Willingdon 23.5.44. Marlines Wood near Hollington, local 9.5.66.

Asparagus officinalis

Crumbles near Eastbourne, small plants among the bushes, local 1.7.36.

Convallaria majalis

Large bed in Abbots Wood near Arlington 20.5.33. Sprays Wood, Ashburnham, a bed above the stream 8.5.32. Several large beds in Upper Vert Wood near East Hoathly 24.5.53.

Allium vineale

Abundant on the grassy bank of a cornfield on Crapham Down above Eastbourne, var. compacta, 17.7.34, 6.7.58. Locally plentiful on grassy banks & by the cliff edge at Cow Gap, Eastbourne 14.4.57.

A. ursinum

Common by the Cuckmere near Hempstead 24.4.32. Near Battle 3.5.36. By the stream at the lower end of Wannock Glen 21.5.36. Abundant in damp places by the stream, W end of Ashburnham Park 5.4.36. By the stream, lower part of Park Wood near Sidley Green 30.4.50. Marlines Wood, abundant 9.5.64.

Endymion non-scriptus

Milton Hyde 9.6.62. High Wood, Bexhill 3.4.72. Near Friston 30.5.46. Locally dominant in parts of Abbots, Nate & Wilmington Woods near Hailsham 2.5.31, 30.6.42. About Glenleigh 13.7.32. Wannock Glen 12.4.35. Wood on the Down above Chalk Farm, Willingdon 30.4.36. Park Wood near Carters Corner 28.4.36. Comphurst Lane, Hurstmonceux 18.4.36. Kemps Wood 30.5.36. Woods about Ratton House, scarce 4.8.36. Wartling Wood, abundant 14.5.37. Diplocks Wood, Wannock 0.7.39. Wilmington Holt, sparingly 7.5.50. Park Wood, Sidley

Green 30.4.50. Upper Vert Wood near East Hoathly 24.5.53. Marlines Wood, abundant 9.5.64. High Wood, Netherfield 14.5.72. About Heathfield 14.5.72.

Ornithogalum umbellatum

Ratton, plentiful in the plantation by the road to Willingdon 19.5.34, 23.5.44.

Narthecium ossifragum

Sparingly in a boggy place by the stream below Chapel Cross near Heathfield 1.9.36. A few plants in a heathy field by St Dunstons Wood towards Warbleton 1.9.36. A large patch in boggy ground just above the stream in Kemps Wood, N of Rushlake Green 7.9.36, 6.6.54.

Juncus bufonius

Damp ground S of Heathfield Chapel, common 1.9.36. Damp places on the Crumbles near Eastbourne 12.7.41. By the Cuckmere near Berwick 12.10.36. Plentiful on Hooe Common 24.9.72.

J. gerardii

Abundant in damp places on the Crumbles E of Eastbourne 11.6.33, 28.6.42. Salt marsh beyond Pevensey Bay 21.7.48. Salt marshes by the Cuckmere between Exceat Bridge & the sea 14.7.37, common 28.8.65.

J. tenuis

Heathy ground W of Heathfield Park 15.9.57.

J. bulbosus

Park Wood near Sidley Green, damp sandy paths with Radiola etc. 14.5.39. Heathy ground W of Heathfield Park 15.9.57. Heathy field 1 mile N of Warbleton 15.9.57.

J. articulatus

Ditches on the marsh near Willingdon 28.8.36. Pond near Chalvington 24.8.57. Marshy field 1 mile N of Warbleton 15.9.57.

J. acutiflorus

Plentiful in the bog on the remaining piece of Hooe Common 24.9.72. Boggy ground in High Wood, Bexhill 24.9.72.

J. conglomeratus

Heathy field 1 mile N of Warbleton 15.9.57. Mill Wood near Michelham Priory, common 3.8.62. Peaty ground in High Wood, Bexhill 24.9.72.

J. inflexus

Marshes near Eastbourne & Willingdon, abundant 28.8.36. Pond near Chalvington 24.8.57. Bulverhythe Marsh 20.8.67. High Wood, Netherfield 14.5.72.

J. effusus

By the Cuckmere near Berwick, common 13.6.34. Pond near Chalvington 24.8.57. Marshy field 1 mile N of Warbleton 15.9.57. Hooe Common, abundant 24.9.72. Milton Hyde, common 27.5.73. Berwick Common 23.6.74. Bulverhythe Marsh 20.8.67.

Luzula sylvatica

Very abundant in a small area of Abbots Wood towards Arlington near the 'Old Oak' Inn 4.5.37, 27.5.73. Marlines Wood near Hollington, abundant by the streams 9.5.64.

L. campestris

Open places in Abbots Wood 21.5.32. Grassy places in Ashburnham Park 5.4.36. Kemps Wood near Rushlake Green 30.5.36. Wartling Wood 2.5.36. Hurstmonceux Park, common 24.5.36. Grassy bank by Park Wood, Carters Corner, common 28.4.36. Chalk downs in the Crowlink Valley 30.5.46. Hampden Park near Eastbourne 24.4.43. Park Wood, Sidley Green. Milton Hyde, common 9.6.62, 27.5.73. S of Heathfield Park 14.5.72. Wilmington 9.5.64.

L. multiflora

Park Wood near Sidley Green 30.5.50. Heathy field 1 mile N of Warbleton 15.9.57. Peaty ground in High Wood, Netherfield 14.5.72. Boggy ground on Hooe Common 27.5.75. Bexhill Down, local 20.8.67. Heathy ground S of Heathfield Park 14.5.72.

L. pilosa

Abbotts Wood, common 21.5.32, 27.5.73. Wartling Wood 2.5.36. Woods near Carters Corner 5.4.36. Woods etc in Ashburnham Park 5.4.36. Park Wood near Sidley Green 14.5.39. Upper Vert Wood near East Hoathly 24.5.53. Kemps Wood near Rushlake Green 30.5.36. High Wood, Bexhill 30.4.72. High Wood, Netherfield 14.5.72. Marlins Wood, common 9.5.64.

L. forsteri

Banks & woods near Hailsham, common 12.6.49. Hedgebanks & wood edges about Park Wood & Cole Wood near Sidley Green 30.4.50.

Typha latifolia

Pond on Hooe Common 22.4.33. Pools on the Crumbles near Eastbourne, local 12.7.41. Ponds in Ashburnham Park 11.9.35. Grounds about Glenleigh near Eastbourne 13.7.37. Pond in Hurstmonceaux Park, abundant 7.7.34, 23.8.53. Upper Vert Wood near East Hoathly 24.5.53. Bulverhythe Marsh 20.8.67. Friston Pond 11.8.74.

T. angustifolia

Ponds in Ashburnham Park 11.9.35. Ditches on Pevensey Marsh, locally abundant 0.7.39. Pond near Chalvington, common 24.8.57.

Sparganium ramosum

Ponds near Hailsham, common 18.7.32. Cuckmere near Berwick, common 12.10.36. Ashburnham Park, common 11.9.35. Ditches on Pevensey Marsh near Horseye & Rickney, common 0.7.39. Ponds in Hurstmonceaux Park, common 31.7.49. Marsh ditches about Eastbourne, abundant 23.8.53. Pond near Chalvington, common 24.8.57.

S. simplex

Ditches on the marsh E of Eastbourne, locally common 10.8.32. Ditch on Bulverhythe Marsh, common 20.8.67.

Arum maculatum

Wannock Glen, common 15.4.35. Hampden Park, Eastbourne 24.4.43. Woods about Ratton, Willingdon 30.4.36. Park Wood, Carters Corner 28.4.36. The Coppice, Willingdon, common 28.4.36. Wood on the Down above Chalk Farm 30.4.36. Abbotts Wood 4.5.37. Woods by Paradise Drive, Eastbourne 1937. Grounds about Glenleigh 13.7.37. Diplocks Wood, Wannock 1939. Wilmington Holt 30.4.36. Park Wood near Sidley Green 30.4.50. Upper Vert Wood near East Hoathly 24.5.53. Under Ash trees on the slope of the Down just above Eastbourne 17.3.57. High Wood, Bexhill 30.4.72. Marlins Wood, locally common 9.5.64. High Wood, Netherfield 14.5.72.

Lemna polyrhiza

Ditches in the Cuckmere valley near Alfriston, locally abundant 28.8.65.

L. minor

Ditches in the Cuckmere valley, Alfriston, locally abundant 24.8.57. Pond on the Crumbles towards Pevensey Bay 30.5.70.

L. trisulca

Ditches in the Cuckmere valley above Exceat 28.8.65.

Alisma plantago-aquatica

Ditches at Pevensey Bay 3.7.34. Ponds about Hailsham & Hempstead, common 18.7.32. Ditches on the marsh near Eastbourne, locally abundant 3.9.36. Cuckmere near Berwick, common 12.10.36. Pevensey Marsh near Horseye & Rickney, common 0.7.39. Wet places in Upper Vert Wood near East Hoathly 24.5.53. Wet places on Milton Hyde, common 9.6.62. Bulverhythe 20.8.67.

A. lanceolatum

Muddy edge of a pond NW of Hailsham, plentiful 8.7.50.

Butomus umbellatus

Near Alfriston 30.5.33. Stream on the Crumbles near Eastbourne 6.7.35. Ditches on the marsh near Eastbourne, common 30.6.36. Cuckmere between Sherman Bridge & the railway, Berwick 25.6.37. Ditches near Horseye & Rickney, common 0.7.39. Ditches on Pevensey Marsh 21.6.41, Pevensey Castle moat, plentiful 24.4.36.

Stratiotes aloides

Common in a ditch on Bulverhythe Marsh 20.8.67.

Sagittaria sagittifolia

Ditches in the marsh near Eastbourne, common 29.6.36. Cuckmere near Berwick 12.10.36. Several patches in the Crumbles stream, Eastbourne 29.6.33, 12.7.41. Ditches on Pevensey Marsh near Horseye & Rickney, local 0.7.39. Ditches between Willingdon & Stone Cross 28.8.36. Pond in Hurstmonceux Park 28.8.53. Cuckmere near Chilver Bridge 3.8.62. Ditches in the Cuckmere valley near Litlington 1.8.76.

Triglochin palustris

Marshy places by ditches in the Cuckmere valley near Westdean 28.8.65. Bulverhythe Marsh, local 20.8.67.

T. maritimum

Salt marshes by the Cuckmere between Exceat & the sea 18.5.34, 2.6.37, 28.8.65. Crumbles near Eastbourne in marshy hollows 1.7.36. Salt marsh beyond Pevensey Bay 21.7.48, 23.8.70. Cuckmere Estuary 19.7.69.

Potamogeton natans

Ditches near Tut Barn, Eastbourne, common 17.8.37. Ponds in Hurstmonceux Park 24.5.36, 23.8.53. Ditches on Pevensey Marsh near Horseye & Rickney, common 0.7.39.

P. polygonifolius

Sparingly in a swampy pool in the corner of a field by the footpath from Hempstead Lane to Grovelands, Hailsham 9.5.38, 30.6.42. Swampy stream in Upper Vert Wood near East Hoathly, local 24.5.53. Bog on the remnant of Hooe Common, abundant 24.9.73.

P. coloratus

Locally abundant in a ditch about 1/4 mile E & parallel with the railway on the marsh near Tut Barn, Eastbourne 3.9.36, in fruit 23.8.53.

P. alpinus

Here & there in ditches on the marsh near Eastbourne 1937.

P. lucens

Ditches on Pevensey Marsh, abundant 29.8.37.

P. acutifolius

Pevensey Marsh, ditches near Horseye & Rickney, frequent 0.7.39.

P. obtusifolius

Ashburnham Park, in the lake 11.9.35. Ditches on Pevensey Marsh between Pevensey & Wartling 24.5.36. Pond in Hurstmonceux Park 24.5.36.

P. berchtoldii

Ditches on the marsh between Eastbourne & Pevensey, common 17.8.37. Ditches by the Cuckmere between Exceat Bridge & the sea 27.4.42, 26.4.52.

P. crispus

Ditches on Pevensey Marsh, common 19.5.33. Pevensey Castle moat, common 24.4.36. Ditches near Eastbourne, common 17.8.37.

P. densus

Ditches on the marsh near Eastbourne, common 3.9.36. Crumbles stream near Eastbourne 1.7.36.

P. pectinatus

Ditches on the marsh between Willingdon & Stone Cross, common 5.5.36. Ditches in the Cuckmere valley below Alfriston, common 24.8.57.

Ruppia spiralis

Pond behind the beach between Eastbourne & Bexhill, plenty 1936.

R. rostellata

Crumbles Pond, abundant 1936. Brackish ditches E of Pevensey Bay, common 1937. Ditches by the Cuckmere Estuary, abundant 26.7.37.

Zannichellia palustris

Crumbles stream near Eastbourne (var. *pedicellata*), common 1.7.36.

Eleocharis palustris

Marshy ground on the Crumbles near Eastbourne, abundant 22.5.36, 28.6.42. Marsh by the Cuckmere near Berwick Station, common 12.10.36. Pool on the Crumbles towards Pevensey Bay 30.5.70. Bog on Hooe Common 27.5.73.

E. uniglumis

Brackish marshy ground on the Crumbles near Eastbourne, locally abundant 26.4.52, 23.8.70. Covering the bottom of a dried-up dew pond between Seaford & the Cuckmere 30.5.70. Bulverhythe marsh 20.8.67.

Eleogiton fluitans

Stream on Milton Hyde near the edge of Abbots Wood (undated).

Isolepis setacea

Marshy ground by the head of the stream in the valley below Chapel Cross, Heathfield, locally common 15.9.57. Bog on the remnant of Hooe Common, sparingly 24.9.72.

Scirpus tabernaemontani

Ditches in the Cuckmere valley from Exceat to Alfriston, common, 28.8.57, 1.8.76. Brackish pools on the Crumbles near Eastbourne, locally abundant 28.6.42, 23.8.70.

S. maritimus

Brackish pools on the Crumbles near Eastbourne, locally plentiful 1.7.36, 28.6.42, 23.8.70. Salt marshes & ditches by the Cuckmere from Exceat Bridge to the sea, locally abundant 14.7.37, 24.8.57. Ditches on Pevensey marsh near Horseye & Rickney 0.7.39. Ditches by the Cuckmere near Alfriston, locally abundant 24.8.57. Bulverhythe Marsh 20.8.67.

S. sylvaticus

Marshy ground between Horsebridge & Horam (?) 2.7.32. Ashburnham Park, swampy ground near the stream 11.9.35. Marshy ground by the Cuckmere near the railway bridge, Berwick 13.6.34, 11.6.49, 15.6.75. Swampy places by the pond in Hurstmonceaux Park, plentiful 23.8.53. Beechdown Wood near Battle, locally abundant 6.6.54. Swampy place by the stream, Little London 19.6.65.

Eriophorum angustifolium

Four plants in a small marsh by the Cuckmere between Sherman Bridge & the railway, Berwick 24.5.37. Bog on Berwick Common, local 30.5.54. Bog on the remnant of Hooe Common, locally plentiful 24.9.72.

Carex divisa

Brackish fields by the Cuckmere between Exceat bridge & the sea, common 2.6.37.

C. disticha

Marsh by the Cuckmere between Sherman Bridge & the railway, Berwick, common 11.6.49. Bog on Berwick Common, locally abundant 30.5.52. Marsh at Bulverhythe, common 20.8.67.

C. arenaria

Gravelly & shingly places on the Crumbles near Eastbourne, locally common 28.6.42.

C. paniculata

Swampy places in Hurstmonceaux Park, locally abundant 31.8.49, 23.8.53.

C. otrubae

Banks of the Cuckmere at Berwick 27.5.32. Grounds of Glenleigh 13.7.37. Pevensey Marsh near Horseye & Rickney, 0.7.39. Marshy places on the Crumbles near Eastbourne, common 28.6.42. Bog on Berwick Common, local 30.5.54, 15.6.75. Bulverhythe marsh 20.8.67. Cuckmere Estuary, ditch behind the beach 19.7.69. Friston Pond 13.8.78.

C. divulsa

Crumbles near Eastbourne, frequent 24.5.46.

C. echinata

Damp heathy ground by Kemps Wood near Rushlake Green, sparingly 6.6.54. Bog on Berwick Common, rare 30.5.54. Plentiful in the bog on the remnant of Hooe Common 27.5.73.

C. remota

Swampy pool near Hailsham 12.6.49. Pond edges etc in Hurstmonceaux Park, common 31.7.49. Kemps Wood near Rushlake Green 6.6.54. Coppice near Willingdon, common 24.4.43. Pond near Waldron Church 20.9.70. High Wood, Bexhill 24.9.72.

C. curta

Plentiful in a swampy pool in the corner of a field by the footpath from Hempstead Lane to Grovelands, Hailsham 28.4.34, 12.6.49.

C. ovalis

Hurstmonceaux Park, common 24.5.36. Milton Hyde near Abbots Wood, frequent 9.6.62. On the remaining piece of Hooe Common 27.5.73. Marsh by the Cuckmere between Sherman Bridge & the railway, Berwick, abundant 15.6.75.

C. nigra

Milton Hyde near Abbots Wood, common 9.6.62. Bog on Hooe Common, plentiful 27.5.73. Bog on Berwick Common 30.5.54, 15.8.75.

C. pilulifera

Kemps Wood near Rushlake Green 6.6.54. Milton Hyde near Abbots Wood, local 27.5.73. On the small remaining piece of Hooe Common, local 27.5.73. High Wood, Netherfield 14.5.72.

C. flacca

By the Cuckmere near Berwick, common 27.5.32. Chalky banks near Ratton, Willingdon 30.4.36. Marsh between Willingdon & Stone Cross 5.5.36. Marshy ground by the stream S of Heathfield Chapel, common (no date). Grassy slopes above Chalk Farm, Willingdon, locally common 30.4.36. Downs about Ratton House 23.5.44. Downs near Beachy Head, common 29.4.42. Windover Hill above Wilmington, locally dominant over large areas 6.6.54. Heathy field N of Warbleton 15.9.57. Downs E of the Cuckmere Estuary 18.7.64. Willingdon Hill 13.6.76. Downs at Wilmington, common 9.5.64. Between Bexhill & Cooden Bay 21.5.78.

C. caryophyllea

Grassy bank by Park Wood, Carters Corner 5.4.36. Lane near Wartling Wood 2.5.36. Chalk downs in the Crowlink Valley near Friston 30.5.46. Open grassy place in Beechdown Wood near Battle 6.6.54. Milton Hyde near Abbots Wood, local 9.6.62. Heathy ground S of Heathfield Park 14.5.72, Downs at Wilmington, common 9.5.64.

C. pallescens

Abbots Wood towards Arlington, not common 28.5.32. Damp spots in Kemps Wood near Rushlake Green, locally abundant 6.6.54.

C. panicea

Small marsh by the Cuckmere between the railway & Sherman Bridge, Berwick 11.6.49. Common in a boggy spot in Kemps Wood, Rushlake Green 6.6.54. Bog on the remaining piece of Hooe Common, plentiful 27.5.73.

C. pendula

Wannock Glen, plentiful 15.4.35. Wet places in Park Wood between Carters Corner & Hellingly 15.6.35. Between Hurstmonceaux & Bodle Street 2.5.37. Ashburnham Park 1939. Park Wood near Sidley Green 14.5.39. High Wood, Bexhill 30.4.72. High Wood, Netherfield 14.5.72. Marlines Wood, locally common 9.5.64. Railway banks, Hellingly 17.9.72.

C. strigosa

Wannock Glen, large patch at the top end of the glen at the spring line of the chalk & gault 21.5.36, still plentiful 27.5.73.

C. sylvatica

Wood in Hampden Park, Eastbourne 24.5.33, 24.4.43. Abbots Wood 4.5.37, common 27.5.73. Diplocks Wood near Wannock 1939. Kemps Wood near Rushlake Green 6.6.54. Marlines Wood near Hollington, common 9.5.64.

C. laevigata

Swampy place by the pond in Hurstmonceux Park, local 24.5.36. Swampy places by the stream in Upper Vert Wood near East Hoathly, local 24.5.53. Boggy slope in Kemps Wood near Rushlake Green, very abundant 6.6.54. Abundant in swampy places in Beechdown Wood near Ashburnham 6.6.54.

C. binervis

Locally common in heathy woodland S of Chapel Cross, Heathfield 6.6.54. Common in damp heathy ground side of Kemps Wood near Rushlake Green 6.6.54. Selwyns Wood near Waldron, local 20.9.70. High Wood, Bexhill, common 30.4.72. High Wood near Netherfield 14.5.72.

C. distans

Salt marshes by the Cuckmere between Exceat Bridge & the sea 14.7.37, 18.7.64.

C. demissa

Locally common in damp, boggy spots in Kemps Wood near Rushlake Green 6.6.54. Heathy field E of St Dunstons Wood near Warbleton 18.9.57. Boggy ground on the remaining piece of Hooe Common, local 27.5.73.

C. hirta

Fields by the Cuckmere near Berwick, common 17.5.3, 24.5.37. Damp grassy fields near Chalk Farm, Willingdon, locally common 30.4.36. Pevensey Marsh near Horseye & Rickney 0.7.39. Hurstmonceux Park, common 31.7.49. Miltons Hyde, common 9.6.62. Marsh by the Cuckmere, Berwick 15.6.75. Berwick Common 15.6.75.

C. vesicaria

Common along the banks of the Cuckmere between Sherman Bridge & the railway 24.5.37.

C. rostrata

Abundant in the wet bog on the remaining piece of Hooe Common 27.5.73.

C. acutiformis

Ditches on the marsh between Willingdon & Stone Cross 5.5.36. Common in pools on the Crumbles E of Eatsbourne 26.4.52. Grounds of Glenleigh 13.7.73. Marsh by the Cuckmere near the railway, Berwick, abundant 15.6.75.

C. riparia

Pond in Hurstmonceux Park, common 24.5.36. Pond in the Coppice, Willingdon 24.5.42.

C. pseudocyperus

Grounds of Glenleigh 13.7.37. Pevensey Marsh near Horseye & Rickney 0.7.39. Swampy pool in the corner of a field off Hempstead Lane near Grovelands, Hailsham 12.6.49. Hurstmonceux park, frequent in a pond 31.7.49. Pond W of Waldron Church 20.9.70.

Spartina townsendii

Mudflats at the Cuckmere Estuary, abundant 18.8.33, 24.8.57. Banks of the Cuckmere below Alfriston, common 24.8.57.

Phalaris arundinacea

Ditches on Pevensey Marsh between Pevensey & Wartling, locally common 24.6.34. Pond near Hempstead Lane towards the Cuckmere 31.8.36. Ditches on the marsh near Eastbourne, common 3.9.36. Near Glenleigh, Eastbourne, 13.7.37. Ditches in the Cuckmere valley near Alfriston, abundant 24.8.57.

Anthoxanthum odoratum

Fields by the Cuckmere near Berwick 27.5.32. Crumbles E of Eastbourne, common 26.4.35. Downs about Wilmington & Windover Hill, abundant 22.6.54. Heathy field N of Warbleton 15.9.57. Berwick Common, abundant 30.5.54, 23.6.74. Milton Hyde, common 9.6.62. Hooe Common, frequent 27.5.73. Abbots Wood, common 27.5.73. Kemps Wood 14.5.72. Heathfield 14.8.72. High Wood, Netherfield 14.5.70. Wilmington, common 9.5.64,

Alopecurus myosuroides

Fields near Bexhill 27.4.35. Field by the Cuckmere near Exceat Bridge, abundant 15.6.35. Fields between Willingdon and Stone Cross 5.5.36.

A. pratensis

Fields about Hailsham, common 7.6.34. Field near Bexhill, common 27.4.35. Fields on the marsh between Willingdon & Stone Cross, abundant 5.5.36. Milton Hyde, common 27.5.73. Near Heathfield Church 14.5.72.

A. geniculatus

Damp field at the base of the Downs near Chalk Farm, Willingdon, common 30.4.36. Fields on the marsh between Willingdon & Stone Cross 5.5.36.

A. bulbosus

Common in damp grassy places on the Crumbles near Eastbourne 14.5.34, 31.5.46. Cuckmere Estuary, abundant in muddy brackish fields behind the beach, on the W side 15.6.75.

Millium effusum

Wartling Wood, local 24.5.36. Abbots Wood near Arlington, common 27.5.73.

Phleum nodosum

Downs above Eastbourne, common 11.7.34. Downs about Beachy Head 29.6.42. Grassy places on the Crumbles near Eastbourne 12.7.41. Crowlink valley, common 11.8.74. Downs about Seaford Head, local 17.7.71. Friston Forest, Westdean 3.7.77.

P. pratensis

Willingdon Hill 13.6.76.

Agrostis canina

Common on Milton Hyde near Michelham 26.6.35, 30.6.42. Bexhill Down, abundant 28.8.67.

A. tenuis

Near the Cuckmere at Exceat 14.7.37. Heathy field 1 mile N of Warbleton 15.9.57. Windover Hill above Wilmington, abundant 18.9.66. High Wood, Netherfield 14.5.72.

A. stolonifera

Damp places on the Crumbles near Eastbourne 6.7.34, 25.6.42. Fields etc. by the Cuckmere between Exceat Bridge & the sea 24.7.47.

A. gigantea

Disturbed sandy ground near Bryckden, Waldron, abundant 3.8.57.

Calamagrostis epigejos

Two large patches on Milton Hyde near Abbots Wood 31.8.36, 30.6.42.

C. canescens

Swampy edge of the large pond below the wood in Hurstmonceux Park, abundant 7.7.34, 23.8.53.

Aira caryophyllea

Windover Hill, barish ground towards Winchester Pond, occasionally 18.9.66.

A. praecox

Dry places on the Crumbles near Eastbourne, local 18.5.35.

Deschampsia caespitosa

Common on Milton Hyde near Michelham 28.6.35, abundant 27.5.73. Marsh between Willingdon & Stone Cross 5.5.36. Marshy ground by the stream below Chapel Cross, Heathfield 1.9.36. Windover Hill above Wilmington, locally common 18.9.66. Bexhill Down, abundant 20.8.67. Marlines Wood 9.5.64. Bulverhythe marsh 2.8.67.

D. flexuosa

Heathy roadside bank by the High Wood, Bexhill, several patches 20.8.67. Heathy bank of a ride in Selwyns Wood, Waldron, sparingly 20.9.70.

Holcus mollis

Milton Hyde near Abbots Wood 31.8.36.

H. lanatus

Grassfields about Hailsham, common 7.6.34. Around Compton Place Golf Course, Eastbourne, common 1937. Fields on the marsh between Willingdon & Stone Cross 28.8.36. Downs above Eastbourne, common 3.7.43. Hooe Common 24.9.72. Berwick Common 23.6.74. Crowlink, common 11.8.74. Windover Hill, common 18.9.66.

Trisetum flavescens

Crumbles between Eastbourne & Pevensey Bay 26.6.35. Downs between Willingdon & Jevington, common 30.6.36. Willingdon Hill towards Friston 2.7.42. Downs above Eastbourne, common 3.7.43. Downs near the cliff edge E of the Cuckmere Estuary 3.7.55, locally common 6.7.58, & fields near 24.8.57. Seaford Head, common 17.7.71.

Helictotrichon pratense

Chalk grassland on Willingdon Hill towards Friston, common 11.7.32. Downs by the Cuckmere near Exceat 15.6.35.

H. pubescens

Crumbles between Eastbourne & Pevensey Bay 8.6.34. Downs above Eastbourne & Beachy Head, locally common 15.6.57.

Arrhenatherum elatius

Common about Hampden Park & other places about Eastbourne 23.6.34. Hay fields near Hailsham & Hempstead Lane, abundant 6.6.35. Downs between Eastbourne & Beachy Head, common 6.6.42. Downs above Eastbourne Old Town 3.7.43.

Sieglingia decumbens

Grassy places in Hurstmonceux Park 7.7.35. Top of the Downs between Willingdon & Jevington 30.6.36. Bexhill Down 28.6.35. Heathy field 1 mile N of Warbleton 15.9.57. Milton Hyde near Abbots Wood, common 30.6.42.

Phragmites communis

Ditches on the marsh near Eastbourne, common 17.8.36. Marshy pools on the Crumbles near Eastbourne, common 1.7.36. Hurstmonceux Park, by the ponds etc. 24.5.36, 23.8.53. Ditches near the Cuckmere, Alfriston 24.8.57. Ditches in the Cuckmere Estuary near Exceat 28.8.65. Marsh by the Cuckmere near the railway, Berwick, abundant 15.6.75.

Cynosurus cristatus

Downs above Paradise Drive, Eastbourne, common 6.6.37. Downs near Cow Gap, Eastbourne, common 6.6.42. Chalk down about the 'Long Man' Wilmington, abundant 26.6.54. Downs at Beachy Head, common 25.6.57. Cuckmere Estuary, W side, common 15.6.75.

C. echinatus

Abundant by the chalk-pit by the road at Ocklynge going down from Eastbourne to Willingdon 11.6.49.

Koeleria gracilis

Downs between Willingdon & Jevington, common 30.6.36, 13.6.76. Downs above Paradise Drive, Eastbourne 1937. Downs between Eastbourne & Beachy Head, locally common 6.6.42, 15.6.57. Willingdon Hill 13.6.76. Windover Hill, local 18.9.66.

Molinia caerulea

Milton Hyde in damp spots near Abbots Wood, not common 28.6.35. Hurstmonceux Park, local 24.5.36. Heathy field by the stream S of Chapel Cross near Heathfield 1.9.36. Heathy field 1 mile N of Warbleton 15.9.57. Bexhill Down, abundant 20.8.67. High Wood, Bexhill, common 30.4.72. Heathy ground S of Heathfield Park 14.5.72. Kemps Wood near Rushlake Green, common 14.5.72.

Catabrosa aquatica

Marshy hollow at the bottom of Comphurst Lane, Hurstmonceux, sparingly 7.7.34.

Melica uniflora

Hedgebanks etc about Hurstmonceux 30.5.32. Wartling Wood (no date). Upper Vert Wood 24.5.58. Marlines Wood 9.5.66. High Wood, Bexhill 30.4.72. Abbots Wood, common 27.5.73.

Dactylis glomerata

Grassfields about Hailsham, abundant 7.6.34. Downs near Cow Gap, Eastbourne, common 6.6.42. Downs above Wilmington, abundant 26.6.54. Downs at Beachy Head, common 15.6.57. Willingdon Hill 13.6.76. Downs by the Cuckmere, common 18.7.64. Seaford Head, common 18.9.66.

Briza media

Crumbles near Eastbourne 28.5.32. Fields between Hempstead Lane & Hailsham 7.6.34. Downs above Eastbourne, abundant 1937. Downs in the Crowlink valley, common 30.5.46. Downs about the 'Long Man' & Windover Hill, abundant 26.6.54. Downs between Beachy Head & Eastbourne, common 6.6.42, 15.6.57. Downs E of the Cuckmere Estuary, common 18.7.64. Downs at Seaford Head, common 17.7.71. Willingdon Hill 13.6.76. Crowlink 11.8.74. Wannock 11.8.74.

Puccinellia maritima

Salt marshes along the Cuckmere from Exceat to the sea, abundant 15.6.34, 14.7.37. Muddy bank of the Cuckmere below Alfriston, locally abundant 24.8.57.

P. distans

Crumbles near Eastbourne 6.7.35. Pevensey Marsh near Horseye & Rickney 0.7.39. Muddy bank of the Cuckmere near Exceat 28.8.65.

Glyceria fluitans

Pevensey Castle moat 24.4.36. Marsh ditches about Eastbourne & Willingdon, abundant 5.5.36. Berwick Common, abundant 15.6.75.

G. plicata

Plentiful in a marshy spot on Berwick Common 23.6.74.

G. maxima

Marsh ditches near Willingdon 5.5.36.

Desmazeria rigida

Downs above Eastbourne, locally plentiful 3.7.43, 17.3.57. Downs at Beachy Head, common 29.6.42. Downs between Gayle's Farm & the Cuckmere, locally abundant 6.7.58.

D. marina

Cliff edges E of the Cuckmere Estuary 18.7.64. Plentiful on a chalky bank at Birling Gap 18.7.64. Mud flats at the Cuckmere Estuary 19.7.69. Downs towards Seaford Head 30.5.70.

Festuca ovina

Downs near Seaford Head 30.5.70. Downs about Willingdon Hill 13.6.76. Downs at Wilmington, common 9.5.64.

F. pratensis

Fields by the Cuckmere near Berwick 13.6.34.

F. rubra

Downs about Beachy Head, common 15.6.57.

F. arundinacea

Downs about Cow Gap & Beachy Head 15.6.54. Barish ground near the cliff edge E of Cuckmere Estuary & roadside banks towards Friston, common 3.7.55. Windover Hill above Wilmington, local 18.9.66.

Vulpia bromoides

Turfy shingle on the Crumbles between Eastbourne & Pevensey Bay 8.6.34.

Bromus ramosa

Copses about Wannock & Jevington, common 1.8.32. Wood in Hampton Park, Eastbourne, common 23.6.34. Woods about Ratton House 4.8.36. Woods at the base of the Downs about Eastbourne, common 1937. High Wood, Bexhill 20.8.67.

B. diandrus

Crumbles near Langney Point, a few plants on flat shingly ground towards the fort 30.5.70.

B. erectus

Dominant grass on downland slopes near the 'Long Man' above Wilmington 26.6.54, 23.6.74. Downs about Beachy Head, common 15.6.57. Downs E of the Cuckmere Estuary, common 6.7.58. Windover Hill above Wilmington, locally abundant 18.9.66. Friston Forest, Westdean, common 18.7.72. Willingdon Hill 13.6.76. Seaford Head, common 17.7.71.

B. mollis

Downs near Seaford Head 30.5.70.

Brachypodium sylvaticum

Plantations about Ratton House 4.8.36, 3.8.41. Woods about Paradise Drive, Eastbourne 11.7.34. Ashburnham Park 1939. The Coppice near Willingdon, common 24.5.42. Windover Hill above Wilmington, occasional 18.9.66.

B. pinnatum

Downs about Beachy Head, abundant 2.7.34, 3.7.43. Downs E of the Cuckmere Estuary towards the cliff edge, common 3.7.55, 18.7.64. Crowlink Valley near Friston 11.8.74. Windover Hill, local 18.9.66.

Lolium perenne

Downs above Eastbourne, abundant 1937. About Beachy Head, common 15.6.57.

L. multiflorum

Cultivated fields on the Downs towards the Cuckmere 3.7.55.

Agropyron repens

Common about Pevensey Bay 3.7.35. Downs near Eastbourne & Cow Gap, common 6.6.42. Fields etc by the Cuckmere near Exceat Bridge, common 14.7.37.

A. pungens

Abundant by the Cuckmere between Exceat & the sea and var. littorale 13.7.34, 19.8.59. Muddy banks of the Cuckmere below Alfriston 24.8.57. Cuckmere Estuary 18.7.64.

Parapholis strigosa

Cuckmere valley near Exceat 13.7.35. Shingles beyond Pevensey Bay 3.7.35, 21.7.40. Flats behind the beach at the Cuckmere Estuary, abundant 19.7.69.

Nardus stricta

Bexhill Down 28.6.35. On the remaining piece of Hooe Common, local 27.5.73.

Hordeum secalinum

Abundant on damp fields by the Cuckmere from Exceat to the sea 15.6.34, 28.8.65. Hay fields near Hempstead & Hailsham, common 6.6.35. Fields on the marsh between Stone Cross & Willingdon 28.8.36. Fields on Pevensey Marsh near Horseye & Rickney, common 0.7.1939. Damp fields on the Crumbles near Eastbourne 12.7.41. Damp fields at Pevensey Bay 21.7.48. Green lane at Lower Dicker 3.8.62. Downs at Seaford Head 17.7.71. Bulverhythe marsh 20.8.67.

H. murinum

Roadsides & waste places about Eastbourne, abundant 1937.

H. marinum

Grassy shingles at Pevensey Bay 3.7.35. By the Cuckmere between Exceat Bridge & the sea 14.7.37. Between Pevensey Bay & Normans Bay 21.7.48.

Juniperus communis

One small plant in the chalk-pit by the 'Long Man', Wilmington 23.6.74.

Taxus baccata

Jevington Plantation 30.1.32. Woods about Ratton House, Willingdon 1.3.35, 23.5.44. Wartling Wood 2.5.36. The Coppice near Willingdon 24.5.42. Woods about Paradise Drive, Eastbourne 1937.

Larix decidua

High Wood, Netherfield 14.5.72.

Pinus sylvestris

Near the lake in Ashburnham Park 19.5.33. Park Wood near Hellingly 28.4.36. Grounds about Glenleigh near Eastbourne 13.7.37. Abbots Wood, locally common 4.5.37. Diplocks Wood near Wannock, planted, 1939. The Coppice near Willingdon, planted, 24.5.49.

Pteridium aquilinum

Wartling Wood 2.5.36. Kemps Wood near Rushlake Green 30.5.36. Abbots Wood, abundant 4.5.37. Park Wood near Sidley Green 14.5.39. High Wood, Netherfield 15.4.72. Hooe Common 24.9.72. Berwick Common 23.6.74. Bexhill Down, abundant 20.8.67.

Blechnum spicant

Crumbles between Eastbourne & Pevensey Bay, casual 30.6.35. Sandy banks by the stream in Heathfield Park 13.8.49. Park Wood near Sidley Green 30.4.50. Upper Vert Wood near East Hoathly 24.5.58. Selwyns Wood, Waldron, local 20.9.70. High Wood, Netherfield 14.5.72. High Wood, Bexhill 30.4.72. Marlines Wood, common 2.5.64.

Asplenium adiantum-nigrum

Heathfield Church 14.5.72.

A. ruta-muraria

Hurstmonceux churchyard wall 29.4.33. Waldron Church walls, common 20.9.70. Heathfield Church 14.5.72. Horam Station 24.9.72. Disused railway bank near Hellingly 24.9.72.

A. trichomanes

Horam railway station 24.9.72.

Athyrium filix-femina

By the stream in Kemps Wood near Rushlake Green 14.5.72.

Phyllitis scolopendrium

Wood on the Downs above Willingdon 30.4.36. Wannock Glen, very large & abundant 21.5.36. Diplocks Wood near Wannock 1939. The Coppice near Willingdon 24.5.42. Wood on the Downs above Eastbourne, locally common 17.3.57. Marlines Wood, not common 9.5.64.

Polystichum setiferum

Marlines Wood near Hollington, abundant on shady banks 9.5.64.

Thelypteris oreopteris

Plentiful in the valley by the stream in Heathfield Park 13.8.49.

Dryopteris aemula

Steep banks of the stream in Heathfield Park, locally plentiful 13.8.49. Beechdown Wood near Battle, locally abundant in a damp valley 6.6.54.

D. filix-mas

Marlines Wood near Hollington, common 9.5.64. High Wood, Netherfield 14.5.72.

D. austriaca

Marlines Wood near Hollington, common 9.5.64.

Polypodium vulgare

Hurstmonceux Park 24.5.36. Woods S of Heathfield, common 15.9.57. High Wood, Netherfield 14.5.72. Large clump on the Crumbles between Eastbourne & Pevensey Bay 23.8.70. Rocky lane at Waldron, abundant 20.9.70. Marlines Wood, common 9.5.64.

Ophioglossum vulgatum

Common in damp fields on the gault clay at Folkington & Wilmington 17.5.33. Abundant in a damp field side of Nate Wood, Polegate 24.5.37. Damp grassy ground at Cooden Bay near Bexhill 28.6.38. Field below the small wood on the Downs above Chalk Farm, Willingdon 30.4.36. Field between Hurstmonceux & Bodle Street 2.5.37.

Azolla filiculoides

Locally abundant in ditches on Pevensey Marsh near Rickney 23.8.71.

Equisetum fluviatile

Marsh by the Cuckmere between Sherman Brudge & the railway, plentiful 15.6.75.

E. arvense

Crumbles near Eastbourne, common 1.7.36.

E. telmateia

Swampy place on Hooe Common 22.4.33. Swamp in the Coppice near Willingdon, locally abundant 24.4.43. Wannock Glen, locally plentiful 21.5.36. Railway bank at Bulverhythe 20.8.67.

Notes on volume & transcription

Ron Boniface's manuscript Flora of Eastbourne is written in longhand in pages from exercise books. It is not known whether or not he had completed work on it – it seems likely that he had not.

The MS has in general been transcribed as written, inconsistencies and all, although some words which RAB abbreviated have been given in full for clarity, and some which he spelt out out, such as points of the compass, have been abbreviated to save space. Some very obvious slips of the pen have been corrected.

His handwriting is usually clear and easy to read, but the numerals are sometimes difficult – it can be hard to know whether a '5' or an '8' is intended, and '3' also sometimes resembles '8'.

RAB put an asterisk beside some dates to indicate that the plant had been seen in flower – these have been omitted.

RAB always spelt 'Langney' as 'Langley', as did Roper in his *Flora of Eastbourne* (1875), but I have used the normal modern spelling.

The spellings of plant names have been used as written, although many of these are now out-dated, but they can be checked in any of the numerous books which give historical names along with current ones.

The order of species seems eccentric in some ways, with Orchids preceding Composites etc., but I have retained the order as RAB presented it, because it would be time-consuming to change it. However, in the MS there are a few pages at the back with records of miscellaneous species, and I have plopped these in to appropriate places in the main text.

GAZETTEER OF SITES, EXCLUDING TOWNS & VILLAGES

Abbotts Wood	TQ5607	High Wood, Bexhill	TQ7109
Ashburnham Park	TQ6814/6914	High Wood, Netherfield	TQ7117
Aylesbury Dairy, Langney	?	Holywell Waterworks	TV601968
Barnhorn	TQ6907/7007	Hooe Common	TQ696105
Beach Farm	?	Horam Station	TQ578174
Beachy Head	TV5895/5995	Horsebridge Wood	c.TQ580110?
Beechdown Wood	TQ7115/7116	Horseye	TQ6208
Belle Tout	TV563955	Hurstmonceaux Park	TQ6410
Berwick Common	?	Jevington Holt	TQ552020
Berwick Station	TQ526068	Jevington Plantation	?
Bexhill Down	TQ733082	Kemps Wood	TQ629197
Birling Gap	TV5596	Langney Fort	?
Black Farm = Black Robin?	?	Langney Gate	?
Black Robin Farm	TV588973	Langney Point	TQ642009
Bryckden	TQ541201	Little London	TQ5719
Buckdown Wood	?	Long Man, Wilmington	TQ542034
Bullock Down	TV5896	Marline(s) Wood	TQ779122
Bulverhythe Marsh	TQ7709?	Michelham Priory	TQ558093
Bushy Down	?	Mill Wood	TQ555089
Camelot Hall (Camberlot)	TQ5511	Milton Hyde	TQ564089
Carters Corner	TQ6012	Monkyn Pyn	TQ549058
Chalk Farm	TQ585025	Nate Wood	TQ5706
Charleston Manor/Pond	TQ520006	Normans Bay	TQ6805
Chilver Bridge	TQ537068	Ocklynge	TQ5901?
Chyngton	TV504987	Old Decoy Wood	TQ599018
Cole Wood	TQ7410	Otham (Ottenham) Court	TQ587057
Comphurst Lane	TQ6411	Paradise Drive	TV5998
Compton Place Golf Course	TV5998/6098	Park Wood, Carters Corner	TQ6012
Cooden Bay	TQ7006/7106	Park Wood, Hellingly	TQ6012
Coombe Hill	TQ5702	Park Wood, Sidley Green	TQ7311
Coppice, The (Willingdon)	TQ594018	Pevensey Bay	TQ6504
Cow Gap	TV5995	Pevensey Castle	TQ645047
Crapham Down	TV5797	Possingworth Park	TQ5421
Creep Wood	TQ7017	Princes Park Lake	TQ627003
Crowlink Valley	TV5497	Ratton House	TQ584016?
Crumbles	TQ6402 & nr.	Rickney	TQ6207
Cuckmere Haven	TV5197	Rodmill Farm	c.TQ598009
Dairy, Langney	?	Seaford Head	TV4997
Diplocks Wood, Wannock	?	Selwyns Wood	TQ5520
Exceat	TV518995	Sherman Bridge	TQ531050
Exceat Bridge	TV513993	Sluice Bridge, Prince's Park	c.TQ6200
Filching Manor	TQ569029	Sprays Wood	TQ7117
Fore Down	TQ5301	St Dunstons Wood	TQ6020
Friston Forest	TV5399	Tanners Hatch	?
Friston Pond	TV551982	Tut Barn	TQ608000
Galley Hill, Bulverhythe	TQ7507	Vert Wood/ Upper Vert Wood	TQ5113/5114
Gayles Farm	TV539979	Wannock Glen	TQ570031?
Glenleigh	TQ7208	Warren Coombe	TV5997
Grovelands	TQ582099	Wartling Wood	TQ6510
Hailsham Station	TQ589093	Willingdon Hill	TQ5700
Hampden Park	TQ599018	Wilmington Holt	TQ552039
Heathfield Chapel	?	Winchester Pond	TQ539019
Heathfield Park	TQ5920/5921	Windmill Hill	TQ6412
Hellingly Water Mill	TQ5812	Windover Hill	TQ5403
Hempstead Farm	TQ574102	Wotton Farm = Manor?	TQ564052?
Hempstead Lane	TQ5710		

INDEX TO GENERA

Acanthus.....	30	Brachypodium...	58	Crithmum.....	21
Acer.....	11	Brassica.....	5	Cuscuta.....	26
Aceras.....	39	Briza.....	57	Cyclamen.....	24
Achillea.....	43	Bromus.....	57	Cymbalaria.....	27
Adonis.....	1	Bryonia.....	19	Cynoglossum....	25
Adoxa.....	22	Bupleurum.....	19	Cynosurus.....	56
Aegopodium.....	20	Butomus.....	50	Dactylis.....	57
Aethusa.....	21	Buxus.....	36	Daphne.....	35
Agrimonia.....	16	Cakile.....	6	Datura.....	26
Agropyron.....	58	Calamagrostis...	55	Daucus.....	22
Agrostemma.....	7	Calamintha.....	31	Deschampsia....	55
Agrostis.....	55	Calluna.....	23	Desmazeria.....	57
Aira.....	55	Caltha.....	2	Dianthus.....	7
Ajuga.....	33	Calystegia.....	26	Digitalis.....	28
Alisma.....	50	Campanula.....	22	Diplotaxis.....	5
Alliaria.....	5	Capsella.....	5	Dipsacus.....	41
Allium.....	48	Cardamine.....	4	Dryopteris.....	59
Alnus.....	37	Cardaria.....	5	Echium.....	26
Alopecurus.....	54	Carduus.....	45	Elatine.....	9
Althea.....	10	Carex.....	52	Eleocharis.....	52
Anacamptis.....	39	Carlina.....	44	Eleogiton.....	52
Anagallis.....	24	Carpinus.....	37	Elodea.....	38
Anemone.....	1	Castanea.....	37	Endymion.....	48
Angelica.....	21	Catabrosa.....	56	Epilobium.....	18
Anthemis.....	43	Centaurea.....	45	Epipactis.....	39
Anthoxanthum...	54	Centaurium.....	27	Equisetum.....	60
Anthriscus	20	Centranthus.....	41	Erica.....	23
Anthyllis.....	14	Centunculus.....	24	Erigeron.....	42
Aphanes.....	16	Cephalanthera...	39	Eriophorum.....	52
Apium.....	20	Cerastium.....	8	Erodium.....	11
Aquilegia.....	2	Ceratophyllum...	38	Erophila.....	4
Arabidopsis.....	4	Chaenorhinum...	28	Euonymus.....	11
Arabis.....	4	Chaerophyllum...	20	Eupatorium.....	42
Arctium.....	45	Chamaenerion ..	18	Euphorbia.....	36
Arenaria.....	8	Cheiranthus.....	3	Euphrasia.....	29
Armeria.....	23	Chelidonium.....	3	Fagus.....	37
Arrhenatherum...	56	Chenopodium....	33	Festuca.....	57
Artemisia.....	44	Chrysanthemum	43	Filago.....	42
Arum.....	50	Chrysosplenium.	17	Filipendula.....	15
Asparagus.....	48	Cichorium.....	46	Foeniculum.....	21
Asperula.....	41	Circaea.....	19	Fragaria.....	16
Asplenium.....	59	Cirsium.....	45	Frangula.....	11
Aster.....	42	Clematis.....	1	Frankenia.....	7
Athyrium.....	59	Clematis.....	27	Fraxinus.....	24
Atriplex.....	34	Clinopodium.....	31	Fumaria.....	3
Atropa.....	26	Coeloglossum...	40	Galanthus.....	48
Azolla.....	59	Conium.....	19	Galeobdolon....	32
Ballota.....	33	Conopodium.....	20	Galeopsis.....	31
Barbarea.....	4	Conringia.....	5	Galium.....	40
Bellis.....	42	Convallaria.....	48	Genista.....	12
Berberis.....	2	Convolvulus.....	26	Gentiana.....	27
Berula.....	20	Cornus.....	22	Gentianella.....	27
Beta.....	34	Coronopus.....	5	Geranium.....	10
Betula.....	37	Corydalis.....	3	Geum.....	16
Bidens.....	43	Corylus.....	37	Glaucum.....	3
Blackstonia.....	27	Crambe.....	5	Glaux.....	24
Blechnum.....	59	Crataegus.....	17	Glechoma.....	31
Borago.....	25	Crepis.....	46	Glyceria.....	57

Gnaphalium.....	42	Marrubium.....	32	Pimpinella.....	20
Gymnadenia	40	Matricaria.....	43	Pinus.....	59
Halimione.....	34	Matthiola.....	3	Plantago.....	33
Hedera.....	22	Medicago.....	12	Platanthera.....	40
Helianthemum...	6	Melampyrum.....	30	Polygala.....	7
Helictotrichon....	56	Melica.....	56	Polygonum.....	35
Heracleum.....	21	Melilotus.....	13	Polypodium.....	59
Hesperis.....	4	Melissa.....	31	Polystichum.....	59
Hieracium.....	46	Mentha	30	Populus.....	38
Hippocrepis.....	14	Menyanthes.....	25	Potamogeton....	51
Hippuris.....	18	Mercurialis.....	36	Potentilla.....	16
Hirschfeldia.....	5	Mespilus.....	17	Poterium.....	17
Holcus.....	55	Millium.....	55	Primula.....	23
Honkenya.....	8	Moenchia.....	8	Prunella.....	32
Hordeum.....	58	Moerhingia.....	8	Prunus.....	15
Hottonia.....	23	Molinia.....	56	Pteridium.....	59
Humulus.....	36	Monotropa.....	23	Puccinellia.....	57
Hydrocharis.....	38	Montia.....	9	Pulicaria.....	43
Hydrocotyle.....	19	Mycelis.....	47	Quercus.....	37
Hyoscyamus...	26	Myosotis.....	25	Radiola.....	10
Hypericum.....	9	Myosoton.....	8	Ranunculus.....	1
Hypochaeris.....	47	Myosurus.....	1	Raphanus.....	6
Ilex.....	11	Myrica.....	37	Reseda.....	6
Impatiens.....	11	Myriophyllum....	18	Rhamnus.....	11
Inula.....	42	Narcissus.....	48	Rhinanthus.....	30
Iris.....	48	Nardus.....	58	Rhododendron...	23
Isolepis.....	52	Narthecium.....	49	Ribes.....	17
Juncus.....	49	Neottia.....	38	Rorippa.....	3
Juniperus.....	58	Nepeta.....	31	Rosa.....	17
Kickxia.....	27	Nuphar.....	3	Rubus.....	16
Knautia.....	42	Nymphaea.....	2	Rumex.....	35
Koeleria.....	56	Odontites.....	30	Ruppia.....	51
Lactuca.....	47	Oenanthe.....	21	Ruscus.....	48
Lamium.....	32	Oenothera.....	19	Sagina.....	9
Lapsana.....	46	Onobrychis.....	14	Sagittaria.....	51
Larix.....	58	Ononis.....	12	Salicornia.....	34
Lathyrus.....	15	Onopordum.....	45	Salix.....	37
Lavatera.....	10	Ophioglossum...	59	Salvia.....	31
Lemna.....	50	Ophrys.....	39	Sambucus.....	40
Leontodon.....	47	Orchis.....	39	Samolus.....	24
Lepidium.....	5	Origanum.....	31	Sanicula.....	19
Ligustrum.....	24	Ornithogalum....	49	Saponaria.....	7
Limonium.....	23	Orobanche.....	30	Sarothamnus....	12
Linaria.....	28	Oxalis.....	11	Saxifraga.....	17
Linum.....	10	Papaver.....	3	Scabiosa.....	42
Listera.....	38	Parapholis.....	58	Scandix.....	20
Lithospermum...	26	Parentucellia....	29	Scirpus.....	52
Lobularia.....	4	Parietaria.....	37	Scleranthus.....	33
Lolium.....	58	Pastinaca.....	21	Scrophularia....	28
Lonicera.....	40	Pedicularis.....	29	Scutellaria.....	31
Lotus.....	14	Pentaglottis.....	25	Sedum.....	18
Lupinus.....	11	Peplis.....	18	Senecio.....	44
Luzula.....	49	Petasites.....	44	Serratula.....	45
Lychnis.....	7	Petroselinum....	20	Seseli.....	21
Lycium.....	26	Peucedanum....	21	Sherardia.....	41
Lycopsis.....	25	Phalaris.....	54	Sibthorpia.....	28
Lycopus.....	30	Phleum.....	55	Siegingia.....	56
Lysimachia.....	24	Phragmites.....	56	Silaum.....	21
Lythrum.....	18	Phyllitis.....	59	Silene.....	7
Malus.....	17	Phyteuma.....	22	Silybum.....	45
Malva.....	10	Picris.....	46	Sinapis.....	5

Sison.....	20	Succisa.....	41	Tussilago.....	44
Sisymbrium.....	4	Symphytum	25	Typha.....	50
Sium.....	22	Tamarix.....	9	Ulex.....	12
Smyrnum.....	19	Tamus.....	48	Ulmus.....	36
Solanum.....	26	Tanacetum.....	43	Urtica.....	36
Solidago.....	42	Taraxacum.....	47	Utricularia.....	30
Sonchus.....	47	Taxus.....	58	Valeriana.....	41
Sorbus.....	17	Teucrium.....	33	Valerianella.....	41
Sparganium.....	50	Thelypteris.....	59	Verbascum.....	27
Spartina.....	54	Thesium.....	36	Verbena.....	30
Specularia.....	23	Thlaspi.....	5	Veronica.....	28
Spergula.....	9	Thymus.....	31	Viburnum.....	40
Spergularia.....	9	Tilia.....	10	Vicia.....	14
Spiraea.....	15	Torilis.....	22	Vinca.....	25
Spiranthes.....	38	Tragopogon.....	47	Viola.....	6
Stachys.....	32	Trifolium.....	13	Viscum.....	36
Stellaria.....	8	Triglochin.....	51	Vulpia.....	57
Stratiotes.....	51	Trigonella.....	12	Zannichellia.....	52
Suaeda.....	34	Trisetum.....	56		

